



FILTER PAPERS

CATALOGUE

2021-2022

ASHLESS FILTER PAPERS, FILTER DISCS

FILTER PAPERS, ASHLESS

GRADE NO. 388



BLACK DOT

Very high rate of filtration, wide-pored, spongy structure, ash-free

g/m² : 84
Particle retention (μm) : 12 - 15
Fv (s) : 10

SARTORIUS

Code No.	Specification Diameter (mm)	Pcs/ Case
FT-3-101-055	55	100
FT-3-101-070	70	100
FT-3-101-090	90	100
FT-3-101-110	110	100
FT-3-101-125	125	100
FT-3-101-150	150	100
FT-3-101-185	185	100
FT-3-101-240	240	100

ASHLESS FILTER PAPERS, FILTER DISCS

FILTER PAPERS, ASHLESS

GRADE NO. 389



WHITE DOT

High rate of filtration, medium wide-pored, ash-free

g/m² : 84
Particle retention (μm) : 8 - 12
Fv (s) : 20

SARTORIUS

Code No.	Specification Diameter (mm)	Pcs/ Case
FT-3-102-055	55	100
FT-3-102-070	70	100
FT-3-102-090	90	100
FT-3-102-110	110	100
FT-3-102-125	125	100
FT-3-102-150	150	100
FT-3-102-185	185	100
FT-3-102-240	240	100

FILTER PAPERS, ASHLESS

GRADE NO. 390



GREEN DOT

Low rate of filtration, narrow-pored, dense, ash-free

g/m² : 84
Particle retention (μm) : 3 - 5
Fv (s) : 100

SARTORIUS

Code No.	Specification Diameter (mm)	Pcs/ Case
FT-3-103-055	55	100
FT-3-103-070	70	100
FT-3-103-090	90	100
FT-3-103-110	110	100
FT-3-103-125	125	100
FT-3-103-150	150	100
FT-3-103-185	185	100
FT-3-103-240	240	100

These filter paper are used for quantitative analysis. Made of refined pulp and linters with over 95% alpha-cellulose content. These filter papers are Guaranteed to be free of any residual acids and low percentage of ash content.

SARTORIUS		
Code No.	Specification Diameter (mm)	Pcs/ Case
FT-3-104-055	55	100
FT-3-104-070	70	100
FT-3-104-090	90	100
FT-3-104-110	110	100
FT-3-104-125	125	100
FT-3-104-150	150	100
FT-3-104-185	185	100
FT-3-104-240	240	100

SARTORIUS		
Code No.	Specification Diameter (mm)	Pcs/ Case
FT-3-105-055	55	100
FT-3-105-070	70	100
FT-3-105-090	90	100
FT-3-105-110	110	100
FT-3-105-125	125	100
FT-3-105-150	150	100
FT-3-105-185	185	100
FT-3-105-240	240	100

SARTORIUS		
Code No.	Specification Diameter (mm)	Pcs/ Case
FT-3-127-055	55	100
FT-3-127-070	70	100
FT-3-127-090	90	100
FT-3-127-110	110	100
FT-3-127-125	125	100
FT-3-127-150	150	100
FT-3-127-185	185	100
FT-3-127-240	240	100

SARTORIUS			
Code No.	Specification (mm)		Pcs/ Case
	Length	Width	
FT-2-101-580580	580	580	100
FT-2-102-580580	580	580	100
FT-2-103-580580	580	580	100
FT-2-104-580580	580	580	100
FT-2-105-580580	580	580	100

FILTER PAPERS, ASHLESS

GRADE NO. 391



BLUE DOT

Very low rate of filtration, fine-pored, very dense, ash-free

g/m² : 84
Particle retention (µm) : 2 - 3
Fv (s) : 180

FILTER PAPERS, ASHLESS

GRADE NO. 392



RED DOT

Moderate rate of filtration, medium density, ash-free

g/m² : 105
Particle retention (µm) : 5 - 8
Fv (s) : 50

FILTER PAPERS, ASHLESS

GRADE NO. 393



PURPLE DOT

Lowest rate of filtration, amongst the quantitative filter paper, extra fine-pored & dense, most efficient collection of smallest particles, ash-free

g/m² : 100
Particle retention (µm) : 1 - 2
Fv (s) : 250

ASHLESS FILTER PAPERS, SHEET

Filter Paper, Grade 388

Filter Paper, Grade 389

Filter Paper, Grade 390

Filter Paper, Grade 391

Filter Paper, Grade 392

FILTER PAPERS, ANALYTICAL

GRADE NO. 292

Medium density, moderately fast rate of filtration

g/m² : 87
Particle retention (µm) : 5 - 8
Fv (s) : 45

SARTORIUS

Code No.	Specification (mm)	Pcs/Case
FT-3-205-055	55	100
FT-3-205-070	70	100
FT-3-205-090	90	100
FT-3-205-110	110	100
FT-3-205-125	125	100
FT-3-205-150	150	100
FT-3-205-185	185	100
FT-3-205-240	240	100

FILTER PAPERS, ANALYTICAL

GRADE NO. 292a

Medium-to narrow-pored, moderately fast rate of filtration

g/m² : 97
Particle retention (µm) : 4 - 7
Fv (s) : 60

SARTORIUS

Code No.	Specification (mm)	Pcs/Case
FT-3-215-055	55	100
FT-3-215-070	70	100
FT-3-215-090	90	100
FT-3-215-110	110	100
FT-3-215-125	125	100
FT-3-215-150	150	100
FT-3-215-185	185	100
FT-3-215-240	240	100

HIGH-PURITY FILTER PAPPERS, SHEET

Filter Paper, Grade 292

Filter Paper, Grade 292a

SARTORIUS

Code No.	Specification (mm)		Pcs/Case
	Length	Width	
FT-2-205-580580	580	580	100
FT-2-215-580580	580	580	100

These filter paper are mainly used for qualitative analysis. Made of refined pulp and linters with over 95% alpha-cellulose content
Thes ash content of these filter paper is approx. <0.1%

SARTORIUS		
Code No.	Spesification Diameter (mm)	Pcs/ Case
FT-3-211-090	90	100
FT-3-211-110	110	100
FT-3-211-125	125	100
FT-3-211-150	150	100
FT-3-211-185	185	100

FILTER PAPERS, ANALYTICAL

GRADE NO. 293

Lowest rate of filtration

g/m2 : 80
Particle retention (µm) : 1 - 2
Fv (s) : 300

SARTORIUS		
Code No.	Specification (mm)	Pcs/ Case
FT-3-206-055	55	100
FT-3-206-070	70	100
FT-3-206-090	90	100
FT-3-206-110	110	100
FT-3-206-125	125	100
FT-3-206-150	150	100
FT-3-206-185	185	100
FT-3-206-240	240	100

ANALYTICAL FILTER PAPERS, FILTER DISCS

FILTER PAPERS, ANALYTICAL

GRADE NO. 1288

Wide-pored, soft & spongy structure, fast rate of filtration, wet strength

g/m2 : 84
Particle retention (µm) : 12 - 15
Fv (s) : 10

SARTORIUS		
Code No.	Specification (mm)	Pcs/ Case
FT-3-208-055	55	100
FT-3-208-070	70	100
FT-3-208-090	90	100
FT-3-208-110	110	100
FT-3-208-125	125	100
FT-3-208-150	150	100
FT-3-208-185	185	100
FT-3-208-240	240	100

ANALYTICAL FILTER PAPERS, FILTER DISCS

FILTER PAPERS, ANALYTICAL

GRADE NO. 1290

Narrow-pored, dense, slow rate of filtration, wet strength

g/m2 : 84
Particle retention (µm) : 3 - 5
Fv (s) : 100

FILTER PAPERS, ANALYTICAL

GRADE NO. 1291

Fine-pored, highly dense, very slow of filtration,
wet strength

g/m² : 84
Particle retention (μm) : 2 - 3
Fv (s) : 180

SARTORIUS

Code No.	Spesification Diameter (mm)	Pcs/ Case
FT-3-209-055	55	100
FT-3-209-070	70	100
FT-3-209-090	90	100
FT-3-209-110	110	100
FT-3-209-125	125	100
FT-3-209-150	150	100
FT-3-209-185	185	100
FT-3-209-240	240	100

WET-STRENGTHENED FILTER PAPPERS, SHEET

Filter Paper, Grade 1288

Filter Paper, Grade 1289

Filter Paper, Grade 1290

Filter Paper, Grade 1291

SARTORIUS

Code No.	Specification (mm)		Pcs/ Case
	Length	Width	
FT-2-206-580580	580	580	100
FT-2-207-580580	580	580	100
FT-2-208-580580	580	580	100
FT-2-209-580580	580	580	100

SARTORIUS		
Code No.	Specification (mm) Diameter	Pcs/ Case
FT-3-303-055	55	100
FT-3-303-070	70	100
FT-3-303-090	90	100
FT-3-303-110	110	100
FT-3-303-125	125	100
FT-3-303-150	150	100
FT-3-303-185	185	100
FT-3-303-240	240	100
FT-3-303-270	270	100
FT-3-303-320	320	100

FILTER PAPERS, QUALITATIVE

GRADE 3 hw

AND TECHNICAL

Moderately fast rate of filtration, thin, smooth

g/m² : 65
Fv (s) : 20

SARTORIUS			
Code No.	Specification (mm)		Pcs/ Case
	Length	Width	
FT-2-354-580580	580	580	100

FILTER PAPERS

GRADE 601/N

Thin, medium-fast rate of filtration, creped, wet strength

g/m² : 65
Fv (s) : 13

FILTER PAPERS & EXTRACTION
THIMBLES

CHROMATOGRAPHY PAPER

GRADE NO. FN 1
GRADE NO. FN 3
GRADE NO. FN 3
GRADE NO. FN 4
GRADE NO. FN 5
GRADE NO. FN 6
GRADE NO. FN 7
GRADE NO. FN 7

SARTORIUS			
Code No.	Specification (mm)		Pcs/ Case
	Length	Width	
FT-2-501-580600N	580	600	100
FT-2-503-460570N	580	600	100
FT-2-503-580600N	460	570	100
FT-2-504-580600N	580	600	100
T-2-505-580600N	580	600	100
FT-2-506-580600N	580	600	100
FT-2-507-460570K	460	570	100
FT-2-507-580600K	580	600	100

SARTORIUS

Code No.	Specification (mm) Diameter	Pcs/ Case
FT-3-1101-025	25	100
FT-3-1101-047	47	100
FT-3-1101-050	50	100
FT-3-1101-055	55	100
FT-3-1101-070	70	100
FT-3-1101-090	90	100
FT-3-1101-100	100	100
FT-3-1101-110	110	100
FT-3-1101-125	125	100
FT-3-1101-150	150	100
FT-3-1101-185	185	100

GLASS MICROFIBER FILTERS

GRADE MGA

g/m2 : 55
Thickness mm : 0.25
Particle retention (μm) : 1.6

SARTORIUS

Code No.	Specification (mm) Diameter	Pcs/ Case
FT-3-1102-025	25	50
FT-3-1102-047	47	50
FT-3-1102-050	50	50
FT-3-1102-055	55	50
FT-3-1102-090	90	50
FT-3-1102-110	110	50
FT-3-1102-150	150	50
FT-3-1102-185	185	50

GLASS MICROFIBER FILTERS

GRADE MGB

g/m2 : 140
Thickness mm : 0.70
Particle retention (μm) : 1.0

SARTORIUS

Code No.	Specification (mm) Diameter	Pcs/ Case
FT-3-1103-025	25	100
FT-3-1103-047	47	100
FT-3-1103-050	50	100
FT-3-1103-055	55	100
FT-3-1103-070	70	100
FT-3-1103-090	90	100
FT-3-1103-100	100	100
FT-3-1103-110	110	100
FT-3-1103-125	125	100
FT-3-1103-150	150	100
FT-3-1103-185	185	100

GLASS MICROFIBER FILTERS

GRADE MGC

g/m2 : 52
Thickness mm : 0.26
Particle retention (μm) : 1.2

GLASS MICROFIBER FILTER

GLASS MICROFIBER FILTERS

GRADE MGD

g/m² : 120
 Thickness mm : 0.53
 Particle retention (μm) : 2.7

SARTORIUS

Code No.	Spesification Diameter (mm)	Pcs/ Case
FT-3-1104-025	25	50
FT-3-1104-047	47	50
FT-3-1104-070	70	50
FT-3-1104-090	90	50
FT-3-1104-125	125	50
FT-3-1104-150	150	50

GLASS MICROFIBER FILTERS

GRADE MGF

g/m² : 75
 Thickness mm : 0.45
 Particle retention (μm) : 0.7

SARTORIUS

Code No.	Spesification Diameter (mm)	Pcs/ Case
FT-3-1105-025	25	100
FT-3-1105-047	47	100
FT-3-1105-050	50	100
FT-3-1105-055	55	100
FT-3-1105-070	70	100
FT-3-1105-090	90	100
FT-3-1105-110	110	100
FT-3-1105-125	125	100
FT-3-1105-150	150	100