

Запросы в SQL с базой данных по контрактам ГИН.

1. Представления формирует список контрактов, по которым цена заключения оказалась ниже начальной (максимальной) цены контракта (НМЦК).

Структура запроса на создание представления:

```
CREATE VIEW Economy_contract AS
SELECT id_contract, contract_name, n_contract, date_contract, nmck-price
economy
FROM contract
WHERE nmck-price>0
ORDER BY economy;
SELECT * FROM economy_contract
```

Выполнение запроса:

Query

Query History

Scratch

```

1 CREATE VIEW Economy_contract AS
2 SELECT id_contract, contract_name, n_contract, date_contract, nmck-price economy
3 FROM contract
4 WHERE nmck-price>0
5 ORDER BY economy;
6 select * from economy_contract
7

```

Data Output

Messages

Notifications

≡

📄

▼

📋

▼

🗑️

📁

📥

📈

SQL

Showing rows: 1 to 6

Page No:

	id_contract integer	contract_name character varying (255)	n_contract character varying (255)	date_contract date	economy numeric
1	8	Поисковые работы и бурение скважины для добычи золота в месте 8	8/26	2026-01-19	400000.00
2	1	Поисковые работы и бурение скважины для добычи золота в месте 1	1/26	2026-01-12	500000.00
3	6	Поисковые работы и бурение скважины для добычи золота в месте 6	6/26	2026-01-17	500000.00
4	9	Поисковые работы и бурение скважины для добычи золота в месте 9	9/26	2026-01-20	500000.00
5	3	Поисковые работы и бурение скважины для добычи алмазов в мес...	3/26	2026-01-14	800000.00
6	2	Поисковые работы и бурение скважины для добычи золота в месте 2	2/26	2026-01-13	1000000.00

2. Запрос распределяет все контракты на три равные по количеству группы (высокая, средняя и низкая стоимость) на основе их цены заключения.

Структура запроса:

```
SELECT id_contract, n_contract, price, NTILE(3) OVER (ORDER BY price
DESC) group_contract_price
FROM contract
```

Выполнение запроса:

Query Query History

1

2

```
SELECT id_contract, n_contract, price, NTILE(3) OVER (ORDER BY price DESC) group_contract_price
FROM contract |
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 10

Page N

	id_contract [PK] integer	n_contract character varying (255)	price numeric (10,2)	group_contract integer
1	6	6/26	19500000.00	1
2	10	10/26	15000000.00	1
3	3	3/26	11200000.00	1
4	2	2/26	9000000.00	1
5	8	8/26	8600000.00	2
6	7	7/26	6800000.00	2
7	9	9/26	6000000.00	2
8	5	5/26	5000000.00	3
9	1	1/26	4500000.00	3
10	4	4/26	4000000.00	3

3. Запрос находит и выводит информацию о контрактах и конкретных этапах, имеющих самую низкую стоимость среди всех записей в базе данных.

Структура запроса:

```
SELECT id_contract, number_stage, sum_stage  
FROM stage  
WHERE sum_stage=(SELECT MIN(sum_stage) FROM Stage)
```

Выполнение запроса:

The screenshot shows a database query editor with a query window and a data output window. The query window contains the following SQL query:

```
1 SELECT id_contract, number_stage, sum_stage  
2 FROM stage  
3 WHERE sum_stage=(SELECT MIN(sum_stage) FROM Stage)
```

The data output window shows the results of the query, displaying 4 rows of data. The columns are id_contract, number_stage, and sum_stage. The data is as follows:

	id_contract [PK] integer	number_stage [PK] integer	sum_stage numeric (10,2)
1	4	1	1000000.00
2	4	2	1000000.00
3	4	3	1000000.00
4	4	4	1000000.00

4. Запрос группирует этапы по контрактам и отбирает те этапы, в которых хотя бы один из этапов составляет менее 3 000 000.

Структура запроса:

```
SELECT id_contract, MIN(sum_stage) min_sum_stage
FROM Stage
GROUP BY id_contract HAVING MIN(sum_stage)<3000000
ORDER BY 2
```

Выполнение запроса:

Query		Query History	
1	SELECT id_contract, MIN(sum_stage) min_sum_stage		
2	FROM Stage		
3	GROUP BY id_contract HAVING MIN(sum_stage)<3000000		
4	ORDER BY 2		

Data Output			Messages	Notifications
Showing rows: 1 to 8				
	id_contract integer	min_sum_stage numeric		
1	4	1000000.00		
2	1	1125000.00		
3	5	1250000.00		
4	9	1500000.00		
5	7	1700000.00		
6	8	2150000.00		
7	2	2250000.00		
8	3	2800000.00		

5. Запрос сопоставляет контракты с дополнительными соглашениями, фиксируя корректировку цены (уменьшение или любое другое изменение). Вычисляет разницу между первоначальной стоимостью и новой ценой для оценки изменения цены.

Структура запроса:

```
SELECT ag.id_contract, ag.comment, c.price, ag.new_price_total, (c.price-  
ag.new_price_total) diff  
FROM additional_agreement ag  
LEFT JOIN contract c on c.id_contract=ag.id_contract  
WHERE comment Like '%уменьшение%' OR new-price-total IS NOT NULL
```

Выполнение запроса:

Query		Query History					
1	SELECT	ag.id_contract,	ag.comment,	c.price,	ag.new_price_total,	(c.price-ag.new_price_total)	diff
2	FROM	additional_agreement	ag				
3	left join	contract c	on	c.id_contract=ag.id_contract			
4	WHERE	comment	LIKE	'%уменьшение%'	OR	new_price_total	IS NOT NULL

Data Output		Messages		Notifications			
Showing rows: 1 to 2						Page No:	1
	id_contract integer	comment character varying (255)	price numeric (10,2)	new_price_total numeric (10,2)	diff numeric		
1	1	Уменьшение стоимости раб...	4500000.00	4000000.00	500000.00		
2	7	Уменьшение стоимости раб...	6800000.00	6400000.00	400000.00		

6. Запрос вычисляет разницу между первоначальной и новой ценой конкретных этапов на основе истории их изменений.

Структура запроса:

```
SELECT id_contract,number_stage, old_price_stage-new_price_stage diff_stage
FROM stage_price_change
where old_price_stage-new_price_stage>0
```

Выполнение запроса:

Query		Query History
1	SELECT id_contract,number_stage, old_price_stage-new_price_stage diff_stage	
2	FROM stage_price_change	
3	where old_price_stage-new_price_stage>0	

Data Output			Messages	Notifications
Showing rows: 1 to 6				
	id_contract integer	number_stage integer	diff_stage integer	
1	1	3	125000	
2	1	4	375000	
3	7	2	100000	
4	7	3	100000	
5	7	4	200000	
6	2	2	500000	

7. Запрос сопоставляет фактическую дату подписания акта с нормативным плановым сроком, установленным для каждого этапа и выводит в которых нет нарушений сроков.

Структура запроса:

```
SELECT *
FROM (SELECT id_act, number_act, id_contract, number_stage, data_act,
CASE
WHEN number_stage = 1 THEN CAST('2026-04-10' AS DATE)
WHEN number_stage = 2 THEN CAST('2026-07-10' AS DATE)
END AS date_act_contract
FROM Act
) AS sub
WHERE data_act < date_act_contract
```

Выполнение запроса:

Query
Query History
↗

```

1  SELECT *
2  FROM (SELECT id_act, number_act, id_contract, number_stage, data_act,
3  CASE
4  WHEN number_stage = 1 THEN CAST('2026-04-10' AS DATE)
5  WHEN number_stage = 2 THEN CAST('2026-07-10' AS DATE)
6  END AS date_act_contract
7  FROM Act
8  ) AS sub
9  WHERE data_act < date_act_contract

```

Data Output
Messages
Notifications

≡
📄
▼
📄
▼
🗑️
📦
⬇️
📶
SQL

Showing rows: 1 to 20 ✎

Page No: 1

	id_act [PK] integer ✎	number_act integer ✎	id_contract integer ✎	number_stage integer ✎	data_act date ✎	date_act_contract date 🔒
1	1	1	1	1	2026-03-12	2026-04-10
2	2	1	2	1	2026-03-12	2026-04-10
3	3	1	3	1	2026-03-12	2026-04-10
4	4	1	4	1	2026-03-12	2026-04-10
5	5	1	5	1	2026-03-12	2026-04-10
6	6	1	6	1	2026-03-12	2026-04-10
7	7	1	7	1	2026-03-12	2026-04-10
8	8	1	8	1	2026-03-12	2026-04-10
9	9	1	9	1	2026-03-12	2026-04-10
10	10	1	10	1	2026-03-12	2026-04-10
11	11	2	1	2	2026-06-24	2026-07-10
12	12	2	2	2	2026-06-24	2026-07-10
13	13	2	3	2	2026-06-24	2026-07-10
14	14	2	4	2	2026-06-24	2026-07-10
15	15	2	5	2	2026-06-24	2026-07-10
16	16	2	6	2	2026-06-24	2026-07-10
17	17	2	7	2	2026-06-24	2026-07-10
18	18	2	8	2	2026-06-24	2026-07-10
19	19	2	9	2	2026-06-24	2026-07-10
20	20	2	10	2	2026-06-24	2026-07-10

8. Запрос вычисляет процентное соотношение стоимости выполненных работ между подрядчиком и субподрядчиком по каждому акту.

Структура запроса:

```
SELECT a.number_act, c.n_contract, a.number_stage, p.name_p,  
ROUND(Amount_act_ps/Amount_act,2)*100 percent_p, p_s.name_ps,  
ROUND(1-Amount_act_ps/Amount_act,2)*100 percent_ps  
FROM act a  
left join podr_sub p_s on p_s.id_ps=a.id_ps  
inner join contract c on c.id_contract=a.id_contract  
left join podr p on p.id_p=c.id_p
```

Выполнение запроса:

Query

Query History

1

```
SELECT a.number_act, c.n_contract, a.number_stage, p.name_p, ROUND(Amount_act_ps/Amount_act,2)*100 percent_p, p_s.name_ps,
ROUND(1-Amount_act_ps/Amount_act,2)*100 percent_ps
FROM act a
left join podr_sub p_s on p_s.id_ps=a.id_ps
inner join contract c on c.id_contract=a.id_contract
left join podr p on p.id_p=c.id_p
```

Data Output

Messages

Notifications

SQL

Showing rows:

	number_act integer	n_contract character varying (255)	number_stage integer	name_p character varying (255)	percent_p numeric	name_ps character varying (255)	percent_ps numeric
1	1	1/26	1	ООО ЗОЛОТО	10.00	ООО ДОБЫВАЕМ	90.00
2	1	2/26	1	ООО ЗОЛОТО	15.00	ООО ПОМОГАЕМ	85.00
3	1	3/26	1	ООО БРИЛИАНТЫ	10.00	ООО КОПАЕМ	90.00
4	1	4/26	1	ООО ДОБЫЧА	15.00	ООО ПАРТНТЕР	85.00
5	1	5/26	1	ГК ГЕОЛОГИЯ	15.00	ООО ПРОЕКТИРУЕМ	85.00
6	1	6/26	1	ГК ГЕОЛОГИЯ	15.00	ООО БУРИМ	85.00
7	1	7/26	1	ГК ГЕОЛОГИЯ	15.00	ООО ДОБЫВАЕМ	85.00
8	1	8/26	1	ООО ЗОЛОТО	5.00	ООО ПОМОГАЕМ	95.00
9	1	9/26	1	ООО БУРИМ	15.00	ООО КОПАЕМ	85.00
10	1	10/26	1	ГК ГЕОЛОГИЯ	5.00	ООО КОПАЕМ	95.00
11	2	1/26	2	ООО ЗОЛОТО	10.00	ООО ДОБЫВАЕМ	90.00
12	2	2/26	2	ООО ЗОЛОТО	15.00	ООО ПОМОГАЕМ	85.00
13	2	3/26	2	ООО БРИЛИАНТЫ	10.00	ООО КОПАЕМ	90.00
14	2	4/26	2	ООО ДОБЫЧА	15.00	ООО ПАРТНТЕР	85.00
15	2	5/26	2	ГК ГЕОЛОГИЯ	15.00	ООО ПРОЕКТИРУЕМ	85.00
16	2	6/26	2	ГК ГЕОЛОГИЯ	15.00	ООО БУРИМ	85.00
17	2	7/26	2	ГК ГЕОЛОГИЯ	15.00	ООО ДОБЫВАЕМ	85.00
18	2	8/26	2	ООО ЗОЛОТО	5.00	ООО ПОМОГАЕМ	95.00
19	2	9/26	2	ООО БУРИМ	15.00	ООО КОПАЕМ	85.00
20	2	10/26	2	ГК ГЕОЛОГИЯ	5.00	ООО КОПАЕМ	95.00

9. Запрос проверяет наличие записей об оплате фактически выполненных работ для каждого из четырех этапов отдельно и в случае, если по этапу зафиксирован хотя бы один факт оплаты работ, ему присваивается статус полного расчета, в противном случае этап помечается, как неполностью оплаченный.

Структура запроса:

```
WITH pay_stage as (SELECT id_contract ,
SUM(CASE WHEN number_stage=1 and advance_or_job='job' THEN 1 ELSE 0
END) stage_1_pay,
SUM(CASE WHEN number_stage=2 and advance_or_job='job' THEN 1 ELSE 0
END ) stage_2_pay,
SUM(CASE WHEN number_stage=3 and advance_or_job='job' THEN 1 ELSE 0
END) stage_3_pay,
SUM(CASE WHEN number_stage=4 and advance_or_job='job' THEN 1 ELSE 0
END ) stage_4_pay
FROM pay
WHERE advance_or_job='job' or advance_or_job='advance'
GROUP BY id_contract)
SELECT id_contract,
CASE WHEN stage_1_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL'
END stage_1_pay_Full_or_NotFull,
CASE WHEN stage_2_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL'
END stage_2_pay_Full_or_NotFull,
CASE WHEN stage_3_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL'
END stage_3_pay_Full_or_NotFull,
CASE WHEN stage_4_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL'
END stage_4_pay_Full_or_NotFull
FROM pay_stage
```

Выполнение запроса:

QueryQuery History

```
1 WITH pay_stage as (SELECT id_contract ,
2 SUM(CASE WHEN number_stage=1 and advance_or_job='job' THEN 1 ELSE 0 END) stage_1_pay,
3 SUM(CASE WHEN number_stage=2 and advance_or_job='job' THEN 1 ELSE 0 END ) stage_2_pay,
4 SUM(CASE WHEN number_stage=3 and advance_or_job='job' THEN 1 ELSE 0 END) stage_3_pay,
5 SUM(CASE WHEN number_stage=4 and advance_or_job='job' THEN 1 ELSE 0 END ) stage_4_pay
6 FROM pay
7 WHERE advance_or_job='job' or advance_or_job='advance'
8 GROUP BY id_contract)
9 SELECT id_contract,
10 CASE WHEN stage_1_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL' END stage_1_pay_Full_or_NotFull,
11 CASE WHEN stage_2_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL' END stage_2_pay_Full_or_NotFull,
12 CASE WHEN stage_3_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL' END stage_3_pay_Full_or_NotFull,
13 CASE WHEN stage_4_pay!=0 THEN 'FULL_PAY_TYPE' ELSE 'NOT FULL' END stage_4_pay_Full_or_NotFull
14 FROM pay_stage
```

Data OutputMessagesNotifications

	id_contract integer	stage_1_pay_full_or_notfull text	stage_2_pay_full_or_notfull text	stage_3_pay_full_or_notfull text	stage_4_pay_full_or_notfull text
1	1	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
2	2	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
3	3	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
4	4	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
5	5	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
6	6	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
7	7	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
8	8	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
9	9	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL
10	10	FULL_PAY_TYPE	NOT FULL	NOT FULL	NOT FULL

10. Запрос вычисляет совокупную сумму фактически произведенных платежей по каждому контракту за отчетный период 1 квартала.

Структура запроса:

```
SELECT id_contract, SUM(Amount_pay) pay_in_Q1
FROM pay
WHERE EXTRACT(MONTH FROM data_pay) BETWEEN 1 AND 3
GROUP BY id_contract
```

Выполнение запроса:

Query

Query History

1

2

3

4

5

```
SELECT id_contract, SUM(Amount_pay) pay_in_Q1
FROM pay
WHERE EXTRACT(MONTH FROM data_pay) BETWEEN 1 AND 3
GROUP BY id_contract
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 10

Page No: 1

of 1

	id_contract integer	pay_in_q1 numeric
1	1	1462500.00
2	2	2925000.00
3	3	3640000.00
4	4	1300000.00
5	5	1625000.00
6	6	6337500.00
7	7	2180000.00
8	8	2795000.00
9	9	1950000.00
10	10	4875000.00

11. Запрос сопоставляет плановую стоимость каждого этапа с суммой фактически произведенных платежей и классифицирует этапы по уровню их финансового исполнения: стопроцентное закрытие или частичное погашение обязательств.

Структура запроса:

```
WITH pay_stage AS (SELECT id_contract, number_stage, SUM(Amount_pay)
sum_pay
FROM pay
GROUP BY id_contract, number_stage)
SELECT s.id_contract, s.number_stage, s.sum_stage, ps.sum_pay,
CASE
WHEN ps.sum_pay IS NULL THEN NULL
WHEN s.sum_stage=ps.sum_pay THEN 'FULL' ELSE 'PART' END execution
FROM stage s
LEFT JOIN pay_stage ps ON ps.id_contract=s.id_contract AND
ps.number_stage=s.number_stage
```

Выполнение запроса:

Query

Query History

1

2

3

4

5

6

7

8

9

10

11

WITH pay_stage AS (SELECT id_contract, number_stage, SUM(Amount_pay) sum_pay

FROM pay

GROUP BY id_contract, number_stage)

SELECT s.id_contract, s.number_stage, s.sum_stage, ps.sum_pay,

CASE

WHEN ps.sum_pay IS NULL THEN NULL

WHEN s.sum_stage=ps.sum_pay THEN 'FULL' ELSE 'PART' END execution

FROM stage s

LEFT JOIN pay_stage ps ON ps.id_contract=s.id_contract AND ps.number_stage=s.number_stage

Data Output

Messages

Notifications

</

12. Запрос объединяет списки подрядчиков и субподрядчиков в единую таблицу, после чего рассчитывает общее количество упоминаний каждой компании для определения участников, которые находятся в обеих категориях.

Структура запроса:

```
WITH Company as (SELECT name_p name_comp, inn_p inn FROM podr
UNION ALL
SELECT name_ps name_comp, inn_sp inn FROM podr_sub)
SELECT name_comp,inn, COUNT(*) cnt_comp FROM company GROUP BY
name_comp,inn ORDER BY 3 DESC
```

Выполнение запроса:

Query		Query History	
1	WITH	Company as	(SELECT name_p name_comp, inn_p inn FROM podr
2	UNION ALL		
3	SELECT	name_ps name_comp, inn_sp inn FROM podr_sub)	
4	SELECT	name_comp,inn, COUNT(*) cnt_comp FROM company GROUP BY name_comp,inn ORDER BY 3 DESC	

Data Output			Messages		Notifications	
≡+	📄	📄	📄	📄	📄	SQL
	name_comp character varying (255)	inn integer	cnt_comp bigint			
1	ООО БУРИМ	3	2			
2	ГК ГЕОЛОГИЯ	4	1			
3	ООО ПАРТНТЕР	50	1			
4	ООО ПРОЕКТИРУЕМ	40	1			
5	ООО ДОБЫЧА	0	1			
6	ООО БРИЛИАНТЫ	2	1			
7	ООО ЗОЛОТО	1	1			
8	ООО ПОМОГАЕМ	10	1			
9	ООО ДОБЫВАЕМ	20	1			
10	ООО КОПАЕМ	30	1			

13. Запрос формирует перечень договоров, в которых фигурируют организации в одном из контрактов в статусе как подрядчика, а в другом в роли субподрядчика.

Структура запроса:

```
WITH podr_and_subpodr AS (SELECT DISTINCT p.inn_p inn
FROM podr p
WHERE EXISTS (SELECT 1 FROM act a
INNER JOIN podr_sub p_s ON a.id_ps = p_s.id_ps
WHERE p_s.inn_sp = p.inn_p))
SELECT DISTINCT c.n_contract, p.name_p, p_s.name_ps FROM contract c
INNER JOIN podr p ON p.id_p=c.id_p
INNER JOIN act a ON a.id_contract=c.id_contract
INNER JOIN podr_sub p_s ON p_s.id_ps=a.id_ps
WHERE inn_p IN (SELECT inn FROM podr_and_subpodr) OR inn_sp IN
(SELECT inn FROM podr_and_subpodr)
```

Выполнение запроса:

Query

Query History

```
1 WITH podr_and_subpodr AS (SELECT DISTINCT p.inn_p inn
2 FROM podr p
3 WHERE EXISTS (SELECT 1 FROM act a
4 INNER JOIN podr_sub p_s ON a.id_ps = p_s.id_ps
5 WHERE p_s.inn_sp = p.inn_p))
6 SELECT DISTINCT c.n_contract, p.name_p, p_s.name_ps FROM contract c
7 INNER JOIN podr p ON p.id_p=c.id_p
8 INNER JOIN act a ON a.id_contract=c.id_contract
9 INNER JOIN podr_sub p_s ON p_s.id_ps=a.id_ps
10 WHERE inn_p IN (SELECT inn FROM podr_and_subpodr) OR inn_sp IN (SELECT inn FROM podr_and_subpodr)
```

Data Output

Messages

Notifications

+

📄

▼

📋

▼

🗑️

🔍

📶

SQL

Show

	n_contract character varying (255) 🔒	name_p character varying (255) 🔒	name_ps character varying (255) 🔒
1	9/26	ООО БУРИМ	ООО КОПАЕМ
2	6/26	ГК ГЕОЛОГИЯ	ООО БУРИМ

14. Два запроса находят для каждого договора дату самой последней оплаты.

Структура запросов:

```
SELECT DISTINCT id_contract, FIRST_VALUE(data_pay)
OVER (PARTITION BY id_contract ORDER BY data_pay DESC) last_date_pay
FROM pay ORDER BY id_contract;
SELECT id_contract, MAX(data_pay) last_date_pay
FROM pay
GROUP BY id_contract ORDER BY id_contract
```

Выполнение запросов:

Query

Query History

```
1 SELECT DISTINCT id_contract, FIRST_VALUE(data_pay)
2 OVER (PARTITION BY id_contract ORDER BY data_pay DESC) last_date_pay
3 FROM pay ORDER BY id_contract;
4 SELECT id_contract, MAX(data_pay) last_date_pay
5 FROM pay
6 GROUP BY id_contract ORDER BY id_contract
```

Data Output

Messages

Notifications

≡+

▼

▼

SQL

	id_contract integer	last_date_pay date
1	1	2026-03-27
2	2	2026-03-26
3	3	2026-03-26
4	4	2026-03-26
5	5	2026-03-26
6	6	2026-03-26
7	7	2026-03-27
8	8	2026-03-26
9	9	2026-03-26
10	10	2026-03-26

15. Запрос обновляет текущую стоимость этапов в основной таблице этапов, перенося в нее новые значения цен из таблицы изменений стоимости этапов.

Структура запроса:

```
UPDATE stage s
SET sum_stage = spc.new_price_stage
FROM stage_price_change spc
WHERE s.id_contract = spc.id_contract AND s.number_stage = spc.number_stage
```

Выполнение запроса:

Query	Query History
1	UPDATE stage s
2	SET sum_stage = spc.new_price_stage
3	FROM stage_price_change spc
4	WHERE s.id_contract = spc.id_contract AND s.number_stage = spc.number_stage

Data Output	Messages	Notifications
UPDATE 11		
Query returned successfully in 34 msec.		

16. Запрос формирует витрину данных по каждому контракту, агрегируя показатели на всех ключевых стадиях: от начальной цены (НМЦК) и итогов торгов до текущей стоимости этапов, объемов принятых работ по актам и фактически оплаченным суммам.

Структура запроса:

```
SELECT c.n_contract, c.contract_name, c.nmck, c.price, (c.nmck - c.price) economy,  
s.current_price, c.price-s.current_price diff_price,  
a.total_act, ROUND(a.total_act/s.current_price,3)*100 execution_act,  
p.total_pay, ROUND(p.total_pay/s.current_price,3)*100 execution_pay  
FROM contract c  
LEFT JOIN (SELECT id_contract, SUM(sum_stage) current_price FROM stage GROUP BY id_contract) s ON s.id_contract =  
c.id_contract  
LEFT JOIN (SELECT id_contract, SUM(amount_act) total_act FROM act GROUP BY id_contract) a ON a.id_contract =  
c.id_contract  
LEFT JOIN (SELECT id_contract, SUM(amount_pay) total_pay FROM pay GROUP BY id_contract) p ON p.id_contract =  
c.id_contract  
ORDER BY c.id_contract;
```

Выполнение запроса:

Query

Query History

Scratch Pad

×

1

```
SELECT c.n_contract, c.contract_name, c.nmck, c.price, (c.nmck - c.price) economy,
2 s.current_price, c.price-s.current_price diff_price,
3 a.total_act, ROUND(a.total_act/s.current_price,3)*100 execution_act,
4 p.total_pay, ROUND(p.total_pay/s.current_price,3)*100 execution_pay
5 FROM contract c
6 LEFT JOIN (SELECT id_contract, SUM(sum_stage) current_price FROM stage GROUP BY id_contract) s ON s.id_contract = c.id_con
7 LEFT JOIN (SELECT id_contract, SUM(amount_act) total_act FROM act GROUP BY id_contract) a ON a.id_contract = c.id_contract
8 LEFT JOIN (SELECT id_contract, SUM(amount_pay) total_pay FROM pay GROUP BY id_contract) p ON p.id_contract = c.id_contract
9 ORDER BY c.id_contract;
10
```

Data Output

Messages

Notifications

⌵

📄

⌵

🗑

📦

⬇

📶

SQL

Showing rows: 1 to 10

📄

Page No: 1

of 1

⏪

⏩

⏴

⏵

	n_contract character varying (255)	contract_name character varying (255)	nmck numeric (10,2)	price numeric (10,2)	economy numeric	current_price numeric	diff_price numeric	total_act numeric	execution_act numeric	total_pay numeric	execution_pay numeric
1	1/26	Поисковые работы и бурение скважин...	5000000.00	4500000.00	500000.00	4000000.00	500000.00	2250000.00	56.300	1462500.00	36.600
2	2/26	Поисковые работы и бурение скважин...	10000000.00	9000000.00	1000000.00	9000000.00	0.00	4500000.00	50.000	2925000.00	32.500
3	3/26	Поисковые работы и бурение скважин...	12000000.00	11200000.00	800000.00	11200000.00	0.00	5600000.00	50.000	3640000.00	32.500
4	4/26	Поисковые работы и бурение скважин...	4000000.00	4000000.00	0.00	4000000.00	0.00	2000000.00	50.000	1300000.00	32.500
5	5/26	Поисковые работы и бурение скважин...	5000000.00	5000000.00	0.00	5000000.00	0.00	2500000.00	50.000	1625000.00	32.500
6	6/26	Поисковые работы и бурение скважин...	20000000.00	19500000.00	500000.00	19500000.00	0.00	9750000.00	50.000	6337500.00	32.500
7	7/26	Поисковые работы и бурение скважин...	6800000.00	6800000.00	0.00	6400000.00	400000.00	3400000.00	53.100	2180000.00	34.100
8	8/26	Поисковые работы и бурение скважин...	9000000.00	8600000.00	400000.00	8600000.00	0.00	4300000.00	50.000	2795000.00	32.500
9	9/26	Поисковые работы и бурение скважин...	6500000.00	6000000.00	500000.00	6000000.00	0.00	3000000.00	50.000	1950000.00	32.500
10	10/26	Поисковые работы и бурение скважин...	15000000.00	15000000.00	0.00	15000000.00	0.00	7500000.00	50.000	4875000.00	32.500