



PRODUCT SYSTEM

CONCRETE BLOCKS

Buildmate published material covering normal-weight and lightweight solid concrete blocks, density ranges, quality characteristics and controlled production systems.

2100

KG/M³

normal concrete

1000-1600

KG/M³

lightweight concrete

5-10

MPA

published strength

Engineering overview

Buildmate published material covering normal-weight and lightweight solid concrete blocks, density ranges, quality characteristics and controlled production systems.

Key capabilities

- Normal and lightweight block routes
- IS 2185 referenced in source brochure
- Servo vibration compaction
- Rapid/steam curing concepts
- Dimensional consistency focus



Concrete Blocks

Illustrative source asset

Source basis: Buildmate Concrete Blocks published brochure

Technical notes

01 Published properties

The source brochure states normal-weight concrete blocks at about 2100 kg/m³ and lightweight solid blocks at about 1000-1600 kg/m³, with compressive strength of 5-10 MPa.

02 Quality standard

The published brochure states that the product is in accordance with IS 2185 quality standards.

Verified source basis: Buildmate Concrete Blocks published brochure

Technical notes

03 Production system

Buildmate describes servo-vibration compaction and rapid-curing treatment for quality-focused concrete-block production.

04 Use-oriented benefits

The source highlights dimensional accuracy, low breakage, strength, time saving, reduced mortar consumption and steam-cured uniform strength.

Verified source basis: Buildmate Concrete Blocks published brochure

Project discussion

Share the target product, required output, raw-material route, site location and project stage for a technical discussion.

BUILDMATE PROJECTS PVT LTD

Sy No. 60,61,62, Gundlapochampally Village, Medchal Road, Hyderabad - 500014, Telangana, India | mvr@buildmate.in | marketing@buildmate.in | +91 7675989961 / 11

This edition uses source-grounded Buildmate information. Project-specific specifications remain subject to engineering confirmation.