

SAP Fiori Elements HR Cockpit
single sign-on via SAP IAS
Recruitment & Onboarding
Personnel Administration
Organizational Management
External clients
React portal
FastAPI AI service
Legend
Talently object
SAP framework
Client application
OData V4 · HTTPS · JSON
OData V4 · scenario ZCS_HCM_RECRUIT
SAP BTP · ABAP Environment
LAYER 4 · BUSINESS SERVICE
service definitions (SRVD) and OData V4 service bindings (SRVB)
ZUI_HCM_RECRUIT
OData V4 · UI service
JobOffer, Application, Candidate, Onboarding, TalentPool
ZUI_HCM_PA
OData V4 · UI service
Employee, Contact, BankDetails, Emergency, OrgAssign
ZUI_HCM_ORG
OData V4 · UI service
OrgUnit, Position
ZAPI_HCM_RECRUIT
OData V4 · Web API
JobOffer, PipelineStep, Candidate, Application, Onboarding
OData V4 runtime
CSRF token validation
ETag / If-Match checks
query options, $batch
draft-aware URLs
Projection layer · ZC_HCM_*
Base business object · ZI_HCM_*
Implementation & supporting artifacts
LAYER 3 · BEHAVIOR
behavior definitions (BDEF) and behavior pools (ABAP classes)
Root business objects
ZI_HCM_*
JobOffer
Candidate
Onboarding
Employee
OrgUnit
TalentPool
Projection behavior
ZC_HCM_*.bdef
projection · use draft
use create, update, delete
use action per service
use association
use etag
Interface behavior
ZI_HCM_*.bdef
managed · strict (2)
with draft: JobOffer, Onboarding, Employee
lock master · etag master
authorization master
numbering : managed
Behavior pools
ZCL_BP_I_HCM_*
handlers lhc_*: actions, validations, determinations, features
savers lsc_*: save_modified
cross-BO writes, e.g. approveAndCreateEmployee
RAP runtime
transactional buffer
interaction phase → save sequence
draft: Edit, Activate, Discard
locking & ETag checks
LAYER 2 · DATA MODEL
Core Data Services view entities and metadata extensions (DDLS, DDLX)
Projection views
ZC_HCM_*
transactional_query
Metadata extensions
ZC_HCM_*.ddlx
@UI.facet, @UI.lineItem
Interface view entities
ZI_HCM_*: root & child entities
composition tree, e.g.
ZI_HCM_JobOffer
↪ ZI_HCM_Application
↪ ZI_HCM_PipeProg
Value helps
ZI_HCM_VH_*
status, level, contract, step
Action parameters
ZA_HCM_*
abstract entities
Query runtime
SADL query engine
OData query → SQL
draft-aware reads
value-help resolution
LAYER 1 · PERSISTENCE
SAP HANA Cloud database tables (TABL)
Active tables
transactional records
zhcm_joboffer
zhcm_onboardng
zhcm_orgunit
zhcm_applicatn
zhcm_employee
zhcm_position
zhcm_pipe_tmpl
zhcm_contact
zhcm_orgassign
zhcm_pipe_prog
zhcm_bankdetl
zhcm_talntpool
zhcm_candidate
zhcm_emergency
Draft tables
zhcm_d_joboffer
zhcm_d_applicatn
zhcm_d_pipetmpl
zhcm_d_pipeprog
zhcm_d_onboardn
zhcm_employ_d ...
Lookup & log
zhcm_jobstat
zhcm_explvl
zhcm_conttyp
zhcm_step_type
zhcm_emp_hist
zhcm_hr_mail
Managed persistence
persistent table
draft table
generated SQL
UUID numbering
one commit per LUW
ABAP for Cloud Development (language version 5) · released APIs only · Clean Core: no modification of SAP standard objects