



COMPARISON OF DIFFERENT PUMPS

www.diabetotech.com

Tubes insulin pumps	MiniMed 630G/640G	MiniMed 670G/770G	MiniMed 780G	AccuCheck Combo	AccuCheck Insight	Tandem t:slim X2	Tandem Mobi	iLet Bionic Pancreas Device	mylife YpsoPump	Dana-RS	Dana-i	Kaleido	DIA:CONN G8	Diabetes Insulin Pump	InnoPump	Agna Insulin Pump
Photo																
Firm	Medtronic (USA)	Medtronic (USA)	Medtronic (USA)	Roche (Switzerland)	Roche (Switzerland)	Tandem (USA)	Tandem (USA)	Beta Bionics (USA)	Ypsomed (Switzerland)	SOOIL (South Korea)	SOOIL (South Korea)	Vicentra (Netherlands)	DIA:CONN (South Korea)	Umitai (China)	LenoMed (China)	Quingdao Agna Healthcare (China)
Availability	Yes	Yes	Yes	Discontinued	Discontinued	Yes	Yes	Yes	Yes	Discontinued	Yes	Yes	Yes (Korea, China)	Yes (China)	Yes (China)	Yes (China)
Age limit	no	≥ 2 year	≥ 7 year	no	no	≥ 6 year (US: ≥ 2 year), >25 kg	≥ 6 year, >25 kg	≥ 6 year	no	no	no	≥ 18 years	no	no	?	?
Insulin requirement Pump			8-250 U/d	no	no	10-100 U per day	10-100 U per day	no	no	no	no	no	no	no	no	no
*type	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Semi-patch pump or tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Tubed pump (4 year warranty)	Semi-patch pump or tubed pump	Tubed pump	Tubed pump	Tubed pump	Tubed pump
*size	96x52x25mm	96x52x25mm	96x52x25mm	83x56x21mm	84x52x10	79x51x15 mm	51 x 37 x 14 mm	59x91x15 mm	78x46x16 mm	75x45x19 mm	85x44x20 mm	50x35x13 mm	95x54x24 mm	78x52x20 mm	?	135x100x53 mm
*weight	113 gram	113 gram	113 gram	110 gram	122 gram	125 gram	30 gram	110 gram	83 gram (filled)	62 gram	86 gram	19 gram	84 gram (without battery)	55 gram (without battery)	60 gram	77 gram
*colour	Black	Black	Black	Black	Black	Black	Black	Black	Gray	Red, white, black, gray and green	Gray	Multiple colors	White	Black	Black	Blue
*battery	1 AA	1 AA	1 AA	1 AA	1 AAA lithium	Rechargeable lithium battery	Rechargeable lithium battery	Rechargeable lithium battery	1 AAA alkaline	3.6V battery>Soil	1 AAA	Rechargeable lithium battery	1 AAA	1 AAA	?	Rechargeable lithium battery
* water resistant	3.6 m 24 h	3.6 m 24 h	3.6 m 24 h	2.5m 30 mins	2.5m 60mins	1 m 30 mins	2.4 m 120 mins	3.5 m 30 mins	1 m 60 mins	1 m 60 mins	1 m 60 mins	1.5 m 60 mins	?	IPX8	?	?
*amount of insulin	180 E or 300 E	180 E or 300 E	180 E or 300 E	315 E	160E (PumpCart)	300 U	200 U	180 U	160 U (PumpCart)	300 U	300 U	200 U (max 3 days)	300 U	305 U	?	300 U Penfill
Remote control																
*type	N/A	N/A	N/A	AccuCheck Aviva/Performa Combo with integrated blood glucose meter	AccuCheck Aviva/Performa Insight with integrated blood glucose meter	N/A	N/A	N/A	N/A	N/A	N/A	Remote control	Remote control	N/A	?	N/A
*size	N/A	N/A	N/A	94x55x25mm	105x53x19mm	N/A	N/A	N/A	N/A	N/A	N/A	107x50x9mm	?	N/A	?	N/A
*weight	N/A	N/A	N/A	103 grams	105 grams	N/A	N/A	N/A	N/A	N/A	N/A	60 grams	?	N/A	?	N/A
*battery	N/A	N/A	N/A	3 AAA	Rechargeable lithium battery	N/A	N/A	N/A	N/A	N/A	N/A	Rechargeable lithium battery	Rechargeable lithium battery	N/A	?	N/A
* water resistant	N/A	N/A	N/A	No	No	N/A	N/A	N/A	N/A	N/A	N/A	No	?	N/A	?	N/A
Others																
Pump operation	Via pump, bolus can be given via linked Contour Next Link blood glucose meter	Via pump, bolus can be given via linked Contour Next Link blood glucose meter	Via pump	Via pump or remote control	Via pump, remote control or bolus function via MySugr app (Android)	Via pump (in US: bolus function via t:connect app)	Via Tandem Mobi Mobile app + bolus button on the pump	Via pump	Via pump or mylife CamAPS FX app	Via pump, AnyDana-A (Android) app, AnyDana-I (iOS) app or CamAPS FX app	Via pump, AnyDana-A (Android) or AnyDana-I (iOS) app, CamAPS FX app or Diabeloop handset	Via Kaleido or Diabeloop handset	Via pump, remote control or DIA: CONN App	Via pump	Via pump	Via pump or dedicated app
Readout software	CareLink	CareLink	CareLink	AccuCheck SmartPix, RDCP	AccuCheck SmartPix, RDCP	Glooko or Tandem Source	Glooko or Tandem Source	Beta Bionic cloud	Glooko	Glooko	Glooko	Glooko	DIA:CONN Care Web	No	Weizhixian data platform	Dedicated platform
View app	No	MiniMed Mobile App for MiniMed 770G	MiniMed Mobile app	No	MySugr app	In US: t:connect app	Tandem Mobi Mobile app	iLet Beta Bionics app	mylife CamAPS FX app	AnyDana-A (Android) or AnyDana-I (iOS) App or CamAPS FX app	AnyDana-A (Android) or AnyDana-I (iOS) App or CamAPS FX app	No	DIA:CONN App	No	Weizhixian app	Yes
Follow function	No	No	CareLink Connect	No	No	Dexcom Follow	Dexcom Follow	Bionic Circle app	Companion app	Dexcom Follow	Dexcom Follow	Dexcom Follow	?	No	?	?
CGM integration	Guardian 3	Guardian 3 & 4	Guardian 3 & 4, Simpler Sync	No	Dexcom G6 via Diabeloop handset	Dexcom G6 & G7, FreeStyle Libre 2 Plus depending on your region, future: FreeStyle Libre 3 Plus	Dexcom G6 & G7, future: FreeStyle Libre 3 Plus	Dexcom G6 & G7, FreeStyle Libre 3 Plus	Dexcom G6 or FreeStyle Libre 3 via mylife CamAPS FX app	Dexcom G6 via Cam APS Fx app	Dexcom G6 via Cam APS Fx app	Dexcom G6 via Diabeloop handset	Yes	No	?	?
Software	No	No	Yes, wireless	No	No	Yes, via cable	Yes, wireless	Yes, via cable	No	No	Yes, wireless	No	?	No	?	?

Insulin patch pumps	Omnipod Eros	Omnipod DASH	Omnipod 5	Omnipod GO	AccuCheck Solo	A7+ TouchCare	TouchCare Nano 200U pump	TouchCare Nano 300U pump	EOPatch	Equil	Medisafe WITH
Photo											
Firm	Insulet (USA)	Insulet (USA)	Insulet (USA)	Insulet (USA)	Roche (Switzerland)	Medtrum (China)	Medtrum (China)	Medtrum (China)	Eoflow (Korea)	Microtech Medical (China)	Terumo (Japan)
Available	Discontinued	Yes	Yes	Yes	Yes	Discontinued	Yes	Yes	Yes	Yes	Yes (Japan, Australia)
Age limit	No	No	≥ 2 year	≥ 18 year + type 2 diabetes	no	> 2 year	> 2 year	> 2 year	No	≥ 18 year	No
Insulin requirement	No	No	No	10, 15, 20, 30, 35 or 40 U of basal insulin per day	no	No	No	No	No	No	No
Pump											
*type	Patch pump (completely disposable) (replace every 3 days)	Patch pump (completely disposable) (replace every 3 days)	Patch pump (completely disposable) (replace every 3 days)	Patch pump (completely disposable) (replace every 3 days)	Modular patch pump (pump base life 6 months)	Modular Patch Pump (Reservoir Section and Annual Pump Base)	Modular Patch Pump (Reservoir Section and Annual Pump Base)	Modular Patch Pump (2 yearly reservoir section, 4 yearly pump base)	Patch pump (replace every 3.5 days)	Modular Patch Pump (Reservoir Section and 4 Yearly Pump Base)	Modular Patch Pump (Reservoir Section and 6 Monthly Pump Base)
*size	52x39x15mm	52x39x14.5mm	52x39x14.5mm	52x39x14.5mm	61x38x13mm	57x33x13mm	40x32x12mm	51x32x12 mm	50x39x15mm	60x40x11mm	78x40x19 mm
*weight	25 gram (empty pod)	26 gram (empty pod)	26 gram (empty pod)	26 gram (empty pod)	59 grams (filled)	22 gram	14 gram	15 gram (without insulin)	26 gram (without insulin)	23 gram (without battery/insulin)	34 gram (without insulin)
*colour	White	White	White	White	Black	Green, blue, easter, pink	White and grey	White and grey	White	White	White
*battery	Integrated battery in pod	Integrated battery in pod	Integrated battery in pod	Integrated battery in pod	Integrated battery in reservoir	Battery integrated in reservoir	Battery integrated in reservoir	4 cell batteries	Battery integrated in patch	Rechargeable lithium battery	2 cell batteries
* water resistant	7.6 meter 60 minutes	7.6 meter 60 minutes	7.6 meter 60 minutes	7.6 meter 60 minutes	No (detachable)	2.5 m 1 hour	2.5 meter 1 hour	2.5 meter 1 hour	1 meter 24 hours	no (detachable)	no (detachable)
*amount of insulin	85-200 U (stop after 3 days)	85-200 U (stop after 3 days)	85-200 U (stop after 3 days)	85-200 U (stop after 3 days)	80-200 E (stop after 4 days)	200 U (maximum 2 to 3 days)	200 U (maximum 2 to 3 days)	300 U	200 U	200 U	200 U
Remote control											
*type	Personal Diabetes Manager (PDM) with built-in blood glucose meter (4 year warranty)	Personal Diabetes Manager (PDM) (4 year warranty)	Controller with built-in SIM card (Wi-Fi connection) (2-year warranty)	N/A	AccuCheck Aviva or Performa Solo with integrated blood glucose meter	Personal Diabetes Manager (PDM)	Personal Diabetes Manager (PDM)	Personal Diabetes Manager (PDM)	Advanced Diabetes Manager (ADM)	Portable Diabetes Assistant (PDA) with built-in blood glucose meter (4 year warranty)	Remote Control
*size	113x62x25 mm	130x63x10 mm	144x68x12 mm	N/A	124x64x17mm	76x48x9 mm	76x48x9 mm	76x48x9 mm	117x65x11 mm	112x57x12 mm	136x75x14 mm
*weight	125 gram	106 gram	165 gram	N/A	140 grams	42 gram	42 gram	42 gram	110 gram	71 gram (without battery)	152 gram
*battery	2x AAA alkaline battery (replace every 3 weeks)	Integrated rechargeable lithium battery	Integrated rechargeable lithium battery	N/A	Integrated rechargeable lithium battery	Integrated rechargeable lithium battery	Integrated rechargeable lithium battery	Integrated rechargeable lithium battery	Integrated rechargeable lithium battery	Integrated rechargeable lithium battery	2x AAA alkaline battery
* water resistant	No	No	No	N/A	No	No	No	No	No	No	No
Others											
Pump operation	Through PDM	Through PDM	Via Controller or via Omnipod 5 app on phone (only in US)	No	Via bolus button on the pump, remote control	Via PDM or via EasyPatch app	Via PDM or via EasyPatch app	Via PDM or via EasyPatch app	Via ADM or Narsha app	Via bolus button on pump or PDA	Via remote control
Readout software	Glooko	Glooko	Glooko	No	AccuCheck SmartPix,	Medtrum EasyView	Medtrum EasyView	Medtrum EasyView	EOBridge	Glooko	?
View app	No	Omnipod DISPLAY App	Omnipod 5 App	No	No (future: MySugr app)	EasyPatch App	EasyPatch App	EasyPatch App	Narsha app	No	No
Follow function	No	Omnipod VIEW App	Dexcom Follow	No	No	Easy Follow App	Easy Follow App	Easy Follow App	?	No	No
CGM integration	No	No	Dexcom G6 & G7, FreeStyle Libre 2 Plus depending on region, future: FreeStyle Libre 3 Plus	No	No	Touchcare Nano CGM	Touchcare Nano CGM	Touchcare Nano CGM	No (future: iCan i3 CGM)	No	No
Software updates	No	No	Yes	No	No	Yes	Yes	Yes	Yes	No	No



[Click here to download the full ebook](#)

www.diabetotech.com