E-ISSN: 3139-0668
Volume: I, Issue: II

https://kalingauniversity.ac.in/International-Journal-of-Research-and-Studies

INTERNATIONAL JOURNAL OF RESEARCH AND STUDIES

Month/Year : April-June, 2026 | DOI: https://doi.org/10.5281/zenodo.23595600

RECEIVED 19.06.2026

ACCEPTED 24.06.2026

PUBLISHED 30-06-2026

USE OF POLYHERBAL FORMULATIONS FOR THE EFFECTIVE TREATMENT OF DIABETES MELLITUS

Adarsh Rathore - Research Scholar

Department of Pharmacy, Kalinga University, Raipur, Chhattisgarh

Ayushman Roy - Assistant Professor

Sandeep Prashad Tiwari – Associate Professor

Faculty of Pharmacy, Kalinga University, Raipur, Chhattisgarh

ABSTRACT:

High blood sugar that lasts a long time defines Diabetes Mellitus. This condition stems from problems with how the body makes or uses insulin. Across the globe, more people now live with this diagnosis than before. Because of its spread, it places heavy demands on health systems. Standard medications help manage glucose but come with drawbacks over time. Side effects, expense, and difficulty obtaining them reduce their usefulness. For these reasons, plant-based remedies and blends of herbs are being explored more seriously. Their role in care pathways grows as interest shifts toward natural options. Though made from many herbs together, these plant-based mixes aim to boost healing power through teamwork between ingredients. Some plants lower blood sugar, others fight damage from oxidation, calm inflammation, or help cells respond better to insulin - each adding value in handling diabetes. What follows dives into how diabetes develops, how mixtures of herbs may help treat it, along with what key plants actually do inside the body. Attention turns also to how such blends work, their health perks, hurdles they face, and where research might go next. Results point toward herbal combinations being both gentle and strong enough to tackle diabetes and related problems over time.

Keywords: *Diabetes Mellitus , Polyherbal Approaches , Medicinal Plants ,Antidiabetic Effects.*

1. Introduction

Among chronic conditions, Diabetes Mellitus stands out due to widespread occurrence across populations on every continent. High sugar concentration in blood defines it, stemming either from too little hormone release or cells failing to respond properly - or sometimes both together. Because rates keep rising steadily over time, healthcare systems now treat it as a critical concern internationally. Linked problems like damage to kidneys, nerves, eyes, and heart vessels contribute heavily to its impact on survival and quality of life.

One projection suggests a sharp rise in people living with diabetes during coming decades. Shifts in daily routines, city growth, excess body weight, lack of movement, along with inherited risks, play major roles in its spread. Even though lab-made medicines exist to manage blood sugar, many bring unwelcome outcomes - low glucose levels, stomach issues, added pounds, damage to the liver.

Medicinal plants play a central role in traditional healing methods like Ayurveda, Siddha, Unani, and Traditional Chinese Medicine when addressing diabetes. Rather than relying on single herbs, combinations are now drawing attention - thanks to better results and fewer side effects. What makes these multi-herb mixes effective lies in how they act on several fronts at once. One way involves boosting insulin release; another improves how cells absorb sugar. Breaking down carbs slows down too, while damage from oxidative processes also gets lowered. Though rooted in ancient practice, their biological impact aligns with modern physiological targets.

Working together, plant compounds in multiple herbs often boost each other’s effects - this synergy can enhance treatment more than using just one herb alone. Because of that edge, blends of medicinal plants are gaining ground as a practical way to help control type 2 diabetes.

2. Pathophysiology of Diabetes Mellitus

2.1 Diabetes Mellitus Overview

Chronic high blood sugar defines Diabetes Mellitus, rooted in disrupted processing of carbs, fats, and proteins. This condition emerges when the body struggles with producing insulin, responding to it, or sometimes both at once.

Diabetes Types Including Type 1

Most often appearing in younger individuals, Type 1 diabetes stems from the immune system attacking insulin-producing cells in the pancreas. This leads to a complete lack of insulin because those specific cells are gradually destroyed.

Type 2 Diabetes

Most people diagnosed with diabetes have type 2, roughly 90 to 95 percent. Insulin resistance marks this condition, along with a reduced ability to secrete insulin effectively.

Gestational Diabetes Mellitus

Pregnancy can trigger gestational diabetes, which often fades after birth - yet leaves a lasting mark. Women affected face higher chances of Type 2 diabetes down the road, even if blood sugar returns to normal postpartum.

2.2 Mechanisms Behind Insulin Resistance in Diabetes

When cells in muscles, the liver, or fat stop reacting well to insulin, the body struggles to absorb sugar. Because of that, more glucose stays in the bloodstream.

β-cell Dysfunction

Over time, the gradual decline in pancreatic β-cell performance plays a key role in how diabetes emerges and worsens.

Oxidative Stress

Later on, high blood sugar pushes cells to make too many reactive oxygen species. As a result, these molecules begin harming tissues through oxidation. This chain of events sets off long-term issues tied to diabetes. Eventually, damage builds up where it should not.

Inflammation

Over time, ongoing mild inflammation can impair how cells respond to insulin while also weakening the performance of pancreas beta cells.

2.3 Diabetes Mellitus Can Lead To Small Blood Vessel Problems

· Diabetic Retinopathy

· Diabetic Nephropathy

· Diabetic Neuropathy

Macrovascular Complications

- Coronary Artery Disease
- Stroke

- Peripheral Vascular Disease

3. Polyherbal Therapy for Diabetes

3.1 Polyherbal Formulations Idea

Combining multiple medicinal plants in fixed ratios defines what is known as a polyherb formulation - each blend crafted to boost overall biological impact. Rooted deeply in ancient healing traditions like Ayurveda, Unani, Siddha, and Traditional Chinese Medicine, these mixtures have long shaped natural treatment approaches. Rather than relying on one plant alone, such preparations aim to harness how active ingredients interact when brought together across species. Because of this interplay, outcomes may include stronger results, wider-ranging actions within the body, along with fewer unwanted reactions.

Because diabetes involves many factors - like poor insulin function, cell damage, chronic irritation inside tissues, and disrupted body chemistry - using several herbs together has become more common in care strategies. While one plant might influence just a single process, mixtures work across various levels at once. With roots tied to broader biological shifts, such blends tackle different problems that unfold together in illness. Results often improve when treatments match the complexity of the condition itself. Prevention of long-term issues follows more naturally from this layered support.

Found in complex herbal blends, medicinal plants carry natural chemicals including flavonoids, alkaloids, terpenoids, glycosides, tannins, saponins, and phenolics. Working in combination, these active elements help balance blood sugar, support insulin activity, lower oxidative damage, shield pancreas β-cells, while boosting general metabolism. Because of such combined effects, treatments using multiple herbs have gained attention as a supportive option in handling diabetes effectively.

Polyherbal Therapy Offers Greater Effectiveness

Working together, several healing plants in one mix can boost each other's strength. One herb might target blood sugar differently than another, yet their paths overlap in useful ways. When paired, these differences lead to stronger results against high glucose levels. Better balance emerges - not just from single ingredients, but how they interact. Treatment gains power when roots, leaves, and barks join forces quietly behind the scenes.

Reduced Toxicity

Most multi-herb blends use smaller amounts of each plant, possibly lowering chances of harmful reactions. While one ingredient acts strongly, another might soften its impact, helping the mix feel gentler over extended use.

Multi-Target Therapeutic Action

Though diabetes mellitus stems from various dysfunctions - like faulty insulin response, poor hormone release, cellular damage, immune activation, and fat metabolism issues - combinations of plant-based remedies may influence more than one mechanism at once. By acting on overlapping fronts, such mixtures support broader control of symptoms alongside better treatment results.

Improved Patient Compliance

Putting several healing plants together in one mix means fewer separate pills or potions are needed. Because of this, routines become less complicated. Getting through each day feels easier when steps are clear. Sticking to care plans grows more natural over time.

Better management of diabetic complications

Some plant-based medicines do more than manage blood sugar - they also act against oxidation and calm inflammation. Because they shield vital organs, their presence can lower chances of heart issues tied to diabetes. Damage in the kidneys may slow when these natural agents step in. Nerve problems often seen in patients might ease under their influence. Eye conditions linked to high glucose find some resistance through their activity. Protection reaches the liver and brain too, quietly working behind common symptoms.

Synergistic Pharmacological Effects

Occasionally, compounds within medicinal plants work better together than alone. When these natural substances combine, one effect might boost another - sometimes making treatments more effective. Instead of needing larger amounts, the body absorbs them more easily. This teamwork often leads to stronger results across multiple areas of function. Rarely does this happen by chance; patterns emerge under careful observation.

Cost-Effectiveness

Because they rely on locally found herbs, polyherbal treatments tend to be cheaper than standard diabetes drugs. In poorer nations, availability of these plants keeps prices down. This affordability allows more people to stick with therapy over time. Long-term use becomes realistic when expense is less of a barrier.

Antioxidant and anti-inflammatory advantages

Starting with plant-based remedies, numerous herbs found in mixed herbal treatments carry strong antioxidant properties while also reducing inflammation. Because they influence cellular damage, these natural substances tackle ongoing oxidative strain along with long-term inflammatory responses - both deeply tied to how diabetes emerges and worsens over time.

Holistic Treatment Approach

Though focused on blood sugar control, these herbal blends also boost metabolism, strengthen immunity, and shield vital organs. Rooted in age-old healing practices, such treatments offer broad support that fits naturally within whole-body care.

3.2 Mechanisms in Herbal Mixtures

Working across several fronts, polyherbal blends influence blood sugar control by targeting distinct aspects of glucose regulation. Because they contain diverse plant-derived compounds, these mixtures engage more than one metabolic route at a time. This broad activity supports better insulin response while slowing down damage linked to long-term diabetes issues. Rather than relying on isolated ingredients, such combinations gain strength from complexity, allowing each component to contribute differently. Their power lies not in single actions but in overlapping influences that together produce stronger outcomes.

Improved insulin release

Some plant species found in multi-herb blends trigger insulin production by acting on pancreatic β-cells. Instead of merely supporting general function, certain natural substances - like flavonoids, alkaloids, or saponins - appear to enhance how well these cells work, possibly aiding tissue repair when damage has occurred. With more insulin available, cells across the body take up glucose more effectively, contributing to stable sugar levels in the bloodstream. Notably, herbs including Gymnema sylvestre, Momordica charantia, and Pterocarpus marsupium have shown clear ability to prompt insulin release during controlled research trials.

Improved insulin sensitivity

Despite its quiet role, insulin resistance plays a central part in how Type 2 Diabetes emerges. When combined, certain plant-based mixtures adjust how muscle, liver, and fat cells detect insulin, making them react better even when hormone levels are low. Because these changes happen, sugar moves into cells more easily - lowering high blood glucose as a result. From another angle, specific herbs interfere gently with the internal

signals that manage sugar processing inside cells. This shift leads to steadier blood sugar patterns while slowly weakening the grip of insulin resistance.

Inhibition of Carbohydrate Digestion and Glucose Absorption

Found in numerous healing herbs, compounds can block key digestion-related enzymes like α-amylase and α-glucosidase. Breaking down starches into basic sugars is handled by these proteins. When herbal blends interfere, carbs get processed more slowly, which pushes back sugar uptake in the gut. Blood spikes after meals tend to fade when glucose enters circulation at a gentler pace. Better long-term sugar control often follows from this delayed release pattern. Fenugreek, neem, and cinnamon stand out among botanicals tested for blocking such enzymes effectively.

Antioxidant Activity

Most issues tied to diabetes stem from too much oxidation inside cells. When blood sugar stays high, it pushes the body to make more ROS - molecules that break down vital components like fats, proteins, and genetic material. Instead of relying on single ingredients, some plant-based blends deliver powerful defenders: compounds including polyphenols, flavonoids, tannins, and certain nutrients step in to absorb harmful molecules. These substances shield key insulin-producing units in the pancreas while also supporting how the hormone works across tissues. Over time, their presence may lower risks linked to organs often harmed by long-term imbalance - such as those involved in vision, nerve signals, heart health, and filtering waste.

Anti-inflammatory Effects

Though often overlooked, persistent inflammation plays a key role in weakening insulin response and advancing diabetes. Found in numerous plant-based remedies, active compounds block signals that trigger swelling - like cytokines, prostaglandins, and TNF-α. These natural substances quiet down cellular chaos linked to chronic irritation. Because they ease such stress, mixtures drawn from several herbs support clearer communication between insulin and cells. Damage to insulin-making areas in the pancreas may lessen under their influence. With time, combining these botanicals could lower chances of long-term issues tied to high blood sugar.

How the liver manages sugar release

Most of the body's glucose balance hinges on liver activity. When diabetes is present, the organ often makes too much sugar, raising blood levels. Plant-based compounds can influence key liver enzymes that manage

sugar formation and stored fuel breakdown. As a result, less glucose enters circulation. Stable sugar metabolism follows more naturally.

Improved Use of Glucose in Body Tissues

Through activating glucose transporters like GLUT-4, polyherbal blends help muscle and fat cells absorb sugar more effectively. As these outer body tissues use more glucose, less remains in the bloodstream, shifting how energy is processed. People facing challenges with insulin response often gain advantage from this effect.

Protecting and Restoring Pancreatic Beta Cell

Though less studied, certain plant compounds shield insulin-producing cells from stress caused by free radicals or swelling. Reports indicate particular botanical agents may support cell survival through antioxidant activity

Stimulating β-cell renewal helps boost how the pancreas works, which supports better natural insulin release over time. Improved cell activity leads to more stable blood sugar levels in the long run.

4. Medicinal Plants in Combined Herbal Preparations

4.1 Gymnema sylvestre

Gymnema sylvestre stands out among medicinal herbs applied to managing Diabetes Mellitus. Known traditionally as "Gurmar" - a term translating to "destroyer of sugar" - it alters how sweetness is sensed while helping stabilize blood glucose. Although rooted in ancient practice, it still features prominently across various herbal blends designed for metabolic support. Found frequently within Ayurvedic systems, its role remains central in multi-ingredient approaches targeting insulin response.

Botnical Name: *Gymnema Sylvestre*

Family: Apocynaceae

Active Constituents

· Gymnemic acids

· Saponins

· Flavonoids

Antidiabetic Mechanism

Insulin release gets a boost from Gymnema sylvestre, while β-cells begin renewing themselves at the same time. Glucose uptake in the intestines slows down because of it



Figure 4.1:*Gymnema sylvestre (Gudmar)*

4.2 Momordica charantia

Found mainly in tropical regions, Momordica charantia goes by many names - Bitter Melon among them - and stands out for its role in supporting healthy blood sugar. Though bitter in taste, the fruit hosts natural substances capable of acting like insulin inside the body. Used through generations in parts of Asia, it features regularly in herbal approaches to managing diabetes symptoms. Its reputation stems less from modern labs than long-standing practice rooted in everyday healing.

Common Name: Bitter Melon

Active Constituents

- Charantin
- Vicine
- Polypeptide-P

Antidiabetic Effects

Besides mimicking insulin effects, bitter melon supports better use of blood sugar. Tissue absorption of glucose increases due to its influence. Lowered insulin resistance follows as a result.



Figure 4.2 Bitter Melon Karela Momordica charantia

4.3 Trigonella foenum-graecum

Fenugreek, or Trigonella foenum-graecum, has long served as a key plant in traditional medicine, particularly when it comes to managing glucose. Because of their high content of soluble fiber, the seeds play a role in slowing carbohydrate absorption. Although small in size, they pack compounds like galactomannan that influence insulin response. From ancient kitchens to modern supplements, these seeds appear across remedies meant to support metabolic balance. While research continues, historical usage underscores their place in herbal practice. Their composition includes proteins and phytochemicals capable of modulating physiological processes

Improved glucose metabolism links to certain bioactive substances found in fenugreek. Because of documented blood sugar-lowering effects, this herb often appears in multi-plant blends.

Common Name: Fenugreek

Active Constituents

- 4-Hydroxyisoleucine
- Galactomannan
- Saponins

Therapeutic Role

Fenugreek enhances how the body responds to insulin while slowing down sugar uptake in the gut. Because of this effect, spikes in blood sugar after meals tend to be lower. Its role extends beyond single actions, contributing steadily to broader metabolic balance.

5. Synergistic Effects of Combined Herbal Remedies

What makes polyherbal blends stand out is how plant compounds work together - boosting each other's effects beyond what one herb alone can do.

Synergistic Benefits

- Multiple therapeutic targets
- Enhanced bioavailability
- Reduced toxicity
- Improved efficacy

Examples : Dihar

Contains:

- Gymnema sylvestre
- Syzygium cumini
- Momordica charantia

Hyponidd

Contains:

- Azadirachta indica
- Gymnema sylvestre
- Tinospora cordifolia

Some of these versions brought clear drops in blood sugar during medical trials.

6. Clinical Studies on Herbal Combination Therapies

Though less common, trials show blends of herbs can work well. A few studies point toward real benefits from mixed plant treatments. Not every test confirms it, yet results often support their use. Some research even suggests stronger outcomes than expected. While evidence builds slowly, findings generally back these approaches.

Major Findings

- Reduction in fasting blood glucose levels
- Decrease in HbA1c values
- Improvement in lipid profiles

- Enhanced insulin sensitivity
- Reduction in diabetic complications

Some studies show these herbal blends might support standard diabetes treatments when used together. Though not replacements, they appear to add benefit in controlled settings. Their role remains secondary, yet notable under medical supervision. Results suggest a potential place within broader care strategies. Each formulation behaves differently, requiring careful pairing with prescription drugs.

7. Safety and Toxicology Overview

While polyherbal remedies often carry a reputation for being harmless, checking their actual safety is still necessary. Not every natural blend proves risk-free upon closer examination.

- Potential Concerns
- Herb-drug interactions
- Variation in phytochemical composition
- Lack of standardization
- Quality control issues

Safety Measures

- Standardized manufacturing processes
- Toxicological assessment
- Clinical validation
- Regulatory oversight

8. Challenges in Using Multiple Herbs Together

Though more people are turning to multi-herb treatments for diabetes, hurdles remain in getting them fully adopted by standard medical practice. Without tackling these issues, consistency, effectiveness, and reliability of such remedies cannot be guaranteed. What works today might fail tomorrow if oversight stays weak. Trust grows only when results repeat across different batches and users. Hidden variability often lurks beneath natural ingredients. Oversight gaps leave room for doubt even when benefits seem clear. Progress means facing complexity head-on, not ignoring it.

Limited large scale clinical trials

Some research into how herbal mixtures affect diabetes has relied on lab tests, animals, or limited human trials. While outcomes look encouraging, solid proof remains scarce due to missing broad clinical studies across multiple centers. To confirm real-world usefulness, wider testing with varied groups of patients must take place - only then can these treatments find firm footing in treating diabetes.

Lack of Standardized Formulations

Despite its importance, uniformity in herbal medicine continues to face obstacles. Depending on where a plant grows, how it is grown, when it is collected, or even how it is stored, the levels of active ingredients might differ widely. Because of such differences, results from using multi-herb preparations could change unpredictably.

Consistency across production batches hinges on clear, repeatable methods. When procedures are tightly defined, outcomes tend to align more closely. One way to achieve reliability involves setting fixed checkpoints during fabrication. Without such guardrails, small variations creep in - leading to unpredictable results. Oversight steps, built into each phase, help catch deviations early. Reproducibility improves when every operator follows identical guidelines. Uniform output depends less on skill alone once systems take precedence.

Herbal Material Quality Varies

Whatever grows medicine plants shapes how well they work in mixed remedies. When dirt type, weather shifts, or pollution play a role, plant chemistry changes - so does effectiveness. Even careless gathering or mixing fake ingredients alters what ends up in the final mix. Without tight checks on each batch, results drift - sometimes weaker, sometimes risky.

Regulatory Barriers

Though rules for herbal medicines vary widely by nation, some areas struggle more than others. Where multiple herbs combine in one remedy, hurdles pop up - not just in permits but also testing and public sale. Without shared standards, crossing borders becomes tough for these natural treatments. When regulations align, though, progress follows: better access, stronger trust, wider reach.

Insufficient Pharmacokinetic Studies

Little is known about how plant compounds in multi-herb blends move through and exit the body. To judge proper doses, effectiveness, because safety matters, tracking bodily processing becomes essential. Since

interactions among ingredients can shift outcomes, deeper research into dynamic responses within living systems seems necessary.

Herbal Interactions Can Be Complex

Multiple herbs come together in polyherbal medicines, bringing many active substances capable of influencing one another unpredictably. Though some mixtures boost healing power through cooperation between components, others might weaken results when plant elements interfere. Understanding what happens inside these blends demands close study, so better versions can emerge from careful analysis rather than guesswork.

Herb–Drug Interactions

Though common, combining standard diabetes medicines with plant-based remedies lacks full understanding. When multiple herbs mix with lab-made drugs, effects on how the body processes medication can shift unpredictably. These shifts might change treatment outcomes or raise risks unexpectedly. Research still needs to map out which combinations pose concerns. Clear rules for using both types together remain absent. Safety in practice depends on better evidence yet to come.

Safety and Toxicology Issues

Even if natural remedies seem harmless, certain botanicals can cause harm if taken too often or in large doses. Because impurities like toxins, chemicals, germs, or fake ingredients might be present, dangers grow stronger. So thorough testing on toxicity, along with extended observation of safety, must happen prior to broad medical use.

Lack of Awareness Among Public and Professionals

Some doctors hesitate to recommend mixtures of herbs due to sparse research and unclear medical protocols. In much the same way, users might not fully grasp correct doses or possible dangers tied to plant-based remedies. Because knowledge gaps exist, structured learning initiatives could clarify uncertainties. Clearer guidance rooted in data tends to support better personal health choices.

9. Future Perspectives

Diabetes Mellitus becomes more common across populations, pushing science toward new ways to treat it. Because they hit multiple pathways at once, plant-based mixtures offer a promising angle - often with fewer side reactions. Still, solid proof on how well these blends work in real medical settings remains limited, leaving room for deeper investigation.

One key direction for upcoming research involves pinpointing the exact plant-based components that contribute to blood sugar control. To move forward, scientists might rely on high-resolution tools capable of mapping out chemical structures in detail. These methods could clarify how each compound influences metabolic pathways. Another path opens when examining mixtures of herbs, where interactions between ingredients may enhance overall effects. Clarity about such processes often emerges only through targeted experimentation. Insights gained here tend to reshape how natural remedies are evaluated. Progress hinges on linking observed outcomes to precise biological events.

Examining how they influence insulin release, followed by shifts in cellular response to insulin. Moving beyond that, changes in oxidative damage markers appear alongside reduced inflammatory activity. What stands out is the shift within energy-related biological processes. Each step reveals a different angle of metabolic function. Through these layers, patterns emerge without needing bold claims.

One key focus in current studies involves creating uniform mixtures of multiple herbs that maintain reliable quality, safety, and performance. To ensure consistency, researchers work on refining source ingredients, how they are processed, also the final product formats. These steps help produce repeatable results while supporting smoother acceptance by health authorities. New methods like nano-sized carriers, plant-derived lipid complexes, or time-based release mechanisms might boost how well active compounds enter the body and function once there.

Essential for assessing how well multi-herb treatments work over time, large trials across varied groups must happen. To protect patients, science needs full reviews of possible harm and clashes between herbs and standard medicines. Tools like machine learning, metabolic profiling, or gene-based analysis could help uncover new plant blends tailored to individuals. These paths open doors - carefully built on data, not assumptions.

Though rooted in ancient practices, combining herbal wisdom with today's science could speed progress toward proven multi-plant treatments. As methods in plant chemistry, biological engineering, and drug study evolve, blends of herbs might play a growing role in treating diabetes - providing accessible, low-risk care backed by results across global populations.

10. Conclusion

Worldwide, Diabetes Mellitus continues to pose major difficulties for public health, touching lives regardless of age or economic status. With rising numbers - especially in Type 2 cases - the strain on medical services grows heavier because of lasting issues like heart disease, kidney damage, nerve problems, vision loss, and

slow recovery from injuries. Even though standard drugs help regulate blood sugar, using them over time can lead to unwanted reactions, reduced effectiveness, financial pressure, and an inability to influence various mechanisms driving the illness. As a result, finding treatments that are gentler on the body, easier on budgets, and capable of broader impact has gained growing attention.

What if combining plant-based remedies could shift how we approach blood sugar control? Instead of relying on just one herb, using several together brings varied biological activities into play - activities that support each other. With more than one active pathway engaged, key problems in diabetes - like weak insulin response, cell-level resistance, chemical imbalances, tissue irritation, broken metabolic loops, and struggling pancreas cells - can face broader intervention. Because these herbal blends hit many points at once, treatment strength often rises without needing high amounts of any single ingredient. Lower doses mean fewer chances for harmful side effects to appear.

References

1. American Diabetes Association. (2024). Standards of care in diabetes. *Diabetes Care*, 47(Suppl. 1), S1–S350.
2. Bnouham, M., Ziyyat, A., Mekhfi, H., Tahri, A., & Legssyer, A. (2006). Medicinal plants with potential antidiabetic activity. *International Journal of Diabetes and Metabolism*, 14(1), 1–25.
3. Grover, J. K., Yadav, S., & Vats, V. (2002). Medicinal plants of India with antidiabetic potential. *Journal of Ethnopharmacology*, 81(1), 81–100.
4. Kooti, W., Farokhipour, M., Asadzadeh, Z., Ashtary-Larky, D., & Asadi-Samani, M. (2016). The role of medicinal plants in the treatment of diabetes. *Electronic Physician*, 8(1), 1832–1842.
5. Modak, M., Dixit, P., Londhe, J., Ghaskadbi, S., & Devasagayam, T. P. (2007). Indian herbs and herbal drugs used for the treatment of diabetes. *Journal of Clinical Biochemistry and Nutrition*, 40(3), 163–173.
6. Patel, D. K., Kumar, R., Laloo, D., & Hemalatha, S. (2012). Diabetes mellitus and medicinal plants. *Asian Pacific Journal of Tropical Biomedicine*, 2(5), 411–420.
7. Rahman, K. (2021). Traditional herbal medicines in diabetes treatment. *Pharmacognosy Reviews*, 15(29), 45–58.
8. Sharma, A., Gupta, R., & Singh, P. (2023). Polyherbal approaches in diabetes management. *Journal of Herbal Medicine*, 35, 100589.

9. World Health Organization. (2023). Global report on diabetes. Geneva: WHO.
10. Yatoo, M. I., et al. (2017). Beneficial health applications and medicinal values of plant bioactive compounds. *Biomedicine & Pharmacotherapy*, 95, 1327–1344.
11. Ahmed, F., Urooj, A., & Kumar, S. (2019). Antidiabetic potential of selected medicinal plants and their active constituents. *Journal of Herbal Medicine, 17*, 100263.
12. Alarcon-Aguilar, F. J., Roman-Ramos, R., Perez-Gutierrez, S., Aguilar-Contreras, A., Contreras-Weber, C. C., & Flores-Saenz, J. L. (1998). Study of the anti-hyperglycemic effect of plants used as antidiabetics. *Journal of Ethnopharmacology, 61*(2), 101–110.
13. Bailey, C. J., & Day, C. (1989). Traditional plant medicines as treatments for diabetes.
    a. *Diabetes Care, 12*(8), 553–564.
14. Choudhury, H., Pandey, M., Hua, C. K., Mun, C. S., Jing, J. K., Kong, L., Ern, L. Y., Ashraf, N. A., Kit, S. W., Yee, T. S., & Pichika, M. R. (2018). An update on natural compounds in the treatment of diabetes mellitus. *Molecules, 23*(9), 2342.
15. Das, A., & Barman, S. (2012). Antidiabetic and antioxidant activity of medicinal plants.
    a. *International Journal of Pharmacy and Pharmaceutical Sciences, 4*(3), 45–50.
16. Eddouks, M., Maghrani, M., Lemhadri, A., Ouahidi, M. L., & Jouad, H. (2002). Ethnopharmacological survey of medicinal plants used for the treatment of diabetes mellitus. *Journal of Ethnopharmacology, 82*(2–3), 97–103.
17. Grover, J. K., Vats, V., & Rathi, S. S. (2001). Antihyperglycemic effect of Eugenia jambolana and Tinospora cordifolia in experimental diabetes. *Journal of Ethnopharmacology, 73*(3), 461–470.
18. Gupta, R., Sharma, A. K., Dobhal, M. P., Sharma, M. C., & Gupta, R. S. (2011). Antidiabetic and antioxidant potential of herbal formulations. *Indian Journal of Experimental Biology, 49*(11), 850–857.
19. International Diabetes Federation. (2021). *IDF Diabetes Atlas* (10th ed.). Brussels, Belgium: International Diabetes Federation.
20. Jung, M., Park, M., Lee, H. C., Kang, Y. H., Kang, E. S., & Kim, S. K. (2006).
    a. Antidiabetic agents from medicinal plants. *Current Medicinal Chemistry, 13*(10), 1203–1218.
21. Kumar, S., Narwal, S., Kumar, V., & Prakash, O. (2011). Alpha-glucosidase inhibitors from plants: A

natural approach to treat diabetes. *Pharmacognosy Reviews, 5*(9), 19–29.

22. Li, W. L., Zheng, H. C., Bukuru, J., & De Kimpe, N. (2004). Natural medicines used in the traditional treatment of diabetes mellitus. *Journal of Ethnopharmacology, 92*(1), 1–21.
23. Marles, R. J., & Farnsworth, N. R. (1995). Antidiabetic plants and their active constituents. *Phytomedicine, 2*(2), 137–189.
24. Modak, M., Dixit, P., Londhe, J., Ghaskadbi, S., & Devasagayam, T. P. A. (2007). Indian herbs and herbal drugs used for the treatment of diabetes. *Journal of Clinical Biochemistry and Nutrition, 40*(3), 163–173.
25. Patel, D. K., Prasad, S. K., Kumar, R., & Hemalatha, S. (2012). An overview on antidiabetic medicinal plants. *Asian Pacific Journal of Tropical Biomedicine, 2*(4), 320–330.
26. Ríos, J. L., Francini, F., & Schinella, G. R. (2015). Natural products for the treatment of Type 2 Diabetes Mellitus. *Planta Medica, 81*(12–13), 975–994.
27. Singh, L. W. (2011). Traditional medicinal plants of Manipur as antidiabetic agents.
    a. *Journal of Medicinal Plants Research, 5*(5), 677–687.
28. Tiwari, A. K., & Rao, J. M. (2002). Diabetes mellitus and multiple therapeutic approaches of phytochemicals. *Current Science, 83*(1), 30–38.
29. WHO Expert Committee. (2019). *WHO global report on traditional and complementary medicine*. Geneva: World Health Organization.
30. Yadav, U. C. S., Moorthy, K., & Baquer, N. Z. (2004). Effects of sodium orthovanadate and Trigonella foenum-graecum seeds on diabetic complications. *Molecular and Cellular Biochemistry, 259*(1–2), 73–83.