Execution Report for Event: Sub sample

RIASC Target: target

Model: Model n

Information about data managed

Target distribution of observations

With target 1:xx

With target 2:xx

With target n :xx

Training Data Distribution

With target 1:xx

With target 2:xx

With target n :xx

Test Data Distribution

With target 1 :xx

With target 2 :xx

With target n :xx

Summary of variables

Deleted by the user at the begining:

Discarded-feature-1

Discarded-feature-n

*variables in bold were specified by the user to be discarded specifically for this event

Deleted in execution time(Empty or Constant):

Empty-or-constant-feature-1 Empty-or-constant-feature-n

Requested for the event by the user:

Relevant-feature-for-user-1 Relevant-feature-for-user-n

Used during the process:

feature1 x.xxxx feature n x.xxxx

target obsnumber

*variables in bold were used to train the models

Execution Report for Event: Sub sample

Model: Model n



Information about the obtained model

Accuracy: x.xxxx Null train acc: x.xxxx Null test acc: x.xxxx Parameters used to configure the model param-1: x param-n: x

Time elapsed
Parameters selection time: hh:mm:ss
Training time: hh:mm:ss

Models ranking

Model 1: x.xxxx


Model 2: x.xxxx


Model 3: x.xxxx

Model 4: x.xxxx

Model 5: x.xxxx

Model 7: x.xxxx







Confusion matrices for the model

Confusion matrix (Train)

Confusion matrix (Test)

Micro Avg (Test)





recall: x.xxxx

mcc: x.xxxx

precision: x.xxxx

specificity: x.xxxx

f1_score: x.xxxx

Execution Report for Event: Sub sample

RIASC Target: target

Model: Model n

Metrics information by label

Target	f1_score	recall	тсс	precision	specificity
1	x.xxxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxxx	x.xxxxxxxxxxx
2	x.xxxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxxx
n	x.xxxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxxx	x.xxxxxxxxxx	x.xxxxxxxxxxx