


Home Assignment_User Stories

1. Go to database Explorer and create collection name as 'user_stories' under 'Rag_Test cases'(database)
2. Change password by following the below steps
 - a. Go to database and Network access
 - b. Click on 'Edit' near existing database
 - c. Click on 'Edit' near password field' and click on Autogenerate password. Copy the password and paste it in notepad
 - d. Click on Update user button
3. Update MongoDB URI in .env file in VS code
 - a. In Mongo db. go to Clusters and click on connect
 - b. Select Drivers
 - c. Copy the path and paste it in notepad
 - d. Update the path with the password copied(autogenerated password in step 2)
mongodb+srv://amvidhya1_db_user:gFS1Dh0EuTr0PVFP@cluster0.kwkgcbf.mongodb.net/?appName=Cluster0 - **Path**

gFS1Dh0EuTr0PVFP - **Password**
 - e. Copy and paste the above path in VS code in .env file in MONGODB URI field
4. Verify if DB_Name,Collection name and Vector Index name in .env file matches with the MONGO db. database as shown in the below screenshot




The screenshot shows a Visual Studio Code editor with a project named 'rag-mongo-demo-ui'. The Explorer sidebar on the left shows the file structure, including 'rag-mongo-demo-ui', 'client', 'node_modules', 'releases', 'server', 'src', 'uploads', '.env', '.env.example', '.gitignore', 'package-lock.json', and 'package.json'. The '.env' file is open in the editor, showing the following configuration:

```
1 MONGODB_URI=mongodb+srv://amvidhya1_db_user:gFS1Dh0EuTr0PVFP@cluster0.kwkgcbf.mongodb.net/?app
2
3 DB_NAME="Rag_testcases"
4
5 COLLECTION_NAME="userstories"
6 VECTOR_INDEX_NAME="vector_index"
7 BM25_INDEX_NAME="bm25_search"
8
9 USER_STORIES_COLLECTION_NAME="user_stories"
10 USER_STORIES_VECTOR_INDEX_NAME="vector_index_user_story"
11
12
13 # Mistral AI Configuration (for embeddings)
14 MISTRAL_API_KEY=pjXDT57jIAEKd7PPTqMq3X90HLLfcj
15 MISTRAL_EMBEDDING_MODEL="mistral-embed"
16
17
```


The Terminal at the bottom shows the output of running 'npm run dev' in the project directory. The output indicates that the batch script completed successfully and provides summary statistics for the Mistral AI embeddings:

```
PS E:\Vidhya_Assignment link\August 16th\Home Assignment\rag-mongo-demo-ui\rag-mongo-demo-ui> npm run dev
[0] Total Cost: $0.003068
[0]
[0] [user-stories] Total Tokens: 30,678
[0] Average Cost per User Story: $0.00001615
[0] Average Tokens per User Story: 161
[0] Cost Savings: ~90% cheaper than OpenAI embeddings
[0]
[0] Batch script completed successfully!
```

The status bar at the bottom of the editor shows 'Ln 1, Col 108', 'Spaces: 4', 'UTF-8', 'LF', and 'Dotenv'.



5. In VS Code go to New-Terminal
6. Type 'npm install'
7. Type 'npm run dev'
8. A browser will launch. Click on 'Convert to Json' and select data type as 'User stories'. Upload the User story excel file provided.
9. Go to Embeddings & Store and select 'stories' and click on 'Create Embeddings'
10. Go to MongoDB and check under Data explorer. The User stories will be uploaded successfully under 'User Stories' collection



11. Check success message in VS code

