

Connecting Jira to User Story

Atlassian uses cookies to improve your browsing experience, perform analytics and research, and conduct advertising. Accept all cookies to indicate that you agree to our use of cookies on your device. [Atlassian cookies and tracking notice](#)

Preferences Only necessary Accept all

Jira Search + Create Premium trial 26d 1 1 AV Chat

Spaces

My First Sample Jira Project

Summary List Board Code Forms Timeline Docs +

Search work AV Filter Group

	Work	Assignee	Reporter	Priority	Status
☐	KAN-1 Task 1	Unassigned	AV am vidhya	None	TO DO
☐	KAN-2 Task 2	Unassigned	AV am vidhya	None	IN PROGRESS
☐	KAN-4 Consultant Dashboard My Inpatients	Unassigned	AV am vidhya	None	TO DO
☐	KAN-5 Wards Dashboard Nurse Activities	Unassigned	AV am vidhya	None	TO DO
☐	KAN-6 Daycare Nurse Activities Raise	Unassigned	AV am vidhya	None	TO DO
☐	KAN-7 Reports View Reports Others	Unassigned	AV am vidhya	None	TO DO
☐	KAN-8 Billing Execution Deposit Refund	Unassigned	AV am vidhya	None	TO DO

+ Create 27 of 27 Quickstart

Atlassian uses cookies to improve your browsing experience, perform analytics and research, and conduct advertising. Accept all cookies to indicate that you agree to our use of cookies on your device. [Atlassian cookies and tracking notice](#)

Preferences Only necessary Accept all

Jira Search + Create Premium trial 26d 1 1 AV Chat

Spaces

My First Sample Jira Project

Summary List Board Code Forms Timeline Docs +

Search work AV Filter Group

	Work	Assignee	Reporter	Priority	Status
☐	KAN-1 Task 1	Unassigned	AV am vidhya	None	TO DO
☐	KAN-2 Task 2	Unassigned	AV am vidhya	None	TO DO
☐	KAN-4 Consultant Dashboard My Inpatients	Unassigned	AV am vidhya	None	TO DO
☐	KAN-5 Wards Dashboard Nurse Activities	Unassigned	AV am vidhya	None	TO DO
☐	KAN-6 Daycare Nurse Activities Raise	Unassigned	AV am vidhya	None	TO DO
☐	KAN-7 Reports View Reports Others	Unassigned	AV am vidhya	None	TO DO
☐	KAN-8 Billing Execution Deposit Refund	Unassigned	AV am vidhya	None	TO DO

+ Create 27 of 27 Quickstart

AV am vidhya amvidhya1@gmail.com

- Profile
- Account settings
- Theme
- Switch account
- Log out

https://id.atlassian.com/login?application=admin-jira-atlas-75650&continue=https%3A%2F%2Fid.atlassian.com%2Fmanage-profile&prompt=none&login_hint=amvidhya1%40gmail.com&orgId=70c656d9-ab35-46f3-a591-bb455aac609f

←

↻

https://id.atlassian.com/manage-profile/security

☆

🔊

🔖

Verify it's you

...

Chat

ATLASSIAN Account

Profile and visibility

Email

Security

Privacy

Account preferences

Connected apps

Link preferences

Product settings

?

AV

Security

Change your password

When you change your password, we keep you logged in to this device but may log you out from your other devices.

Current password *

Enter current password

👁

New password *

Enter new password

👁

Save changes

Two-step verification

Keep your account extra secure with a second login step. [Learn more about two-step verification](#).

[Manage two-step verification](#)

Passkeys

With passkeys, you can securely sign in to your Atlassian Account without needing a password or two-factor authentication. Make sure that you keep your passkeys safe, so that only you can use them. Passkeys can be created on your devices or on security keys. [Learn more about passkeys](#).

[Create and manage passkeys](#)

←

↻

https://id.atlassian.com/manage-profile/security

☆

🔊

🔖

Verify it's you

...

Chat

ATLASSIAN Account

Profile and visibility

Email

Security

Privacy

Account preferences

Connected apps

Link preferences

Product settings

?

AV

Save changes

Two-step verification

Keep your account extra secure with a second login step. [Learn more about two-step verification](#).

[Manage two-step verification](#)

Passkeys

With passkeys, you can securely sign in to your Atlassian Account without needing a password or two-factor authentication. Make sure that you keep your passkeys safe, so that only you can use them. Passkeys can be created on your devices or on security keys. [Learn more about passkeys](#).

[Create and manage passkeys](#)

API tokens

A script or other process can use an API token to perform basic authentication with Jira Cloud applications or Confluence Cloud. You must use an API token if the Atlassian account you authenticate with has had two-step verification enabled. You should treat API tokens as securely as any other password. [Learn more about API tokens](#).

[Create and manage API tokens](#)

Recent devices

If you've lost one of your devices or notice any suspicious activity, log out of all your devices and take steps to secure your account. [Learn more about recently used devices](#).

[View and manage recent devices](#)

← ↻ 🔒 https://id.atlassian.com/manage-profile/security/api-tokens

ATLASSIAN Account Profile and visibility Email **Security** Privacy Account preferences Connected apps Link preferences Product settings

API Tokens

Your API tokens need to be treated as securely as any other password. You can only create a maximum of 25 tokens at a time.

New tokens may take up to a minute to work after they've been created.

Create API token Create API token with scopes

Token name	Created	Expires	Last accessed	Action
------------	---------	---------	---------------	--------



You don't have any API tokens

← ↻ 🔒 https://id.atlassian.com/manage-profile/security/api-tokens

ATLASSIAN Account Profile and visibility Email **Security** Privacy Account preferences Connected apps Link preferences Product settings

API Tokens

Your API tokens need to be treated as securely as any other password. You can only create a maximum of 25 tokens at a time.

New tokens may take up to a minute to work after they've been created.

Create API token Create API token with scopes Revoke all API tokens

Token name	Created	Expires	Last accessed	Action
Jira API Token	Jul 22, 2026	Jul 29, 2026	Never Accessed	Revoke

Open VS Code

File- New Window

File-Open folder.Give the below path where the User story folder is there

C:\Users\rta\Documents\Vidhya_Assignment link\July 19th\user-story-to-tests-updated-ui\user-story-to-tests-updated-ui

Right click on Front end and type 'npm run dev'

Copy local url and paste it browser

Jira Instant Details :

Base url :

<https://amvidhya1.atlassian.net/jira/software/projects/KAN/list?jql=project%20%3D%20KAN%20ORDER%20BY%20cf%5B10019%5D%20ASC>

Email id: amvidhya1@gmail.com

Jira API key : ATATT3xFfGF0tLV9F63R_PFSkAViFDZfv9BKWnFJ9nnqomcrb2YHt5J0HC3z-ZfWFWnD47Q8rL26Sh-246wBPXhS4Ht_fvYwvmJ_WE_eXorlLOvwR1fskd-XAWanOdw8vjkA_xVNzSoGKijyl321Ax0m3fs4v7YaKWWo9fJfN4nIXSG4n5Tz5vU=24DB36AD

Give the below prompt in Plan mode in Copilet

Front end:

Need to add "Connect Jira" button to establish the connection

Base url :


Email id:

Jira API key :

Add the variables in .env file

Give the below prompt in agent mode

Go ahead with the implementation




The following details needs to be entered in the field and click on 'Connect Jira'

Base url : <https://amvidhya1.atlassian.net>

Email id: amvidhya1@gmail.com

Jira API key : ATATT3xFfGF0tLV9F63R_PFSkAViFDZfv9BKWnFJ9nnqomcrb2YHt5J0HC3z-ZfWFWnD47Q8rL26Sh-246wBPXhS4Ht_fvYwvmJ_WE_eXorlLOvwR1fskd-XAWanOdw8vjkA_xVNzSoGKijyl321Ax0m3fs4v7YaKWWo9fJfN4nIXSG4n5Tz5vU=24DB36AD



In plan mode give the below prompt


On clicking 'Connect Jira' button and it is connected to Jira, need to fetch all the user stories in a dropdown list. On selecting the User story ID, the details like Title, Summary, Description and acceptance Criteria from the User story should be loaded into the form. When I reselect another user story respective details should be populated in the form.

Analyze the entire code and come up with a plan to implement in frontend and blackened step by step. Document the plan in .md file

[STRICTLY] DO THE IMPLEMENTATION ONLY ON UI

In agent mode give the below prompt after reviewing the response for the above prompt

Go ahead with the implementation



All fields are auto populated as expected

localhost:5173

Summarize🔗🌟🎵🔖Verify it's you...Chat

Connected to Jira as am vidhya.

Select Jira user story

PROJ-101 - User can log in securely

Choosing a story updates the form fields for title, summary, description, and acceptance criteria.

Story Title *

User can log in securely

Summary *

A user should be able to sign in with valid credentials and access the dashboard.

Description

As a registered user, I want to sign in securely so that I can access my account safely.

Acceptance Criteria *

Given valid credentials, when the user submits the sign-in form, then the dashboard loads successfully.
Given invalid credentials, when the user submits the form, then an error message is shown.

localhost:5173

Summarize🔗🌟🎵🔖Verify it's you...Chat

A user should be able to sign in with valid credentials and access the dashboard.

Description

As a registered user, I want to sign in securely so that I can access my account safely.

Acceptance Criteria *

Given valid credentials, when the user submits the sign-in form, then the dashboard loads successfully.
Given invalid credentials, when the user submits the form, then an error message is shown.

Additional Info

Imported from Jira story PROJ-101

🚀 Generate Test Cases

localhost:5173

Summarize🗨️🔖🔍👤 Verify it's you... Chat

User Story to Tests

Turn user stories into comprehensive, structured test cases in seconds.

Connect Jira

Connected

Enter your Jira details to establish the connection before generating test cases.

https://amvidhya1.atlassian.net

amvidhya1@gmail.com

.....

Connect Jira

Connected to Jira as am vidhya.

Select Jira user story

PROJ-101 - User can log in securely

Choosing a story updates the form fields for title, summary, description, and acceptance criteria.

Story Title *

User can log in securely.

Generated Test Cases

12 test case(s)Model: openai/gpt-oss-120bTokens: 2065

TEST CASE ID	TITLE	CATEGORY	EXPECTED RESULT
TC-001	Successful login with valid credentials	Positive	User is redirected to the dashboard and the dashboard loads successfully
TC-002	Login attempt with incorrect password	Negative	An error message "Invalid username or password" is displayed and user remains on the login page
TC-003	Login attempt with unregistered email	Negative	An error message "Invalid username or password" is displayed and user remains on the login page
TC-004	Login with empty email and password fields	Edge	Validation messages "Email is required" and "Password is required" are displayed

localhost:5173

Summarize🗨️🔖🔍👤 Verify it's you... Chat

Story Title *

User can log in securely

Summary *

A user should be able to sign in with valid credentials and access the dashboard.

Description

As a registered user, I want to sign in securely so that I can access my account safely.

Acceptance Criteria *

Given valid credentials, when the user submits the sign-in form, then the dashboard loads successfully.
Given invalid credentials, when the user submits the form, then an error message is shown.

Additional Info

Imported from Jira story PROJ-101

TC-005

Login with email field containing only whitespace

Edge

Validation message "Email is required" is displayed and login is not attempted

TC-006

Login with password exceeding maximum length

Negative

An error message indicating password length violation is displayed

TC-007

Login attempt with SQL injection payload in email field

Negative

Login fails and a generic error message is shown; no SQL error is exposed

TC-008

Login attempt with XSS script in password field

Negative

Login fails with an error message and no script execution occurs

TC-009

Account lockout after multiple failed login attempts

Authorization

After the configured number of failed attempts, the account is locked and a message "Account locked. Contact support" is displayed

TC-010

Login with case-sensitive email address

Edge

Login succeeds and user is taken to the dashboard (email handling is case-insensitive as per spec)

TC-011

Login with disabled user account

Authorization

An error message "Account is disabled. Contact support" is displayed

TC-012

Performance: Login response time under

Non-Functional

95% of login responses complete within 2 seconds

localhost:5173

Summarize Verify it's you Chat

A user should be able to sign in with valid credentials and access the dashboard.

Description

As a registered user, I want to sign in securely so that I can access my account safely.

Acceptance Criteria

Given valid credentials, when the user submits the sign-in form, then the dashboard loads successfully.
Given invalid credentials, when the user submits the form, then an error message is shown.

Additional Info

Imported from Jira story PROJ-101

Generate Test Cases

TC-006	Login with password exceeding maximum length	Negative	An error message indicating password length violation is displayed
TC-007	Login attempt with SQL injection payload in email field	Negative	Login fails and a generic error message is shown; no SQL error is exposed
TC-008	Login attempt with XSS script in password field	Negative	Login fails with an error message and no script execution occurs
TC-009	Account lockout after multiple failed login attempts	Authorization	After the configured number of failed attempts, the account is locked and a message "Account locked. Contact support" is displayed
TC-010	Login with case-sensitive email address	Edge	Login succeeds and user is taken to the dashboard (email handling is case-insensitive as per spec)
TC-011	Login with disabled user account	Authorization	An error message "Account is disabled. Contact support" is displayed
TC-012	Performance: Login response time under load	Non-Functional	95% of login responses complete within 2 seconds