

Home Assignment_Postman

Go to Console.groq.com


Click on Groq icon



Scroll down and select 'Text to Audio' Model



Select the first option



Click on activate


S01-Text to Audio














Action-Select second option

Secure All





S02-MultiLingual



Vidhya Arasamurthy's Workspace

Search

GenAI-Jul-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions

Body

```
1 {
2   "model": "openai/gpt-oss-120b",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured, TestNG, Maven, and API schema-driven test generation."
8     },
9     {
10      "role": "user",
11      "content": "I - INSTRUCTION\nGenerate Rest Assured Java code for Swagger Petstore APIs.\n\nMANDATORY RULES:\n1) Generate ONLY Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG as the test runner.\n4) Use meaningful class, method, and variable names.\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6) Use
```

200 OK · 3.05 s · 2.53 KB

Body

```
12 {
13   "reasoning": "We need to output Java code with imports, a test class with @BeforeClass for RestAssured.baseURI, methods for createPet, getPetById, updatePet, deletePet. Use TestNG. Use assertions for status code and important response fields.\nWe should generate a random petid perhaps using java.util.Random or UUID. Since need deterministic across tests, we can store petid as static variable after creation.\nWe'll need to build request bodies as JSON strings or using a POJO. Simpler use HashMap and then given RestAssured can serialize. Use given().contentType(ContentType.JSON).body(pet).post(\"/pet/\").\nAssertions: statusCode(200) etc. And response fields: id, name, status.\nWe'll include imports: io.restassured.RestAssured; io.restassured.http.ContentType; io.restassured.response.Response; org.testng.annotations.*; static org.hamcrest.Matchers.*; org.testng.Assert.\nLet's craft.\n\nTest class: PetApiCrudTest.\n\n@BeforeClass: set BaseURI = \"https://petstore.swagger.io/v2/\".\n\nStatic long petid; static String petName = \"RestAssuredPet\";\n\nMethods:\n\nTest (priority = 1) public void addNewPet() { create pet map; response = given...; response.
```

Fix auth and rerun speech

Compare 400 vs 401 request

Add a guarded auth test

Describe what you need. Press @ for context, / for Skills.

Auto

Vidhya Arasamurthy's Workspace

Search

GenAI-Jul-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions

Body

```
1 {
2   "model": "openai/gpt-oss-120b",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured, TestNG, Maven, and API schema-driven test generation."
8     },
9     {
10      "role": "user",
11      "content": "I - INSTRUCTION\nGenerate Rest Assured Java code for Swagger Petstore APIs.\n\nMANDATORY RULES:\n1) Generate ONLY Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG as the test runner.\n4) Use meaningful class, method, and variable names.\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6) Use
```

200 OK · 3.05 s · 2.53 KB

Body

```
17 {
18   "usage": {
19     "queue_time": 0.282247584,
20     "prompt_tokens": 396,
21     "prompt_time": 0.817483421,
22     "completion_tokens": 1268,
23     "completion_time": 2.659184537,
24     "total_tokens": 1664,
25     "total_time": 2.676587958,
26     "completion_tokens_details": {
27       "reasoning_tokens": 449
28     }
29   },
30   "usage_breakdown": null,
31   "system_fingerprint": "fp_19b184c447"
```

Fix auth and rerun speech

Compare 400 vs 401 request

Add a guarded auth test

Describe what you need. Press @ for context, / for Skills.

Auto