

Assignment:

Enhance the existing application by implementing a feature that automatically categorizes the generated test cases into standard testing types such as Smoke, Sanity, Regression, Functional.

Once the test cases are generated, the application should classify each test case into the most appropriate category and display the categorized results in a structured and user-friendly format

The new functionality should seamlessly integrate with the existing test case generation workflow without impacting current features

Steps followed :

Open VS Code and go to File-New Window

File-Open folder. Give the below path where you have saved the extracted Swagger file

C:\Users\rta\Documents\Vidhya_Assignment link\July 25th\swagger-api-testcase-generator-updated-ui\swagger-api-testcase-generator-updated-ui

Right click Backend folder and select Open in integrated terminal


Type 'npx run dev'

Right click Frontend folder and select Open in integrated terminal

Type 'npx run dev'

Copy the local URL and paste it in chrome browser.


<http://localhost:5173/>



Give the below prompt in 'Ask' mode


Analyse my entire project as an API Architect.

Currently, on clicking 'Generate Test cases', test cases are generated based on the uploaded file or uploaded link. I want to introduce a new feature after generation of test cases by categorizing the generated test cases into standard testing types such as smoke, sanity, regression and functional. Once the test cases are generated, the application should classify each test case into the most appropriate category and display the categorized results in a structured and user-friendly format. The new functionality should seamlessly integrate with the existing test case generation workflow without impacting current features. Do not implement any changes. Provide only the list of impacted files. Ask for my approval before proceeding with the implementation.




Agent Mode :

Go ahead with the implementation



When selecting 'Upload File' radio button and selecting Restful API file from the path I have saved it. Test cases are generated along with the categorization as expected.



localhost:5173

Verify it's you

Chat

Testleaf

API Testcase Generator

Clear

smoke7

- Create authentication token with valid credentials
- Create authentication token with invalid credentials
- Create authentication token with empty credentials
- Update a booking without authentication

+3 more

sanity0

regression3

- Get booking IDs with invalid filters
- Create a booking with invalid details
- Create a booking with invalid JSON payload

functional0

- Get booking IDs with no filters
- Create a booking with valid details
- Get a booking by ID
- Update a booking with valid details

+6 more

Search ID, endpoint, method, or title

All categories

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
----	--------	----------	----------	-------	----------	--------

localhost:5173

Verify it's you

Chat

Testleaf

API Testcase Generator

Clear

+6 more

Search ID, endpoint, method, or title

All categories

All categories

positive

negative

boundary

authentication

authorization

validation

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
TC-API-001	POST	/auth	positive	Create authentication token with valid credentials		
TC-API-002	GET	/booking	positive	Get booking IDs with no filters		
TC-API-003	POST	/booking	positive	Create a booking with valid details		
TC-API-004	GET	/booking/{bookingId}	positive	Get a booking by ID	Medium	View
TC-API-005	PUT	/booking/{bookingId}	positive	Update a booking with valid details	High	View
TC-API-006	PATCH	/booking/{bookingId}	positive	Partially update a booking with valid details	Medium	View
TC-API-007	DELETE	/booking/{bookingId}	positive	Delete a booking	High	View
TC-API-008	GET	/ping	positive	Perform a health check	Low	View
TC-API-009	POST	/auth	negative	Create authentication token with invalid credentials	Medium	View

TC-ID	Method	Endpoint	Category	Description	Severity	Action
TC-API-010	GET	/booking/{bookingId}	negative	Get a non-existent booking	Medium	View
TC-API-011	PUT	/booking/{bookingId}	negative	Update a non-existent booking	Medium	View
TC-API-012	DELETE	/booking/{bookingId}	negative	Delete a non-existent booking	Medium	View
TC-API-013	POST	/auth	boundary	Create authentication token with empty credentials	Low	View
TC-API-014	GET	/booking	boundary	Get booking IDs with invalid filters	Low	View
TC-API-015	POST	/booking	boundary	Create a booking with invalid details	Low	View
TC-API-016	PUT	/booking/{bookingId}	authentication	Update a booking without authentication	High	View
TC-API-017	DELETE	/booking/{bookingId}	authentication	Delete a booking without authentication	High	View
TC-API-018	PUT	/booking/{bookingId}	authorization	Update a booking with invalid authentication token	Medium	View
TC-API-019	DELETE	/booking/{bookingId}	authorization	Delete a booking with invalid authentication token	Medium	View
TC-API-020	POST	/booking	validation	Create a booking with invalid JSON payload	Low	View

When selecting 'Upload Link' radio button, test cases are generated along with the categorization as expected. Copy the highlighted link from Google by searching 'Swagger Petstore'

Swagger Petstore 1.0.7 OAS 2.0

[Base URL: petstore.swagger.io/v2]
<https://petstore.swagger.io/v2/swagger.json>

This is a sample server Petstore server. You can find out more about Swagger at <http://swagger.io> or on [irc.freenode.net, #swagger](irc://freenode.net/#swagger). For this sample, you can use the api key `special-key` to test the authorization filters.

[Terms of service](#)
[Contact the developer](#)
[Apache 2.0](#)
[Find out more about Swagger](#)

Schemes: HTTPS Authorize



pet Everything about your Pets Find out more

POST /pet/{petId}/uploadImage uploads an image

POST /pet Add a new pet to the store

Parameters Try it out

Go into Local URL and select 'Upload Link' radio button. Give the copied URL and click on 'Import from URL'



Testleaf
ALWAYS HONEST

API Testcase Generator

Clear

STEP 3

Groq LLM - Llama-3.3-70b-Versatile

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases
20

Positive
18

Negative
2

Regression
2

Functional
18

Test case categories

Each generated case is grouped into the most suitable testing type for faster review.

smoke0

sanity0

regression2

Testleaf
ALWAYS HONEST

API Testcase Generator

Clear

regression2

- Add a new pet to the store with invalid input
- Find pet by ID with invalid ID

functional18

- Add a new pet to the store
- Find pet by ID
- Update an existing pet
- Deletes a pet

+14 more

Search ID, endpoint, method, or title

All categories

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
TC-API-001	POST	/pet	positive	Add a new pet to the store	High	View
TC-API-002	GET	/pet/{petId}	positive	Find pet by ID	High	View
TC-API-003	PUT	/pet	positive	Update an existing pet	High	View
TC-API-004	DELETE	/pet/{petId}	positive	Deletes a pet	High	View

 API Testcase Generator Clear						
TC-API-005	GET	/pet/findByStatus	positive	Finds Pets by status	High	View
TC-API-006	POST	/pet/{petId}/uploadImage	positive	Uploads an image	High	View
TC-API-007	GET	/store/inventory	positive	Returns pet inventories by status	High	View
TC-API-008	POST	/store/order	positive	Place an order for a pet	High	View
TC-API-009	GET	/store/order/{orderId}	positive	Find purchase order by ID	High	View
TC-API-010	DELETE	/store/order/{orderId}	positive	Delete purchase order by ID	High	View
TC-API-011	POST	/user	positive	Create user	High	View
TC-API-012	GET	/user/{username}	positive	Get user by user name	High	View
TC-API-013	PUT	/user/{username}	positive	Updated user	High	View
TC-API-014	DELETE	/user/{username}	positive	Delete user	High	View
TC-API-015	GET	/user/login	positive	Logs user into the system	High	View
TC-API-016	GET	/user/logout	positive	Logs out current logged in user session	High	View

 API Testcase Generator Clear						
TC-API-010	DELETE	/store/order/{orderId}	positive	Delete purchase order by ID	High	View
TC-API-011	POST	/user	positive	Create user	High	View
TC-API-012	GET	/user/{username}	positive	Get user by user name	High	View
TC-API-013	PUT	/user/{username}	positive	Updated user	High	View
TC-API-014	DELETE	/user/{username}	positive	Delete user	High	View
TC-API-015	GET	/user/login	positive	Logs user into the system	High	View
TC-API-016	GET	/user/logout	positive	Logs out current logged in user session	High	View
TC-API-017	POST	/user/createWithList	positive	Creates list of users with given input array	High	View
TC-API-018	POST	/user/createWithArray	positive	Creates list of users with given input array	High	View
TC-API-019	POST	/pet	negative	Add a new pet to the store with invalid input	Medium	View
TC-API-020	GET	/pet/{petId}	negative	Find pet by ID with invalid ID	Medium	View

localhost:5173

Verify it's you

Chat

Testleaf

ALWAYS BETTER

API Testcase Generator

Clear

TC-API-015	GET	/user/login	positive	Logs user into the system	High	View
TC-API-016	GET	/user/logout	positive	Logs out current logged in user session	High	View
TC-API-017	POST	/user/createWithList	positive	Creates list of users with given input array	High	View
TC-API-018	POST	/user/createWithArray	positive	Creates list of users with given input array	High	View
TC-API-019	POST	/pet	negative	Add a new pet to the store with invalid input	Medium	View
TC-API-020	GET	/pet/{petId}	negative	Find pet by ID with invalid ID	Medium	View

Download results

Export the generated testcases and validated specification.

JSON

Excel

Swagger

Generate Postman

© 2026 Testleaf Software Solutions Pvt. Ltd. All rights reserved.