

Beech (*Fagus grandifolia*), 2.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP



400 YBP 300 YBP



Beech (*Fagus grandifolia*), accuracy median

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP



400 YBP 300 YBP




Beech (*Fagus grandifolia*), 97.5th accuracy percentile


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP




400 YBP 300 YBP



Birch (*Betula* spp.), 2.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP



1400 YBP




1300 YBP




1200 YBP



1100 YBP



1000 YBP




900 YBP



800 YBP



700 YBP




600 YBP




500 YBP




400 YBP




300 YBP




Observed –
Predicted




Birch (*Betula* spp.), accuracy median



Birch (*Betula* spp.), 97.5th accuracy percentile



Elm (*Ulmus spp.*), 2.5th accuracy percentile



Elm (*Ulmus* spp.), accuracy median


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP







400 YBP 300 YBP



Elm (*Ulmus spp.*), 97.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP







1400 YBP

1300 YBP


1200 YBP

1100 YBP

1000 YBP



Observed –
Predicted








900 YBP

800 YBP

700 YBP


600 YBP

500 YBP




400 YBP

300 YBP



Hemlock (*Tsuga canadensis*), 2.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP



1400 YBP




1300 YBP



1200 YBP



1100 YBP



1000 YBP



900 YBP



800 YBP



700 YBP



600 YBP




500 YBP




400 YBP



300 YBP



Observed –
Predicted



Hemlock (*Tsuga canadensis*), accuracy median


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP





400 YBP 300 YBP



Hemlock (*Tsuga canadensis*), 97.5th accuracy percentile


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP




1400 YBP




1300 YBP




1200 YBP




1100 YBP




1000 YBP




900 YBP




800 YBP




700 YBP




600 YBP





500 YBP



400 YBP



300 YBP



Maple (*Acer spp.*), 2.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP



1400 YBP

1300 YBP

1200 YBP

1100 YBP

1000 YBP



900 YBP

800 YBP

700 YBP


600 YBP

500 YBP



400 YBP

300 YBP



Maple (*Acer spp.*), accuracy median


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP




900 YBP 800 YBP 700 YBP 600 YBP 500 YBP



400 YBP 300 YBP




Maple (*Acer spp.*), 97.5th accuracy percentile




Oak (*Quercus spp.*), 2.5th accuracy percentile


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP




400 YBP 300 YBP




Oak (*Quercus spp.*), accuracy median


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP








400 YBP 300 YBP



Oak (*Quercus spp.*), 97.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP








1400 YBP

1300 YBP

1200 YBP

1100 YBP

1000 YBP








900 YBP

800 YBP

700 YBP




600 YBP

500 YBP





400 YBP


300 YBP




Other conifer taxa, 2.5th accuracy percentile




Other conifer taxa, accuracy median



Other conifer taxa, 97.5th accuracy percentile



Other hardwood taxa, 2.5th accuracy percentile



Other hardwood taxa, accuracy median

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP



1400 YBP

1300 YBP

1200 YBP

1100 YBP

1000 YBP




900 YBP

800 YBP

700 YBP



600 YBP

500 YBP




400 YBP



300 YBP



Other hardwood taxa, 97.5th accuracy percentile




Pine (*Pinus spp.*), 2.5th accuracy percentile




Pine (*Pinus* spp.), accuracy median


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP




900 YBP 800 YBP 700 YBP 600 YBP 500 YBP



400 YBP 300 YBP



Pine (*Pinus spp.*), 97.5th accuracy percentile



Spruce (*Picea spp.*), 2.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP




1400 YBP

1300 YBP

1200 YBP

1100 YBP

1000 YBP



900 YBP

800 YBP

700 YBP


600 YBP

500 YBP



400 YBP

300 YBP



Spruce (*Picea spp.*), accuracy median

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP





900 YBP 800 YBP 700 YBP 600 YBP 500 YBP



400 YBP 300 YBP





Spruce (*Picea spp.*), 97.5th accuracy percentile



Tamarack (*Larix laricina*), 2.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP




1400 YBP

1300 YBP


1200 YBP

1100 YBP

1000 YBP



Observed –
Predicted




900 YBP

800 YBP

700 YBP


600 YBP

500 YBP




400 YBP

300 YBP




Tamarack (*Larix laricina*), accuracy median


1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP





1400 YBP 1300 YBP 1200 YBP 1100 YBP 1000 YBP



900 YBP 800 YBP 700 YBP 600 YBP 500 YBP







400 YBP 300 YBP



Tamarack (*Larix laricina*), 97.5th accuracy percentile

1900 YBP 1800 YBP 1700 YBP 1600 YBP 1500 YBP








1400 YBP

1300 YBP

1200 YBP

1100 YBP

1000 YBP








900 YBP

800 YBP

700 YBP

600 YBP

500 YBP



400 YBP

300 YBP

