

PROJECT BUTTON HR–V0 LOW–LOADING ISOLATED EVENT ACQUISITION

BENCH R&D ONLY; FIELD DIVIDER/PROTECTION SELECTION REQUIRED; ZERO SAFETY CREDIT

01 Held field adapters and AMC3330EVM channels 1–3

File: 01_field_and_evm_1.kicad_sch

02 Held field adapters and AMC3330EVM channels 4–5

File: 02_field_and_evm_2.kicad_sch

03 Held field adapters and AMC3330EVM channels 6–7

File: 03_field_and_evm_3.kicad_sch

04 AMC3330EVM outputs to T7 pairs 0–7

File: 04_logic_outputs_1_4.kicad_sch

05 AMC3330EVM outputs 5–7 and sequential capture boundary

File: 05_logic_outputs_5_7_and_capture.kicad_sch

V2.1 PRESERVED; V3 IS A CONNECTED CANDIDATE		
PRELIMINARY – NOT APPROVED FOR FABRICATION OR ENERGIZATION		
Project Button		
Sheet: /		
File: hr–v0–dynamic–event–ain–p0.1.kicad_sch		
Title: PROJECT BUTTON HR–V0 LOW–LOADING ISOLATED EVENT ACQUISITION in		
Size: A3	Date: 2026–08–10	Rev: R177 / P0.1
KiCad E.D.A. 10.0.5	Id: 1/6	

01 Held field adapters and AMC3330EVM channels 1–3

Exact EVM terminals; no divider/protection values or field connection released.

ADP1

FIELD DIVIDER + PROTECTION – SELECTION REQUIRED

FIELD
X ISO_CHANNEL-1_RETURNFIELD_RETURN
SCALED_OUTPUT

RETURN

NP

W1002

W1001

CH1_RETURN_HELD

CH1_INP_HELD

NO PARTS / NO VALUES / CONNECTION PROHIBITED

ADP2

FIELD DIVIDER + PROTECTION – SELECTION REQUIRED

FIELD
X MANUAL_RESET_RETURNFIELD_RETURN
SCALED_OUTPUT

RETURN

NP

W1012

W1011

CH2_RETURN_HELD

CH2_INP_HELD

NO PARTS / NO VALUES / CONNECTION PROHIBITED

ADP3

FIELD DIVIDER + PROTECTION – SELECTION REQUIRED

FIELD
X MANUAL_ARM/START_RETURNFIELD_RETURN
SCALED_OUTPUT

RETURN

NP

W1022

W1021

CH3_RETURN_HELD

CH3_INP_HELD

NO PARTS / NO VALUES / CONNECTION PROHIBITED

EVM1

TI AMC3330EVM – EXACT EVALUATION CANDIDATE

CH1_RETURN_HELD
CH1_RETURN_HELD
CH1_INP_HELDW1005
W1004
W1003J2.5
J2.2
J2.1HGND
INN
INPJ2.5
J2.2
J2.1HGND
INN
INP

NOT SELECTED / BENCH R&D ONLY

W1010
GND 1.2
W1009
VDD 1.1
W1008
GND 3.3
W1007
OUTN 3.1
W1006
OUTP 3.2DAQ_GND
EVM_VDD_SELECT
DAQ_GND
CH1_OUTN
CH1_OUTP

EVM2

TI AMC3330EVM – EXACT EVALUATION CANDIDATE

CH2_RETURN_HELD
CH2_RETURN_HELD
CH2_INP_HELDW1015
W1014
W1013J2.5
J2.2
J2.1HGND
INN
INPJ2.5
J2.2
J2.1HGND
INN
INP

NOT SELECTED / BENCH R&D ONLY

W1020
GND 1.2
W1019
VDD 1.1
W1018
GND 3.3
W1017
OUTN 3.1
W1016
OUTP 3.2DAQ_GND
EVM_VDD_SELECT
DAQ_GND
CH2_OUTN
CH2_OUTP

EVM3

TI AMC3330EVM – EXACT EVALUATION CANDIDATE

CH3_RETURN_HELD
CH3_RETURN_HELD
CH3_INP_HELDW1025
W1024
W1023J2.5
J2.2
J2.1HGND
INN
INPJ2.5
J2.2
J2.1HGND
INN
INP

NOT SELECTED / BENCH R&D ONLY

W1030
GND 1.2
W1029
VDD 1.1
W1028
GND 3.3
W1027
OUTN 3.1
W1026
OUTP 3.2DAQ_GND
EVM_VDD_SELECT
DAQ_GND
CH3_OUTN
CH3_OUTPCONNECTED DESIGN CANDIDATE – QUALIFIED REVIEW REQUIRED
PRELIMINARY – NOT APPROVED FOR FABRICATION OR ENERGIZATION

Project Button

Sheet: /01 Held field adapters and AMC3330EVM channels 1–3/

File: 01_field_and_evms1.kicad_sch

Title: PB HR-V0 R177 / P0.1 – 01

Size: A4 Date: 2026–08–10





KiCad E.D.A. 10.0.5

Rev: R177 / P0.1

Id: 2/6

02 Held field adapters and AMC3330EVM channels 4–5

Exact EVM terminals; no divider/protection values or field connection released.

CONNECTED DESIGN CANDIDATE – QUALIFIED REVIEW REQUIRED
PRELIMINARY – NOT APPROVED FOR FABRICATION OR ENERGIZATION**Project Button**

Sheet: /02 Held field adapters and AMC3330EVM channels 4–5/

File: 02_field_and_evms.kicad_sch

Title: PB HR-V0 R177 / P0.1 – 02

Size: A4 Date: 2026–08–10





KiCad E.D.A. 10.0.5

Rev: R177 / P0.1

Id: 3/6

03 Held field adapters and AMC3330EVM channels 6–7

Exact EVM terminals; no divider/protection values or field connection released.



CONNECTED DESIGN CANDIDATE – QUALIFIED REVIEW REQUIRED
PRELIMINARY – NOT APPROVED FOR FABRICATION OR ENERGIZATION

Project Button

Sheet: /03 Held field adapters and AMC3330EVM channels 6–7/

File: 03_field_and_evms3.kicad_sch

Title: PB HR-V0 R177 / P0.1 – 03

Size: A4 Date: 2026–08–10


KiCad E.D.A. 10.0.5

Rev: R177 / P0.1

Id: 4/6

04 AMC3330EVM outputs to T7 pairs 0–7

Exact output/DB37 pins; common logic power and calibration open.



05 AMC3330EVM outputs 5–7 and sequential capture boundary

Exact output allocation; scan configuration and timing evidence open.

