Testing Table: Part 2B

You must create a testing table that covers all pathways through the code

Item Tested	Test Data	Expected result	Actual Result	Changes Required
Create file, with headers if not exist	Valid Record 100 workers, 0 queens, 50km, no code	orders.csv file created with relevant header rows (worker_bees, queen_bees, distance, code, cost)	As expected.	—
Append row if new file	100 workers, 0 queens, 50km, no code	orders.csv file created with the relevant header rows and the test data appended as a new line below	As expected.	—
Append row if file exists	100 workers, 0 queens, 50km, no code	orders.csv file updated with the test data appended as a new line below the previous data	As expected.	—
NO CURRENT BEES 10 Bee Boundary (Below)	100 workers, 9 queens, 50km, no code	order.csv file updated with the test data appended as a new line below the previous data	As expected.	—
10 Bee Boundary (Met)	100 workers, 10 queens, 50km, no code	"	As expected.	—

do we need?

10 Bee Boundary (Over)	100 workers, 11 queens, 50km, no code	code exited before csv is updated and message printed that "Queen count exceeds daily limit."	As expected.	—
EXISTING CSV 10 Bee Boundary (under)	EXISTING → 5 queens 100 workers, 4 queens, 50km, no code	orders.csv file updated with the test data appended as a new line below the previous data	As expected.	—
10 Bee Boundary (met)	EXISTING → 5 queens 100 workers, 5 queens, 50km, no code	"	As expected.	—
10 Bee Boundary (over)	EXISTING → 5 queens 100 workers, 6 queens, 50km, no code	code exited before csv is updated and message printed that "Queen count exceeds daily limit."	As expected.	—