NAME : SHAIK YUNUS AMZAD REGISTER NUMBER : 192110736

COURSE CODE: CSA0520

COURSE NAME: DATABASE MANAGEMENT FOR DATA ANALYTICS

## Program 1

END\$\$

**DELIMITER**;

Write a Cursor program using MySQL to retrieve the email-ids(build an email list) of employees from employees table.

**SOLUTION:** create table employees(id integer, Name varchar(100), email varchar(100)); insert into employees(id, Name, email) values(1, "Harry Potter", "pharry@warnerbros.com"); insert into employees(id, Name, email) values(2, "Clark Kent", "kclark@dccomics.com"); insert into employees(id, Name, email) values(3, "Tony Stark", "stony@marvel.com"); **DELIMITER \$\$** CREATE PROCEDURE build email list (INOUT email listvarchar(4000)) **BEGIN** DECLARE v\_finished INTEGER DEFAULT 0; DECLARE v emailvarchar(100) DEFAULT ""; -- declare cursor for employee email DEClAREemail\_cursor CURSOR FOR SELECT email FROM employees; -- declare NOT FOUND handler DECLARE CONTINUE HANDLER FOR NOT FOUND SET v\_finished = 1; OPEN email cursor; get email: LOOP FETCH email\_cursor INTO v\_email; IF v finished = 1 THENLEAVE get\_email; END IF: -- build email list SET email list = CONCAT(v email,";",email list); END LOOP get email; CLOSE email cursor;

-- Calling the procedure and getting the email list

```
SET @email_list = "";
CALL
build_e
mail_lis
t(@ema
il_list);
SELEC
T
@email
_list;
```

## Program:-1

```
mysql> DELIMITER $$
mysql> CREATE PROCEDURE build_email_list (INOUT email_list varchar(4000))
    -> BEGIN
    -> DECLARE v_finished INTEGER DEFAULT 0;
-> DECLARE v_enail varchar(100) DEFAULT "";
    -> DECLARE email cursor CURSOR FOR
    -> SELECT email FROM employees;
    -> DECLARE CONTINUE HANDLER FOR
          NOT FOUND SET v_finished = 1;
    +>
    -> OPEN email_cursor;
    -> get_email:LOOP
    -> FETCH email_cursor INTO v_email;
    -> IF v_finished = 1 THEN
    -> LEAVE get_email;
    -> END IF;
    -> SET email_list = CONCAT(v_email,";",email_list);
-> END LOOP get_email;
    -> CLOSE email_cursor;
    -> END SS
Query OK, 0 rows affected (0.00 sec)
mysql> DELIMITER ;
mysql> SET @email_list = "";
Query OK, 8 rows affected (8.08 sec)
mysql> CALL build_email_list(@email_list);
Query OK, 8 rows affected, 1 warning (8.00 sec)
mysql> select @email_list;
| @email_list
| stony@marvel.com;kclark@decomics.com;pharry@warnerbros.com; |
1 row in set (0.00 sec)
```