

7. Reverse Integer

[Add to List](#)[Description \(?tab=Description\)](#)[Submission \(?tab=Submission\)](#)[Solutions \(?tab=Solutions\)](#)

Total Accepted: **210479** Total Submissions: **886132** Difficulty: **Easy** Contributors: **Admin**

Reverse digits of an integer.

Example1: x = 123, return 321

Example2: x = -123, return -321

click to show spoilers.

Note:

The input is assumed to be a 32-bit signed integer. Your function should **return 0 when the reversed integer overflows**.

[Hide Company Tags](#)[Bloomberg \(/company/bloomberg/\)](#)[Apple \(/company/apple/\)](#)[Hide Tags](#)[Math \(/tag/math/\)](#)[Hide Similar Problems](#)[\(M\) String to Integer \(atoi\) \(/problems/string-to-integer-atoi/\)](#)

Have you met this question in a real interview?

[Discuss \(https://discuss.leetcode.com/category/15\)](#)[Pick One \(/problems/random-one-question/\)](#)[Editorial Solution](#)[Java](#)

```
1 public class Solution {
2     public int reverse(int x) {
3         ArrayList<Integer> a = new ArrayList<Integer>();
4         //int flag = x >= 0 ? 1 : -1;
5         while ( x != 0 ){
6             a.add (x % 10);
7             x = x / 10;
8         }
9         int y = 0;
10        for(int i : a) {
11            if (y > Integer.MAX_VALUE / 10 || y < Integer.MIN_VALUE / 10)
12                return 0;
13            y = y*10 + i;
14        }
15        return y;
16    }
17 }
```

Custom Testcase ☐

Contribute Testcase

[Run Code](#)[Submit Solution](#)

[Frequently Asked Questions \(/faq/\)](#) | [Terms of Service \(/tos/\)](#)

[Privacy](#)

Copyright © 2017 LeetCode

Send Feedback (mailto:admin@leetcode.com?subject=Feedback)

Notes

