

Pet Pal Network

Generated image Adorable orange ta...

Generated image Friendly veterinaria...

Generated image Cute dog and cat to...

11 edits made

Screenshot taken /

O app de pets está pronto! Criei um design completo com:

- Design System - Paleta quente (coral/teal), fonte Nunito, cards arredondados, sombras suaves
- Dashboard - Header com avatar, pets cadastrados, ações rápidas
- Componentes - PetCard, AppointmentCard, ServiceCard, AdoptionCard, ProductCard
- Navegação - Bottom nav com 5 abas principais
- Seções - Meus Pets, Serviços, Consultas, Clínicas próximas, Adoção e Loja

O design é mobile-first, acolhedor e moderno!

Atualizou UI para pets Previewing latest version

Criar perfil completo de pets Adicionar login de usuários Tela de agendamento

2.20 credits remaining Add credits

Back to Preview

Code

Ask Lovable...

+ Visual edits Plan

src/assets/vet-service.jpg

New image

src/components/actions/QuickAction.tsx

```

1 import { LucideIcon } from "lucide-react";
2 import { cn } from "@/lib/utils";
3
4 interface QuickActionProps {
5   icon: LucideIcon;
6   label: string;
7   description?: string;
8   color: "coral" | "teal" | "sunshine" | "mint" | "lavender" | "rose";
9   onClick?: () => void;
10 }
11
12 const colorStyles = {
13   coral: "bg-coral-light text-coral hover:bg-coral hover:text-primary-foreground",
14   teal: "bg-teal-light text-teal hover:bg-teal hover:text-secondary-foreground",
15   sunshine: "bg-sunshine-light text-foreground hover:bg-sunshine",
16   mint: "bg-mint-light text-foreground hover:bg-mint",
17   lavender: "bg-lavender-light text-lavender hover:bg-lavender hover:text-primary-foreground",
18   rose: "bg-rose-light text-rose hover:bg-rose hover:text-primary-foreground",
19 };
20
21 const iconBgStyles = {
22   coral: "bg-coral/10",
23   teal: "bg-teal/10",
24   sunshine: "bg-sunshine/20",
25   mint: "bg-mint/10",
26   lavender: "bg-lavender/10",
27   rose: "bg-rose/10",
28 };
29
30 export function QuickAction({ icon, label, description, color, onClick }: QuickActionProps) {
31   return (
32     <button
33       onClick={onClick}
34       className={cn(
35         "flex flex-col items-center gap-2 p-4 rounded-2xl transition-all duration-200 active:scale-95",
36         colorStyles[color]
37       )}
38     >
39       <div className={cn("p-3 rounded-xl", iconBgStyles[color])}>
40         <Icon className="w-6 h-6" />
41       </div>
42       <span className="text-sm font-semibold">{label}</span>
43       {description && (
44         <span className="text-xs opacity-80">{description}</span>
45       )}
46     </button>
47   );
48 }
49
50 interface QuickActionGridProps {
51   children: React.ReactNode;
52   columns?: 2 | 3 | 4;
53 }
54
55 export function QuickActionGrid({ children, columns = 4 }: QuickActionGridProps) {
56   return (
57     <div
58       className={cn(
59         "grid gap-3",
60         columns === 2 && "grid-cols-2",
61         columns === 3 && "grid-cols-3",
62         columns === 4 && "grid-cols-4"
63       )}
64     >
65       {children}
66     </div>
67   );
68 }
69 
```

src/components/adoption/AdoptionCard.tsx

```

1 import { Card,CardContent } from "@components/ui/card";
2 import { Button } from "@components/ui/button";
3 import { Heart, MapPin, Calendar } from "lucide-react";
4 import { cn } from "@/lib/utils";
5
6 interface AdoptionPet {
7   id: string;
8   name: string;
9   type: "dog" | "cat";
10  breed: string;
11  age: string;
12  gender: string;
13  imageUrl: string;
14  location: string;
15  postedDate: string;
16  description: string;
17  isLikely?: boolean;
18 }
19
20 interface AdoptionCardProps {
21   pet: AdoptionPet;
22   onLike?: () => void;
23   onAdopt?: () => void;
24 }
25
26 export function AdoptionCard({ pet, onLike, onAdopt }: AdoptionCardProps) {
27   return (
28     <Card variant="interactive" className="overflow-hidden">
29       <div>
30         <div>
31           <Image alt="Pet image" src={pet.imageUrl} />
32           <div>
33             <Text>{pet.name}</Text>
34             <Text>{pet.type}</Text>
35             <Text>{pet.breed}</Text>
36             <Text>{pet.age}</Text>
37             <Text>{pet.gender}</Text>
38             <Text>{pet.location}</Text>
39             <Text>{pet.postedDate}</Text>
40             <Text>{pet.description}</Text>
41           </div>
42           <div>
43             <HeartIcon className="text-2xl" />
44             <Text>{onLike ? "Liked" : "Like"!}</Text>
45           </div>
46           <div>
47             <MapPinIcon className="text-2xl" />
48             <Text>{pet.location}</Text>
49           </div>
50           <div>
51             <CalendarIcon className="text-2xl" />
52             <Text>{pet.postedDate}</Text>
53           </div>
54         </div>
55       </div>
56     </Card>
57   );
58 }
```

```

29   <div className="relative">
30     <img
31       src={pet.imageUrl}
32       alt={pet.name}
33       className="w-full h-48 object-cover"
34     />
35     <button
36       onClick={(e) => (
37         e.stopPropagation();
38         onLike?.()
39       )}
40     className={cn(
41       "absolute top-3 right-3 w-10 h-10 rounded-full flex items-center justify-center transition-all duration-200",
42       pet.isLiked
43         ? "bg-rose text-primary-foreground"
44         : "bg-card/90 backdrop-blur-sm text-rose hover:bg-rose-light"
45     )}
46     >
47       <Heart className={cn("w-5 h-5", pet.isLiked && "fill-current")}>
48     </button>
49     <div className="absolute bottom-0 right-0 w-10 h-10 rounded-full flex items-center justify-center transition-all duration-200 bg-gradient-to-t from-transparent p-4">
50       <h3 className="text-xl font-bold text-primary-foreground">{pet.name}</h3>
51       <p className="text-sm text-primary-foreground/90">{pet.breed} · {pet.age}</p>
52     </div>
53   </div>
54   <CardContent className="p-4">
55     <p className="text-sm text-muted-foreground mb-3 line-clamp-2">
56       {pet.description}
57     </p>
58
59     <div className="flex items-center gap-4 mb-4 text-sm text-muted-foreground">
60       <div className="flex items-center gap-1.5">
61         <MapPin className="w-4 h-4 text-coral" />
62         <span>{pet.location}</span>
63       </div>
64       <div className="flex items-center gap-1.5">
65         <Calendar className="w-4 h-4 text-teal" />
66         <span>{pet.postedDate}</span>
67       </div>
68     </div>
69
70     <Button variant="hero" className="w-full" onClick={onAdopt}>
71       Quero Adotar
72     </Button>
73   </CardContent>
74 </Card>
75 );
76
77

```

```

src/components/appointments/AppointmentCard.tsx
1 import { Card,CardContent } from "@components/ui/card";
2 import { Button } from "@components/ui/button";
3 import { Calendar,Clock,MapPin,User } from "lucide-react";
4 import { cn } from "@lib/utils";
5
6 interface Appointment {
7   id: string;
8   petName: string;
9   petImage: string;
10  type: string;
11  professional: string;
12  location: string;
13  date: string;
14  time: string;
15  status: "upcoming" | "confirmed" | "completed";
16 }
17
18 interface AppointmentCardProps {
19   appointment: Appointment;
20   onReschedule?: () => void;
21   onCancel?: () => void;
22 }
23
24 const statusStyles = {
25   upcoming: "bg-sunshine-light text-foreground",
26   confirmed: "bg-teal-light text-teal",
27   completed: "bg-muted text-muted-foreground",
28 };
29
30 const statusLabels = {
31   upcoming: "Pendente",
32   confirmed: "Confirmado",
33   completed: "Concluido",
34 };
35
36 export function AppointmentCard({ appointment, onReschedule, onCancel }: AppointmentCardProps) {
37   return (
38     <Card variant="default" className="overflow-hidden">
39       <CardContent className="p-4">
40         <div className="flex items-start gap-4">
41           <img
42             src={appointment.petImage}
43             alt={appointment.petName}
44             className="w-16 h-16 rounded-xl object-cover"
45           />
46           <div className="flex-1 min-w-0">
47             <div className="flex items-start justify-between gap-2 mb-2">
48               <h4 className="font-bold text-foreground">{appointment.type}</h4>
49               <p className="text-sm text-muted-foreground">{appointment.petName}</p>
50             </div>
51             <span
52               className={cn(
53                 "text-xs font-medium px-2 py-1 rounded-lg whitespace nowrap",
54                 statusStyles[appointment.status]
55               )}
56             >
57               {statusLabels[appointment.status]}
58             </span>
59           </div>
60         </div>
61         <div className="space-y-1.5 text-sm text-muted-foreground">
62           <div className="flex items-center gap-2">
63             <User className="w-4 h-4 text-teal" />
64             <span>{appointment.professional}</span>
65           </div>
66           <div className="flex items-center gap-2">
67             <MapPin className="w-4 h-4 text-coral" />
68             <span className="truncate">{appointment.location}</span>
69           </div>
70           <div className="flex items-center gap-2">
71             <Calendar className="w-4 h-4 text-lavender" />
72             <span>{appointment.date}</span>
73           </div>
74           <div className="flex items-center gap-2">
75             <Clock className="w-4 h-4 text-mint" />
76           </div>
77         </div>
78       </CardContent>
79     </Card>
80   );
81
82
83

```

```

78         <span>{appointment.time}</span>
79     </div>
80   </div>
81   </div>
82 </div>
83
84
85   {appointment.status !== "completed" &&
86     <div className="flex gap-2 mt-4 pt-4 border-t border-border">
87       <Button variant="outline" size="sm" className="flex-1" onClick={onReschedule}>
88         Rendar
89       </Button>
90       <Button variant="ghost" size="sm" className="text-destructive" onClick={onCancel}>
91         Cancelar
92       </Button>
93     </div>
94   }
95 </CardContent>
96 </Card>
97 );
98
99

```



```

1 import { Bell, Settings } from "lucide-react";
2 import { Button } from "@components/ui/button";
3
4 interface HeaderProps {
5   userName: string;
6   userAvatar?: string;
7   notificationCount?: number;
8 }
9
10 export function Header({ userName, userAvatar, notificationCount = 0 }: HeaderProps) {
11   return (
12     <header className="sticky top-0 z-40 bg-background/95 backdrop-blur-sm border-b border-border">
13       <div className="flex items-center justify-between p-4 max-w-lg mx-auto">
14         <div className="flex items-center gap-3">
15           {userAvatar ? (
16             <img
17               src={userAvatar}
18               alt={userName}
19               className="w-11 h-11 rounded-full object-cover ring-2 ring-coral/30"
20             />
21           ) : (
22             <div className="w-11 h-11 rounded-full bg-coral-light flex items-center justify-center">
23               <span className="text-lg font-bold text-coral">
24                 {userName.charAt(0).toUpperCase()}
25               </span>
26             </div>
27           )}
28         <div>
29           <p className="text-sm text-muted-foreground">Olá,</p>
30           <p className="font-bold text-foreground">{userName} <span>●</span></p>
31         </div>
32       </div>
33       <div className="flex items-center gap-2">
34         <Button variant="ghost" size="icon" className="relative">
35           <Bell className="w-5 h-5" />
36           {notificationCount > 0 && (
37             <span className="absolute -top-1 -right-1 w-5 h-5 bg-rose text-primary-foreground text-xs font-bold rounded-full flex items-center justify-center" style={{ transform: `translate(-50%, -50%)` }}>
38               {notificationCount > 9 ? "9+" : notificationCount}
39             </span>
40           )}
41         </Button>
42         <Button variant="ghost" size="icon">
43           <Settings className="w-5 h-5" />
44         </Button>
45       </div>
46     </div>
47   </header>
48 );
49
50
51

```

src/components/navigation/BottomNav.tsx

```

1 import { Home, Search, Heart, Calendar, User } from "lucide-react";
2 import { cn } from "@lib/utils";
3
4 interface BottomNavProps {
5   activeTab: string;
6   onTabChange: (tab: string) => void;
7 }
8
9 const navItems = [
10   { id: "home", icon: Home, label: "Início" },
11   { id: "search", icon: Search, label: "Buscar" },
12   { id: "adoption", icon: Heart, label: "Adoção" },
13   { id: "appointments", icon: Calendar, label: "Agenda" },
14   { id: "profile", icon: User, label: "Perfil" },
15 ];
16
17 export function BottomNav({ activeTab, onTabChange }: BottomNavProps) {
18   return (
19     <nav className="fixed bottom-0 left-0 right-0 bg-card/95 backdrop-blur-lg border-t border-border shadow-medium z-50">
20       <div className="flex items-center justify-around py-2 px-4 max-w-lg mx-auto">
21         {navItems.map((item) => {
22           const isActive = activeTab === item.id;
23           return (
24             <button
25               key={item.id}
26               onClick={() => onTabChange(item.id)}
27               className={cn(
28                 "flex flex-col items-center gap-1 py-2 px-4 rounded-2xl transition-all duration-200",
29                 isActive
30                   ? "text-primary"
31                   : "text-muted-foreground hover:text-foreground"
32               )}
33             >
34               <div
35                 className={cn(
36                   "p-2 rounded-xl transition-all duration-200",
37                   isActive && "bg-coral-light"
38                 )}
39             >
40               <item.icon
41                 className={cn(
42                   "w-5 h-5 transition-transform duration-200",
43                   isActive && "scale-110"
44                 )}
45               />
46             </div>
47             <span className="text-xs font-medium">{item.label}</span>
48           </button>
49         );
50       })
51     </nav>
52   );
53 }

```

Open in Code Editor

```
56     });
57   </div>
58   {/* Safe area for mobile devices */}
59   <div className="h-safe-area-inset-bottom bg-card" />
60 </nav>
61 );
62 }
63
64
65 import { Dog, Cat, Heart, Syringe, Calendar, MapPin } from "lucide-react";
66 import { Card, CardContent } from "@/components/ui/card";
67 import { cn } from "@/lib/utils";
68
69 interface Pet {
70   id: string;
71   name: string;
72   type: "dog" | "cat";
73   breed: string;
74   age: string;
75   imageUrl: string;
76   nextAppointment?: string;
77   vaccinesDue?: number;
78 }
79
80 interface PetCardProps {
81   pet: Pet;
82   onClick?: () => void;
83 }
84
85 export function PetCard({ pet, onClick }: PetCardProps) {
86   return (
87     <Card
88       variant="interactive"
89       className="overflow-hidden group"
90       onClick={onClick}
91     >
92       <div className="relative">
93         <img
94           src={pet.imageUrl}
95           alt={pet.name}
96           className="w-full h-40 object-cover transition-transform duration-300 group-hover:scale-105"
97         />
98         <div className="absolute top-3 right-3">
99           <div
100             className={cn(
101               "w-10 h-10 rounded-full flex items-center justify-center shadow-medium",
102               pet.type === "dog" ? "bg-coral" : "bg-teal"
103             )}
104           >
105             {pet.type === "dog" ? (
106               <Dog className="w-5 h-5 text-primary-foreground" />
107             ) : (
108               <Cat className="w-5 h-5 text-secondary-foreground" />
109             )}
110           </div>
111         </div>
112         <button className="absolute top-3 left-3 w-9 h-9 rounded-full bg-card/90 backdrop-blur-sm flex items-center justify-center hover:bg-rose-light">
113           <Heart className="w-4 h-4 text-rose" />
114         </button>
115       </div>
116       <CardContent className="p-4">
117         <div className="flex items-start justify-between mb-2">
118           <div>
119             <h3 className="font-bold text-lg text-foreground">{pet.name}</h3>
120             <p className="text-sm text-muted-foreground">{pet.breed}</p>
121           </div>
122           <span className="text-sm font-medium text-muted-foreground bg-muted px-2 py-1 rounded-lg">
123             {pet.age}
124           </span>
125         </div>
126
127         {((pet.nextAppointment || pet.vaccinesDue) && (
128           <div className="flex items-center gap-3 mt-3 pt-3 border-t border-border">
129             {pet.nextAppointment && (
130               <div className="flex items-center gap-1.5 text-xs text-muted-foreground">
131                 <Calendar className="w-3.5 h-3.5 text-teal" />
132                 <span>{pet.nextAppointment}</span>
133               </div>
134             )
135             {pet.vaccinesDue && pet.vaccinesDue > 0 && (
136               <div className="flex items-center gap-1.5 text-xs">
137                 <Syringe className="w-3.5 h-3.5 text-coral" />
138                 <span className="text-coral font-medium">{pet.vaccinesDue} vacinas pendentes</span>
139               </div>
140             )
141           </div>
142         )
143       </CardContent>
144     </Card>
145   );
146 }
147
148 interface PetMiniCardProps {
149   pet: Pet;
150   isSelected?: boolean;
151   onClick?: () => void;
152 }
153
154 export function PetMiniCard({ pet, isSelected, onClick }: PetMiniCardProps) {
155   return (
156     <button
157       onClick={onClick}
158       className={cn(
159         "flex items-center gap-3 p-3 rounded-2xl transition-all duration-200",
160         isSelected
161           ? "bg-primary text-primary-foreground shadow-glow-coral"
162           : "bg-card shadow-soft hover:shadow-medium"
163       )}
164     >
165       <img
166         src={pet.imageUrl}
167         alt={pet.name}
168         className="w-12 h-12 rounded-xl object-cover"
169       />
170       <div className="text-left">
171         <p className={cn("font-semibold", isSelected ? "text-primary-foreground" : "text-foreground")}>
172           {pet.name}
173         </p>
174         <p className={cn("text-xs", isSelected ? "text-primary-foreground/80" : "text-muted-foreground")}>
175           {pet.breed}
176         </p>
177       </div>
178     </button>
179   );
180 }
```

```

1 import { Card,CardContent } from "@/components/ui/card";
2 import { Button } from "@/components/ui/button";
3 import { Star, MapPin, Clock, Phone } from "lucide-react";
4 import { cn } from "@/lib/utils";
5
6 interface ServiceProvider {
7   id: string;
8   name: string;
9   type: string;
10  rating: number;
11  reviewCount: number;
12  imageUrl: string;
13  distance: string;
14  isOpen: boolean;
15  specialties: string[];
16 }
17
18 interface ServiceCardProps {
19   provider: ServiceProvider;
20   onBook?: () => void;
21   onCall?: () => void;
22 }
23
24 export function ServiceCard({ provider, onBook, onCall }: ServiceCardProps) {
25   return (
26     <Card variant="interactive" className="overflow-hidden">
27       <div className="relative">
28         <img
29           src={provider.imageUrl}
30           alt={provider.name}
31           className="w-full h-32 object-cover"
32         />
33         <div
34           className={cn(
35             "absolute top-3 right-3 px-2 py-1 rounded-lg text-xs font-medium",
36             provider.isOpen
37               ? "bg-mint text-primary-foreground"
38               : "bg-muted text-muted-foreground"
39           )}
40           >
41             {provider.isOpen ? "Aberto" : "Fechado"}
42           </div>
43         <CardContent className="p-4">
44           <div className="mb-3">
45             <h4 className="font-bold text-foreground mb-1">{(provider.name)}</h4>
46             <p className="text-sm text-muted-foreground">{(provider.type)}</p>
47           </div>
48
49           <div className="flex items-center gap-3 mb-3">
50             <div className="flex items-center gap-1">
51               <Star className="w-4 h-4 text-sunshine fill-sunshine" />
52               <span className="text-sm font-semibold">{(provider.rating)}</span>
53               <span className="text-xs text-muted-foreground">{(provider.reviewCount)}</span>
54             </div>
55             <div className="flex items-center gap-1 text-sm text-muted-foreground">
56               <MapPin className="w-4 h-4" />
57               <span>{(provider.distance)}</span>
58             </div>
59           </div>
60
61           <div className="flex flex-wrap gap-1 mb-4">
62             {provider.specialties.slice(0, 3).map((specialty) => (
63               <span
64                 key={specialty}
65                 className="text-xs bg-muted text-muted-foreground px-1 rounded-lg"
66               >
67                 {specialty}
68               </span>
69             )))
70           </div>
71
72           <div className="flex gap-2">
73             <Button variant="default" size="sm" className="flex-1" onClick={onBook}>
74               Agenda
75             </Button>
76             <Button variant="outline" size="icon-sm" onClick={onCall}>
77               <Phone className="w-4 h-4" />
78             </Button>
79           </div>
80         </CardContent>
81       </Card>
82     );
83   );
84 }
85

```

```

src/components/shop/ProductCard.tsx
1 import { Card,CardContent } from "@/components/ui/card";
2 import { Button } from "@/components/ui/button";
3 import { ShoppingCart, Star } from "lucide-react";
4
5 interface Product {
6   id: string;
7   name: string;
8   description: string;
9   price: number;
10  originalPrice?: number;
11  imageUrl: string;
12  rating: number;
13  reviewCount: number;
14  category: string;
15  inStock: boolean;
16 }
17
18 interface ProductCardProps {
19   product: Product;
20   onAddToCart?: () => void;
21   onClick?: () => void;
22 }
23
24 export function ProductCard({ product, onAddToCart, onClick }: ProductCardProps) {
25   const discount = product.originalPrice
26     ? Math.round(((product.originalPrice - product.price) / product.originalPrice) * 100)
27     : 0;
28
29   return (
30     <Card variant="interactive" className="overflow-hidden" onClick={onClick}>
31       <div className="relative">
32         <img
33           src={product.imageUrl}
34           alt={product.name}
35           className="w-full h-36 object-cover"
36         />
37         {discount > 0 && (
38           <div className="absolute top-2 left-2 bg-rose text-primary-foreground text-xs font-bold px-2 py-1 rounded-lg">
39             {-discount}%
40           </div>
41         )}
42       </div>
43     </Card>
44   );
45 }
46

```

Open in Code Editor

```

48         </div>
49     )}
50     {product.inStock && (
51       <div className="absolute inset-0 bg-foreground/40 flex items-center justify-center">
52         <span className="bg-card text-foreground text-sm font-semibold px-3 py-1 rounded-lg">
53           Esgotado
54         </span>
55       </div>
56     )}
57   <CardContent className="p-3">
58     <p className="text-xs text-muted-foreground mb-1">{product.category}</p>
59     <h4 className="font-semibold text-foreground text-sm mb-1 line-clamp-2">
60       {product.name}
61     </h4>
62     <div className="flex items-center gap-1 mb-2">
63       <Star className="w-3 h-3 text-sunshine fill-sunshine" />
64       <span className="text-xs font-medium">{product.rating}</span>
65       <span className="text-xs text-muted-foreground">({product.reviewCount})</span>
66     </div>
67     <div className="flex items-center justify-between">
68       <p className="font-bold text-coral">
69         R$ {product.price.toFixed(2).replace(".", ",")})
70       </p>
71       {product.originalPrice && (
72         <p className="text-xs text-muted-foreground line-through">
73           R$ {product.originalPrice.toFixed(2).replace(".", ",")})
74       )}
75     </div>
76     <Button
77       variant="coral"
78       size="icon-sm"
79       onClick={(e) => {
80         e.stopPropagation();
81         onAddToCart?.();
82       }}
83       disabled={!product.inStock}
84     >
85       <ShoppingCart className="w-4 h-4" />
86     </Button>
87   </CardContent>
88 </Card>
89 );

```

src/components/ui/button.tsx

```

1 import * as React from "react";
2 import { Slot } from "@radix-ui/react-slot";
3 import { cva, type VariantProps } from "class-variance-authority";
4
5 import { cn } from "@lib/utils";
6
7 const buttonVariants = cva(
8   "inline-flex items-center justify-center gap-2 whitespace-nnowrap rounded-md text-sm font-medium ring-offset-background transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2",
9   {
10     variants: {
11       variant: {
12         default: "bg-primary text-primary-foreground hover:bg-primary/90",
13         destructive: "bg-destructive text-destructive-foreground hover:bg-destructive/90",
14         outline: "border border-input bg-background hover:bg-accent hover:text-accent-foreground",
15         secondary: "bg-secondary text-secondary-foreground hover:bg-secondary/80",
16         ghost: "hover:bg-accent hover:text-accent-foreground",
17         link: "text-primary underline-offset-4 hover:underline",
18       },
19       size: {
20         default: "h-10 px-4 py-2",
21         sm: "h-9 rounded-md px-3",
22         lg: "h-11 rounded-md px-8",
23         icon: "h-10 w-10",
24         outline: "border-2 border-input bg-background hover:bg-accent hover:text-accent-foreground",
25         secondary: "bg-secondary text-secondary-foreground hover:bg-secondary/80 shadow-soft hover:shadow-glow-teal",
26         ghost: "hover:bg-accent hover:text-accent-foreground",
27         link: "text-primary underline-offset-4 hover:underline",
28         coral: "bg-coral-light text-coral hover:bg-coral hover:text-primary-foreground transition-colors",
29         teal: "bg-teal-light text-teal hover:bg-teal hover:text-secondary-foreground transition-colors",
30         sunshine: "bg-sunshine-light text-foreground hover:bg-sunshine transition-colors",
31         mint: "bg-mint-light text-foreground hover:bg-mint transition-colors",
32         hero: "gradient-coral text-primary-foreground shadow-glow-coral hover:opacity-90 font-bold",
33         "hero-secondary": "gradient-teal text-secondary-foreground shadow-glow-teal hover:opacity-90 font-bold",
34       },
35       defaultVariants: {
36         variant: "default",
37         size: "default",
38       },
39     },
40   );
41
42 export interface ButtonProps
43   extends React.ButtonHTMLAttributes<HTMLButtonElement>,
44   VariantProps<typeof buttonVariants> {
45   asChild?: boolean;
46 }
47
48 const Button = React.forwardRef<HTMLButtonElement, ButtonProps>(
49   ({ className, variant, size, asChild = false, ...props }, ref) => {
50     const Comp = asChild ? Slot : "button";
51     return <Comp className={cn(buttonVariants({ variant, size, className }))} ref={ref} {...props} />;
52   },
53 );
54 Button.displayName = "Button";
55
56 export { Button, buttonVariants };

```

src/components/ui/card.tsx

```

1 import * as React from "react";
2
3 import { cn } from "@lib/utils";

```

```

1 const Card = React.forwardRef<HTMLDivElement, React.HTMLAttributes<HTMLDivElement>>(({ className, ...props }, ref) => (
2   <div ref={ref} className={cn("rounded-lg border bg-card text-card-foreground shadow-sm", className)} {...props} />
3 ));
4 import { cva, type VariantProps } from "class-variance-authority";
5
6 const cardVariants = cva(
7   "rounded-2xl border bg-card text-card-foreground transition-all duration-200",
8   {
9     variants: {
10       variant: {
11         default: "shadow-soft hover:shadow-medium",
12         elevated: "shadow-medium hover:shadow-lg",
13         flat: "border-0 bg-muted",
14         glass: "bg-card/88 backdrop-blur-sm border-0 shadow-soft",
15         coral: "bg-coral-light border-coral/20 hover:border-coral/40",
16         teal: "bg-teal-light border-teal/20 hover:border-teal/40",
17         sunshine: "bg-sunshine-light border-sunshine/20 hover:border-sunshine/40",
18         mint: "bg-mint-light border-mint/20 hover:border-mint/40",
19         lavender: "bg-lavender-light border-lavender/20 hover:border-lavender/40",
20         interactive: "shadow-soft hover:shadow-medium hover:-translate-y-1 cursor-pointer",
21       },
22     },
23     defaultVariants: {
24       variant: "default",
25     },
26   },
27 );
28
29 export interface CardProps
30   extends React.HTMLAttributes<HTMLDivElement>,
31   VariantProps<typeof cardVariants> {}
32
33 const Card = React.forwardRef<HTMLDivElement, CardProps>(
34   ({ className, variant, ...props }, ref) => (
35     <div
36       ref={ref}
37       className={cn(cardVariants({ variant, className }))} {...props}
38     >
39     </div>
40   );
41 );
42 Card.displayName = "Card";
43
44 const CardHeader = React.forwardRef<HTMLDivElement, React.HTMLAttributes<HTMLDivElement>>(
45   ({ className, ...props }, ref) => (
46     <div ref={ref} className={cn("flex flex-col space-y-1.5 p-6", className)} {...props} />
47     <div ref={ref} className={cn("flex flex-col space-y-1.5 p-5", className)} {...props} />
48   ),
49 );
50 CardHeader.displayName = "CardHeader";
51
52 const CardTitle = React.forwardRef<HTMLParagraphElement, React.HTMLAttributes<HTMLHeadingElement>>(
53   ({ className, ...props }, ref) => (
54     <h2 ref={ref} className={cn("text-2xl font-semibold leading-none tracking-tight", className)} {...props} />
55     <h3 ref={ref} className={cn("text-xl font-bold leading-none tracking-tight", className)} {...props} />
56   ),
57 );
58 CardTitle.displayName = "CardTitle";
59
60 const CardDescription = React.forwardRef<HTMLParagraphElement, React.HTMLAttributes<HTMLParagraphElement>>(
61   ({ className, ...props }, ref) => (
62     <p ref={ref} className={cn("text-sm text-muted-foreground", className)} {...props} />
63   ),
64 );
65 CardDescription.displayName = "CardDescription";
66
67 constCardContent = React.forwardRef<HTMLDivElement, React.HTMLAttributes<HTMLDivElement>>(
68   ({ className, ...props }, ref) => <div ref={ref} className={cn("p-6 pt-0", className)} {...props} />,
69   ({ className, ...props }, ref) => <div ref={ref} className={cn("p-5 pt-0", className)} {...props} />,
70 );
71 CardContent.displayName = "CardContent";
72
73 const CardFooter = React.forwardRef<HTMLDivElement, React.HTMLAttributes<HTMLDivElement>>(
74   ({ className, ...props }, ref) => (
75     <div ref={ref} className={cn("flex items-center p-6 pt-0", className)} {...props} />
76     <div ref={ref} className={cn("flex items-center p-5 pt-0", className)} {...props} />
77   ),
78 );
79 CardFooter.displayName = "CardFooter";
80
81 export { Card, CardHeader, CardFooter, CardTitle, CardDescription,CardContent };
82 export { Card, CardHeader, CardFooter, CardTitle, CardDescription,CardContent, cardVariants };
83

```

```

1 @tailwind base;
2 @tailwind components;
3 @tailwind utilities;
4
5 /* Definition of the design system. All colors, gradients, fonts, etc should be defined here.
6 All colors MUST be HSL.
7 */
8
9 @layer base {
10   :root {
11     --background: 0 0% 100%;
12     --foreground: 222.2 84% 4.9%;

13     --card: 0 0% 100%;
14     --card-foreground: 222.2 84% 4.9%;

15     --popover: 0 0% 100%;
16     --popover-foreground: 222.2 84% 4.9%;

17     --primary: 222.2 47.4% 11.2%;
18     --primary-foreground: 210 40% 98%;

19     --secondary: 210 40% 96.1%;
20     --secondary-foreground: 222.2 47.4% 11.2%;

21     --muted: 210 40% 96.1%;
22     --muted-foreground: 215.4 16.3% 46.9%;

23     --accent: 210 40% 96.1%;
24     --accent-foreground: 222.2 47.4% 11.2%;

25     --destructive: 0 84.2% 60.2%;
26     --destructive-foreground: 210 40% 98%;

27     --border: 214.3 31.8% 91.4%;
28     --input: 214.3 31.8% 91.4%;
29     --ring: 222.2 84% 4.9%;

30     --radius: 0.5rem;
31     --font-size: 1em;
32     --font-family: "Inter", sans-serif;
33   }
34 }

```

```
--sidebar-background: 0 0% 98%;  
--sidebar-foreground: 240 5.3% 26.1%;  
--sidebar-primary: 240 5.9% 10%;  
--sidebar-primary-foreground: 0 0% 98%;  
--sidebar-accent: 240 4.8% 95.9%;  
--sidebar-accent-foreground: 240 5.9% 10%;  
--sidebar-border: 220 13% 91%;  
--sidebar-ring: 217.2 91.2% 59.8%;  
}  
  
.dark {  
--background: 222.2 84% 4.9%;  
--foreground: 210 40% 98%;  
--card: 222.2 84% 4.9%;  
--card-foreground: 210 40% 98%;  
--popover: 222.2 84% 4.9%;  
--popover-foreground: 210 40% 98%;  
--primary: 210 40% 98%;  
--primary-foreground: 222.2 47.4% 11.2%;  
--secondary: 217.2 32.6% 17.5%;  
--secondary-foreground: 210 40% 98%;  
--muted: 217.2 32.6% 17.5%;  
--muted-foreground: 215 28.2% 65.1%;  
--accent: 217.2 32.6% 17.5%;  
--accent-foreground: 210 40% 98%;  
--destructive: 0 62.8% 39.6%;  
--destructive-foreground: 210 40% 98%;  
--border: 217.2 32.6% 17.5%;  
--input: 217.2 32.6% 17.5%;  
--ring: 212.7 26.8% 83.9%;  
5 @import url('https://fonts.googleapis.com/css2?family=Nunito:wght@400;500;600;700;800&display=swap');  
6  
7 @layer base {  
8   :root {  
9     /* Warm, friendly pet app palette */  
10    --background: 30 58% 98%;  
11    --foreground: 25 38% 15%;  
12  
13    --card: 0 0% 100%;  
14    --card-foreground: 25 38% 15%;  
15  
16    --popover: 0 0% 100%;  
17    --popover-foreground: 25 30% 15%;  
18  
19    /* Warm coral/orange - energetic and friendly */  
20    --primary: 16 85% 60%;  
21    --primary-foreground: 0 0% 100%;  
22  
23    /* Soft teal - calm and trustworthy */  
24    --secondary: 174 42% 65%;  
25    --secondary-foreground: 0 0% 100%;  
26  
27    /* Cream/beige muted tones */  
28    --muted: 35 38% 94%;  
29    --muted-foreground: 25 15% 45%;  
30  
31    /* Mint accent */  
32    --accent: 160 45% 90%;  
33    --accent-foreground: 160 45% 25%;  
34  
35    /* Warning/destructive for alerts */  
36    --destructive: 0 72% 55%;  
37    --destructive-foreground: 0 0% 100%;  
38  
39    /* Soft warm borders */  
40    --border: 30 28% 98%;  
41    --input: 30 20% 90%;  
42    --ring: 16 85% 60%;  
43  
44    --radius: 1rem;  
45  
46    /* Custom pet app colors */  
47    --coral: 16 85% 60%;  
48    --coral-light: 16 85% 95%;  
49    --teal: 174 42% 65%;  
50    --teal-light: 174 42% 92%;  
51    --sunshine: 42 95% 65%;  
52    --sunshine-light: 42 95% 92%;  
53    --lavender: 270 50% 70%;  
54    --lavender-light: 270 50% 95%;  
55    --mint: 160 45% 65%;  
56    --mint-light: 160 45% 92%;  
57    --rose: 350 70% 65%;  
58    --rose-light: 350 70% 95%;  
59  
60    /* Gradients */  
61    --gradient-coral: linear-gradient(135deg, hsl(16 85% 60%), hsl(25 90% 55%));  
62    --gradient-teal: linear-gradient(135deg, hsl(174 42% 65%), hsl(188 45% 55%));  
63    --gradient-sunset: linear-gradient(135deg, hsl(16 85% 60%), hsl(358 70% 65%));  
64    --gradient-warm: linear-gradient(180deg, hsl(30 50% 98%), hsl(35 40% 95%));  
65  
66    /* Shadows */  
67    --shadow-soft: 0 4px 20px -4px hsl(25 30% 15% / 0.08);  
68    --shadow-medium: 0 8px 30px -6px hsl(25 30% 15% / 0.12);  
69    --shadow-glow-coral: 0 8px 24px -6px hsl(16 85% 60% / 0.35);  
70    --shadow-glow-teal: 0 8px 24px -6px hsl(174 42% 65% / 0.35);  
71  
72    --sidebar-background: 0 0% 98%;  
73    --sidebar-foreground: 240 5.3% 26.1%;  
74    --sidebar-primary: 240 5.9% 10%;  
75    --sidebar-primary-foreground: 0 0% 98%;  
76    --sidebar-accent: 240 4.8% 95.9%;  
77    --sidebar-accent-foreground: 240 5.9% 10%;  
78    --sidebar-border: 220 13% 91%;  
79    --sidebar-ring: 217.2 91.2% 59.8%;  
80  }  
81  
.dark {  
82  --background: 25 25% 8%;  
83  --foreground: 30 20% 95%;  
84  
85  --card: 25 20% 12%;  
86  --card-foreground: 30 20% 95%;  
87  
88 }
```

```
89   --popover: 25 26% 12%;
90   --popover-foreground: 38 28% 95%;
91
92   --primary: 16 85% 60%;
93   --primary-foreground: 0 0% 100%;
94
95   --secondary: 174 42% 58%;
96   --secondary-foreground: 0 0% 100%;
97
98   --muted: 25 15% 18%;
99   --muted-foreground: 38 15% 68%;
100
101   --accent: 160 35% 20%;
102   --accent-foreground: 168 45% 85%;
103
104   --destructive: 0 62.8% 45%;
105   --destructive-foreground: 0 0% 100%;
106
107   --border: 25 15% 28%;
108   --input: 25 15% 28%;
109   --ring: 16 85% 68%;
110
111   --sidebar-background: 240 5.9% 10%;
112   --sidebar-foreground: 240 4.8% 95.9%;
113   --sidebar-primary: 224.3 76.3% 48%;
114   --sidebar-primary-foreground: 0 0% 100%;
115   --sidebar-accent: 240 3.7% 15.9%;
116   --sidebar-accent-foreground: 240 4.8% 95.9%;
117   --sidebar-border: 240 3.7% 15.9%;
118   --sidebar-ring: 217.2 91.2% 59.8%;
119 }
120
121 @layer base {
122   * {
123     @apply border-border;
124   }
125 }
126
127 body {
128   @apply bg-background text-foreground;
129   @apply bg-background text-foreground font-sans antialiased;
130   font-family: 'Nunito', sans-serif;
131 }
132
133 @layer utilities {
134   .gradient-coral {
135     background: var(--gradient-coral);
136   }
137
138   .gradient-teal {
139     background: var(--gradient-teal);
140   }
141
142   .gradient-sunset {
143     background: var(--gradient-sunset);
144   }
145
146   .gradient-warm {
147     background: var(--gradient-warm);
148   }
149
150   .shadow-soft {
151     box-shadow: var(--shadow-soft);
152   }
153
154   .shadow-medium {
155     box-shadow: var(--shadow-medium);
156   }
157
158   .shadow-glow-coral {
159     box-shadow: var(--shadow-glow-coral);
160   }
161
162   .shadow-glow-teal {
163     box-shadow: var(--shadow-glow-teal);
164   }
165
166   .bg-coral { background-color: hsl(var(--coral)); }
167   .bg-coral-light { background-color: hsl(var(--coral-light)); }
168   .bg-teal { background-color: hsl(var(--teal)); }
169   .bg-teal-light { background-color: hsl(var(--teal-light)); }
170   .bg-sunshine { background-color: hsl(var(--sunshine)); }
171   .bg-sunshine-light { background-color: hsl(var(--sunshine-light)); }
172   .bg-lavender { background-color: hsl(var(--lavender)); }
173   .bg-lavender-light { background-color: hsl(var(--lavender-light)); }
174   .bg-mint { background-color: hsl(var(--mint)); }
175   .bg-mint-light { background-color: hsl(var(--mint-light)); }
176   .bg-rose { background-color: hsl(var(--rose)); }
177   .bg-rose-light { background-color: hsl(var(--rose-light)); }
178
179   .text-coral { color: hsl(var(--coral)); }
180   .text-teal { color: hsl(var(--teal)); }
181   .text-sunshine { color: hsl(var(--sunshine)); }
182   .text-lavender { color: hsl(var(--lavender)); }
183   .text-mint { color: hsl(var(--mint)); }
184   .text-rose { color: hsl(var(--rose)); }
185 }
186
187 // Update this page (the content is just a fallback if you fail to update the page)
188
189 const Index = () => {
190   return (
191     <div className="flex min-h-screen items-center justify-center bg-background">
192       <div className="text-center">
193         <h1 className="mb-4 text-4xl font-bold">Welcome to Your Blank App</h1>
194         <p className="text-xl text-muted-foreground">Start building your amazing project here!</p>
195       </div>
196     </div>
197   );
198 }
199
200 export default Index;
201
202 import { useState } from "react";
203 import { Header } from "@components/layout/Header";
204 import { BottomNav } from "@components/navigation/BottomNav";
205 import { PetCard, PetMiniCard } from "@components/pet/PetCard";
206 import { QuickAction, QuickActionGrid } from "@components/actions/QuickAction";
207 import { AppointmentCard } from "@components/appointments/AppointmentCard";
208 import { ServiceCard } from "@components/services/ServiceCard";
209 import { AdoptionCard } from "@components/adoption/AdoptionCard";
210 import { ProductCard } from "@components/shop/ProductCard";
211 import { Button } from "@components/ui/button";
212 import { Card, CardContent, CardHeader, CardTitle } from "@components/ui/card";
213 import {
```

```
13 Stethoscope,
14 ShoppingBag,
15 Heart,
16 Scissors,
17 GraduationCap,
18 MapPin,
19 Plus,
20 ChevronRight,
21 PawPrint
22 } from "lucide-react";
23
24 import dogAvatar from "@/assets/dog-avatar.jpg";
25 import catAvatar from "@/assets/cat-avatar.jpg";
26 import vetService from "@/assets/vet-service.jpg";
27 import petsTogether from "@/assets/pets-together.jpg";
28
29 // Mock data
30 const mockPets = [
31 {
32 id: "1",
33 name: "Max",
34 type: "dog" as const,
35 breed: "Golden Retriever",
36 age: "3 anos",
37 imageUrl: dogAvatar,
38 nextAppointment: "15 Jan",
39 vaccinesDue: 1,
40 },
41 {
42 id: "2",
43 name: "Luna",
44 type: "cat" as const,
45 breed: "Siamese",
46 age: "2 anos",
47 imageUrl: catAvatar,
48 nextAppointment: "22 Jan",
49 vaccinesDue: 0,
50 },
51 ];
52
53 const mockAppointments = [
54 {
55 id: "1",
56 petName: "Max",
57 petImage: dogAvatar,
58 type: "Consulta de Rotina",
59 professional: "Dr. Carlos Silva",
60 location: "Pet Care Clínica Veterinária",
61 date: "15/01/2026",
62 time: "14:30",
63 status: "confirmed" as const,
64 },
65 ];
66
67 const mockServices = [
68 {
69 id: "1",
70 name: "Pet Care Clínica",
71 type: "Clinica Veterinária",
72 rating: 4.8,
73 reviewCount: 234,
74 imageUrl: vetService,
75 distance: "1.2 km",
76 isOpen: true,
77 specialties: ["Consultas", "Vacinas", "Cirurgias"],
78 },
79 ];
80
81 const mockAdoption = [
82 {
83 id: "1",
84 name: "Thor",
85 type: "dog" as const,
86 breed: "Vira-lata",
87 age: "8 meses",
88 gender: "Macho",
89 imageUrl: petsTogether,
90 location: "São Paulo, SP",
91 postedDate: "há 3 dias",
92 description: "Thor é um filhote muito brincalhão e carinhoso, procurando uma família para chamar de sua!",
93 isLiked: false,
94 },
95 ];
96
97 const mockProducts = [
98 {
99 id: "1",
100 name: "Raça Premium para Cães Adultos 15kg",
101 description: "Raça super premium para cães adultos",
102 price: 189.99,
103 originalPrice: 229.99,
104 imageUrl: "https://images.unsplash.com/photo-1568649347923-a616a30bc3bd?w=400&h=300&fit=crop",
105 rating: 4.7,
106 reviewCount: 156,
107 category: "Alimentação",
108 inStock: true,
109 },
110 ];
111
112 export default function Index() {
113 const [activeTab, setActiveTab] = useState("home");
114 const [selectedPetId, setSelectedPetId] = useState(mockPets[0].id);
115
116 return (
117 <div className="min-h-screen bg-background pb-24">
118 <Header
119   userName="Maria"
120   notificationCount={3}
121 />
122
123 <main className="p-4 max-w-lg mx-auto space-y-6">
124   {/* Hero Section */}
125   <Card variant="coral" className="overflow-hidden">
126     <CardContent className="p-5">
127       <div className="flex items-center gap-4">
128         <div className="flex">
129           <h2 className="text-xl font-bold text-foreground mb-1">
130             Cuide do seu pet com amor
131           </h2>
132           <p className="text-sm text-muted-foreground mb-4">
133             Tudo que seu pet precisa em um só lugar
134           </p>
135           <Button variant="hero" size="sm">
136             <Plus className="w-4 h-4" />
137             Adicionar Pet
138           </Button>
139         </div>
140         <PawPrint className="w-20 h-20 text-corral/20" />
141       </div>
142     </CardContent>
143   </Card>
144 </main>
145 </div>
146 )
```

```
142     </CardContent>
143   </Card>
144
145   {/* My Pets Section */}
146   <section>
147     <div className="flex items-center justify-between mb-4">
148       <h2 className="text-lg font-bold text-foreground">Meus Pets</h2>
149       <Button variant="ghost" size="sm" className="text-primary">
150         Ver todos
151         <ChevronRight className="w-4 h-4 ml-1" />
152       </Button>
153     </div>
154
155   {/* Pet Selection */}
156   <div className="flex gap-3 mb-4 overflow-x-auto pb-2 -mx-4 px-4">
157     {mockPets.map((pet) => (
158       <PetMiniCard
159         key={pet.id}
160         pet={pet}
161         isSelected={selectedPetId === pet.id}
162         onClick={() => setSelectedPetId(pet.id)}
163       />
164     ))
165     <button className="flex items-center justify-center w-12 h-[72px] rounded-2xl border-2 border-dashed border-border hover:border-primary h-12 w-12">
166       <Plus className="w-5 h-5 text-muted-foreground" />
167     </button>
168   </div>
169
170   {/* Pet Cards */}
171   <div className="grid grid-cols-2 gap-3">
172     {mockPets.map((pet) => (
173       <PetCard key={pet.id} pet={pet} />
174     )));
175   </div>
176   </section>
177
178   {/* Quick Actions */}
179   <section>
180     <h2 className="text-lg font-bold text-foreground mb-4">Serviços</h2>
181     <QuickActionGrid columns={4}>
182       <QuickAction
183         icon={Stethoscope}
184         label="Veterinário"
185         color="coral"
186       />
187       <QuickAction
188         icon={ShoppingBag}
189         label="Loja"
190         color="teal"
191       />
192       <QuickAction
193         icon={Heart}
194         label="Adoção"
195         color="rose"
196       />
197       <QuickAction
198         icon={Scissors}
199         label="Banho & Tosa"
200         color="lavender"
201       />
202       <QuickAction
203         icon={GraduationCap}
204         label="Treinamento"
205         color="mint"
206       />
207       <QuickAction
208         icon={MapPin}
209         label="Clínicas"
210         color="sunshine"
211       />
212     </QuickActionGrid>
213   </section>
214
215   {/* Upcoming Appointments */}
216   <section>
217     <div className="flex items-center justify-between mb-4">
218       <h2 className="text-lg font-bold text-foreground">Próximas Consultas</h2>
219       <Button variant="ghost" size="sm" className="text-primary">
220         Ver agenda
221         <ChevronRight className="w-4 h-4 ml-1" />
222       </Button>
223     </div>
224     <div className="space-y-3">
225       {mockAppointments.map((appointment) => (
226         <AppointmentCard key={appointment.id} appointment={appointment} />
227       )));
228     </div>
229   </section>
230
231   {/* Nearby Services */}
232   <section>
233     <div className="flex items-center justify-between mb-4">
234       <h2 className="text-lg font-bold text-foreground">Perto de Você</h2>
235       <Button variant="ghost" size="sm" className="text-primary">
236         Ver mapa
237         <ChevronRight className="w-4 h-4 ml-1" />
238       </Button>
239     </div>
240     <div className="grid gap-3">
241       {mockServices.map((service) => (
242         <ServiceCard key={service.id} provider={service} />
243       )));
244     </div>
245   </section>
246
247   {/* Adoption Section */}
248   <section>
249     <div className="flex items-center justify-between mb-4">
250       <h2 className="text-lg font-bold text-foreground">Adote um Amigo</h2>
251       <Button variant="ghost" size="sm" className="text-primary">
252         Ver todos
253         <ChevronRight className="w-4 h-4 ml-1" />
254       </Button>
255     </div>
256     <div className="grid gap-3">
257       {mockAdoption.map((pet) => (
258         <AdoptionCard key={pet.id} pet={pet} />
259       )));
260     </div>
261   </section>
262
263   {/* Shop Section */}
264   <section>
265     <div className="flex items-center justify-between mb-4">
266       <h2 className="text-lg font-bold text-foreground">Loja Pet</h2>
267       <Button variant="ghost" size="sm" className="text-primary">
268         Ver loja
269         <ChevronRight className="w-4 h-4 ml-1" />
270       </Button>
```

```
271     </div>
272     <div className="grid grid-cols-2 gap-3">
273       {mockProducts.map((product) => (
274         <ProductCard key={product.id} product={product} />
275       )));
276     </div>
277   </section>
278 </main>
279
280   <BottomNav activeTab={activeTab} onTabChange={setActiveTab} />
281 </div>
282 );
283 }
284
```



```
1 import type { Config } from "tailwindcss";
2
3 export default {
4   darkMode: ["class"],
5   content: ["/..pages/**/*.{ts,tsx}", "./components/**/*.{ts,tsx}", "./app/**/*.{ts,tsx}", "./src/**/*.{ts,tsx}"],
6   prefix: "",
7   theme: {
8     container: {
9       center: true,
10      padding: "2rem",
11      screens: {
12        "2xl": "1400px",
13      },
14    },
15    extend: {
16      fontFamily: {
17        sans: ["Nunito", "system-ui", "sans-serif"],
18      },
19      colors: {
20        border: "hsl(var(--border))",
21        input: "hsl(var(--input))",
22        ring: "hsl(var(--ring))",
23        background: "hsl(var(--background))",
24        foreground: "hsl(var(--foreground))",
25        primary: {
26          DEFAULT: "hsl(var(--primary))",
27          foreground: "hsl(var(--primary-foreground))",
28        },
29        secondary: {
30          DEFAULT: "hsl(var(--secondary))",
31          foreground: "hsl(var(--secondary-foreground))",
32        },
33        destructive: {
34          DEFAULT: "hsl(var(--destructive))",
35          foreground: "hsl(var(--destructive-foreground))",
36        },
37        muted: {
38          DEFAULT: "hsl(var(--muted))",
39          foreground: "hsl(var(--muted-foreground))",
40        },
41        accent: {
42          DEFAULT: "hsl(var(--accent))",
43          foreground: "hsl(var(--accent-foreground))",
44        },
45        popover: {
46          DEFAULT: "hsl(var(--popover))",
47          foreground: "hsl(var(--popover-foreground))",
48        },
49        card: {
50          DEFAULT: "hsl(var(--card))",
51          foreground: "hsl(var(--card-foreground))",
52        },
53        coral: {
54          DEFAULT: "hsl(var(--coral))",
55          light: "hsl(var(--coral-light))",
56        },
57        teal: {
58          DEFAULT: "hsl(var(--teal))",
59          light: "hsl(var(--teal-light))",
60        },
61        sunshine: {
62          DEFAULT: "hsl(var(--sunshine))",
63          light: "hsl(var(--sunshine-light))",
64        },
65        lavender: {
66          DEFAULT: "hsl(var(--lavender))",
67          light: "hsl(var(--lavender-light))",
68        },
69        mint: {
70          DEFAULT: "hsl(var(--mint))",
71          light: "hsl(var(--mint-light))",
72        },
73        rose: {
74          DEFAULT: "hsl(var(--rose))",
75          light: "hsl(var(--rose-light))",
76        },
77        sidebar: {
78          DEFAULT: "hsl(var(--sidebar-background))",
79          foreground: "hsl(var(--sidebar-foreground))",
80          primary: "hsl(var(--sidebar-primary))",
81          "primary-foreground": "hsl(var(--sidebar-primary-foreground))",
82          accent: "hsl(var(--sidebar-accent))",
83          "accent-foreground": "hsl(var(--sidebar-accent-foreground))",
84          border: "hsl(var(--sidebar-border))",
85          ring: "hsl(var(--sidebar-ring))",
86        },
87      },
88      borderRadius: {
89        lg: "var(--radius)",
90        md: "calc(var(--radius) - 2px)",
91        sm: "calc(var(--radius) - 4px)",
92      },
93      keyframes: {
94        "accordion-down": {
95          from: {
96            height: "0",
97          },
98          to: {
99            height: "var(--radix-accordion-content-height)",
100          },
101        },
102        "accordion-up": {
103          from: {
104            height: "var(--radix-accordion-content-height)",
105          },
106          to: {
107            height: "0",
108          },
109          x1: "calc(var(--radius) + 4px)",
110          "2xl": "calc(var(--radius) + 8px)",
111        },
112      },
113    },
114  },
115}
```

```
94   "3xl": "calc(var(--radius) + 16px)" },
95 },
96 keyframes: {
97   "accordion-down": {
98     from: { height: "0" },
99     to: { height: "var(--radix-accordion-content-height)" },
100   },
101   "accordion-up": {
102     from: { height: "var(--radix-accordion-content-height)" },
103     to: { height: "0" },
104   },
105   "fade-in": {
106     from: { opacity: "0", transform: "translateY(10px)" },
107     to: { opacity: "1", transform: "translateY(0)" },
108   },
109   "scale-in": {
110     from: { opacity: "0", transform: "scale(0.95)" },
111     to: { opacity: "1", transform: "scale(1)" },
112   },
113   "slide-up": {
114     from: { opacity: "0", transform: "translateY(20px)" },
115     to: { opacity: "1", transform: "translateY(0)" },
116   },
117   "bounce-gentle": {
118     "0%, 10%": { transform: "translateY(0)" },
119     "50%": { transform: "translateY(-5px)" },
120   },
121   "pulse-soft": {
122     "0%, 10%": { opacity: "1" },
123     "50%": { opacity: "0.8" },
124   },
125   "wiggle": {
126     "0%, 10%": { transform: "rotate(-3deg)" },
127     "50%": { transform: "rotate(3deg)" },
128   },
129 },
130 animation: {
131   "accordion-down": "accordion-down 0.2s ease-out",
132   "accordion-up": "accordion-up 0.2s ease-out",
133   "fade-in": "fade-in 0.4s ease-out",
134   "scale-in": "scale-in 0.3s ease-out",
135   "slide-up": "slide-up 0.5s ease-out",
136   "bounce-gentle": "bounce-gentle 2s ease-in-out infinite",
137   "pulse-soft": "pulse-soft 2s ease-in-out infinite",
138   "wiggle": "wiggle 0.5s ease-in-out",
139 },
140 },
141 },
142 plugins: [require("tailwindcss-animate")],
143 } satisfies Config;
144
```