


Start.
I = 15
drawershort = 0
complaints = 0
if drawer short >= 5: "you lost the company a whole 5$. you were fired on the spot at shift end"
else if complaints >= 3: "the customers complained of lacking service. you were fired on the spot at shift end"
else: congratulations you did it! Timiths reward is... doing it again tomorrow! how exciting!
while i > 0
roll = random num 0-30
(this is what occurs when this while is no longer valid and this is the last evaluated)
if random numb ==4 given cash = 50$
if random numb ==3 given cash = 20$
if random numb == 2 given cash = 10$
if random numb ==1 given cash = 5$
else: random numb 2 - 4
else if item .equals chips: random numb 1-4
if item .equals soda or chocolate: random numb 0-4
if random num == 0 - 6 : string="customer has a soda 2.99$" price = 2.99 string item = soda
else if random num == 6 - 12 : string="customer has a bag of chips, it costs 6.99$" price = 6.99 string item = chips
else if random num == 12 - 18 : string="customer has a chocolate bar, it costs 3.49$" price=3.49 string item = chocolate
else if random num == 18 - 24 : string="customer has a wildly overpriced bag of jerky, it costs 12.69$" price = 12.69
roll = random num 0-10 value = (int) (price/5) value = (price*5)+5
if roll 0-5: string2 = "customer paid with {any amount that is over and a single bill (5, 10,20 etc) but less than or equal to 50$}"
else if roll 5-9: string2 = "customer paid {price rounded up}" given_cash = math.ceil(price)
else if roll 9-10: string2 = "customer paid with exact change" i = i - 1
goal = given cash- price player cash = 0
while getting change true: string3 = "you currently have {player cash} as change"
if select 5$ = true player cash = player cash + 5
if select 1$ = true player cash = player cash + 1
if select 0.25$ = true player cash = player cash + 0.25
if select 0.10$ = true player cash = player cash + 0.1
if select 0.05$ = true player cash = player cash + 0.05
if select 0.01$ = true player cash = player cash + 0.01
if select reset = true player cash = 0
if select confirm: getting change = false
else if random num 24-26: "a teen is trashing the store with his friends. what do you do?"
wrong dialog 1(teen): complaints = complaints + 1, i = i - 1
wrong dialog 2(teen): complaints = complaints + 1, i = i - 1
correct dialog(teen): i = i - 1
else if random num 26-28: "a drunk is aggravating the customers. what do you do?"
wrong dialog 1(drunk): complaints = complaints + 1, i = i - 1
wrong dialog 2(drunk): complaints = complaints + 1, i = i - 1
correct dialog(drunk): i = i - 1
wrong dialog 1(stingy): complaints = complaints + 1, i = i - 1



else: you didn't give the customer enough change and they've made a complaint against you! you'll get in trouble if this keeps up!
complaints = complaints + 1

else if player cash > goal cash: you gave them too much change! youll get in trouble if this keeps up!
drawershort = player cash - goal
i = i -1

if player cash == goal cash: display "that was correct cash the customer was satisfied
i = i - 1