

# PROJECT: PUBLIC TRANSPORTATION EFFICIENCY ANALYSIS

## DEVELOPMENT PART 2

### EXPLORATORY ANALYSIS AND VISUALIZATION:

- **Exploratory Data Analysis** is crucial for understanding your dataset, revealing hidden patterns, and guiding further analysis, modeling, or decision-making processes.
- It helps you identify potential issues and formulate questions for more in-depth analysis.
- Use more advanced visualization techniques for specific needs, such as time series plots for time-related data, geospatial maps for geographic data, or interactive visualizations for dynamic exploration.
- **Data visualization** is the graphical representation of data and information.
- It's a powerful tool for interpreting and presenting complex data in a more understandable and insightful way
- Bar Charts: Used for comparing categories of data.
- Line Charts: Ideal for showing trends over time.
- Scatter Plots: Show the relationship between two numeric variables.
- Pie Charts: Display parts of a whole.
- Histograms: Visualize the distribution of a single variable.
- Heatmaps: Reveal patterns and correlations in large datasets.
- Geospatial Maps: Display data on geographical maps.
- Box Plots: Show statistical summaries of data distributions.
- Interactive Visualizations: Allow users to explore data dynamically.
- And many more.
- Beginning the exploratory analysis and data visualization by importing the required python libraries:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib
import matplotlib.pyplot as plt
%matplotlib inline
sns.set_style('darkgrid')
matplotlib.rcParams['font.size']=14
matplotlib.rcParams['figure.figsize']=(9,5)
matplotlib.rcParams['figure.facecolor']='#00000000'
import numpy as np
import pandas as pd
import seaborn as sns
import plotly.graph_objects as go
from plotly.offline import download_plotlyjs,init_notebook_mode,plot,iplot
from plotly.colors import n_colors
from wordcloud import WordCloud,ImageColorGenerator
init_notebook_mode(connected=True)
from plotly.subplots import make_subplots
```

### 1.) Calculate the maximum:

```
[ ] df.max()
```

<ipython-input-5-4c1ddf8920ff>:1: FutureWarning:

The default value of numeric\_only in DataFrame.max is deprecated. In a future version, it will default to False.

```
TripID          62585
StopID          18493
StopName        Zone D Port Adelaide Interchan
WeekBeginning   30/06/2013 00:00
NumberOfBoardings 193
dtype: object
```

### 2.) Calculate the minimum:

```
[ ] df.min()
```

<ipython-input-6-c3612c624a3f>:1: FutureWarning:

The default value of numeric\_only in DataFrame.min is deprecated. In a future version, it will default to False.

```
TripID          3017
StopID          10817
StopName        1 Anzac Hwy
WeekBeginning   01/06/2014 00:00
NumberOfBoardings 1
dtype: object
```

### 3.) Accessing column from a given dataset:

The screenshot shows a Jupyter Notebook interface. On the left, there is a sidebar with a search icon, a play button, and a folder icon. The main area displays the command `df.StopName` in a code cell. Below the code, the output is shown as a list of stop names with their corresponding indices. The output is truncated with an ellipsis in the middle. At the bottom of the output, it says "Name: StopName, Length: 1048575, dtype: object".

```
0          181 Cross Rd
1          177 Cross Rd
2          175 Cross Rd
3      Zone A Arndale Interchange
4          178 Cross Rd
...
1048570      8 Fullarton Rd
1048571      3 Glen Osmond Rd
1048572      9 Fullarton Rd
1048573      5 Fullarton Rd
1048574      6 Fullarton Rd
Name: StopName, Length: 1048575, dtype: object
```

4.) The `nunique()` method returns the number of unique values for each column. By specifying the column axis ( `axis='columns'` ), the `nunique()` method searches column-wise and returns the number of unique values for each row.

The screenshot shows a Jupyter Notebook interface. On the left, there is a sidebar with a search icon, a play button, and a folder icon. The main area displays the command `df.StopName.nunique()` in a code cell. Below the code, the output is shown as the number 583.

```
[8] df.StopName.nunique()

583
```

### 5.) EXPLORING A COLUMN by computing the number of Stop names:

```
df.StopName.value_counts()
```

I1 North Tce	12678
23 Findon Rd	10558
21 Port Rd	9835
R1 North Tce	9221
B1 East Tce	8557
...	...
V2 King William St	2
I2 North Tce	1
Aust. Submarine Corp Gate 640	1
11 East Av	1
L1 Unley Rd	1

Name: StopName, Length: 583, dtype: int64

6.)ANALYSE THE MINIMUM AND MAXIMUM OF Stop Names and TRIP ID's mentioned in the dataset("Calculates through the lexicographic order")

```
[10] df.TripID.min()
3017

[11] df.TripID.max()
62585

[13] df.StopName.min()
'1 Anzac Hwy'

[14] df.StopName.max()
'Zone D Port Adelaide Interchan'
```

## CREATIING VISUALIZATIONS OF DATA USING THE GIVEN DATASET:

Creating a scatter plot is a simple way to visualize data, and it can be explained in just two steps:


- Prepare Your Data: First, you need to have a set of data that includes two variables, typically referred to as X and Y.
- Each data point should have a pair of values (x, y). Make sure your data is organized and ready for plotting.
- Create the Scatter Plot: Use a data visualization tool like Excel, Python's Matplotlib, or any other plotting software.
- Label your axes for clarity.

## 7.)SCATTER PLOT TO VISUALIZE STOP ID AND TRIP ID

```
data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")

# Scatter plot with day against tip
plt.scatter(data['StopID'], data['TripID'])
# Adding Title to the Plot
plt.title("Scatter Plot")
# Setting the X and Y labels
plt.xlabel('StopID')
plt.ylabel('TripID')
plt.show()
```

```
<ipython-input-6-571bf029a562>:1: DtypeWarning: Columns (1) have mixed types. Specify dtype option on import or set low_memory=False.
data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")
```



## 8.) SCATTER PLOT TO VISUALIZE ROUTE ID AND STOP ID:

```
data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")


plt.plot(data['TripID'])
plt.plot(data['StopID'])

# Adding Title to the Plot
plt.title("Scatter Plot")

# Setting the X and Y labels
plt.xlabel('RouteID')
plt.ylabel('StopID')

plt.show()
```

```
<ipython-input-15-2b18550ea2f1>:1: DtypeWarning: Columns (1) have mixed types.
data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")
```



## 9. HISTOGRAM:

Creating a histogram can be done in two steps:


**Prepare Data:** Gather the dataset that should be visualized.

- This data should consist of a single variable for which you want to create a histogram.
- Ensure your data is organized and ready for plotting.

**Create the Histogram:** Utilize data visualization tools like Excel, Python's Matplotlib, or other software.

- Input your data and instruct the software to generate a histogram.
- Specify the variable you want to plot, the number of bins (intervals) to divide the data.
- Label the axes for clarity.

```
▶ data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")  
  
# histogram of total_bills  
plt.hist(data['TripID'])  
  
plt.title("Histogram")  
  
# Adding the legends  
plt.show()
```



## 10.) BAR CHART TO VISUALIZE TRIP ID AND STOP ID:

Creating a bar chart can be explained in two steps:

1. Prepare Your Data:

- Collect the dataset you want to represent in a bar chart.
- This data should typically consist of categories or groups and their corresponding values.
- Ensure your data is organized and ready for visualization.

2. Create the Bar Chart:

- Use data visualization software like Excel, Python's Matplotlib, or other charting tools.

- Input your data and instruct the software to generate a bar chart.
- Assign the categories to the horizontal axis (X-axis) and the values to the vertical axis (Y-axis).
- Label the axes and format the chart.


```
data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")

plt.plot(data['TripID'])
plt.plot(data['StopID'])

plt.title("Bar Chart")

# Setting the X and Y labels
plt.xlabel('Day')
plt.ylabel('Tip')


# Adding the legends
plt.show()
```



11.) Line plot by using seaborn by importing it and # using only data attribute

```
data = pd.read_csv("/content/drive/MyDrive/public_trans.csv")

# using only data attribute
sns.lineplot(data=data.drop(['TripID'], axis=1))
plt.show()
```




## 12.) CREATION AND VISUALIZATION OF ECG-LIKE PLOTS USING SEABORN LIBRARIES:

### Creating line plots similar to ECG (electrocardiogram) graphs :

- **Data Collection:** Collect the data you want to represent in your ECG-like line plot.
- **Plotting the Line Graph:** Use software or libraries suited for time-series data visualization, such as Python's Matplotlib, R, or specialized medical visualization tools. Input your time-series data and create a line plot. Ensure the x-axis represents time, and the y-axis represents voltage or amplitude.
- Creating ECG-like line plots can be more complex than standard line plots due to the specific requirements for representing cardiac electrical activity accurately.
- Therefore, it's often done using dedicated ECG analysis software to ensure the necessary level of detail and precision.

```
plt.figure(figsize=(18,6))
sns.lineplot(x=df.StopName, y=df.TripID)
plt.title("The diagram")
plt.show()
```







40s




```
plt.figure(figsize=(18,6))
sns.lineplot(x=df.StopName, y=df.StopID)
plt.title("The diagram")
plt.show()
```

{x}



The diagram



### 13.)ACCESSING THE USED STOP NAMES:



54s



```
trans = df["StopName"].unique()
for i in trans:
    c=list(df[df["StopName"]==i]['StopID'])
    print(f"StopName: {i}\nUsed countries:{c}")
    print('-'*70)
```

{x}



54s



```
trans = df["StopName"].unique()
for i in trans:
    c=list(df[df["StopName"]==i]['StopID'])
    print(f"StopName: {i}\nUsed countries:{c}")
    print('-'*70)
```

StopName: 181 Cross RdnUsed countries:[]  
StopName: 177 Cross RdnUsed countries:[]  
StopName: 175 Cross RdnUsed countries:[]  
StopName: Zone A Arndale InterchangenUsed countries:[]  
StopName: 178 Cross RdnUsed countries:[]  
StopName: 9A Marion RdnUsed countries:[]  
StopName: 9A Holbrooks RdnUsed countries:[]  
StopName: 9 Marion RdnUsed countries:[]  
StopName: 206 Holbrooks RdnUsed countries:[]  
StopName: 8A Marion RdnUsed countries:[]  
StopName: 8D Marion RdnUsed countries:[]  
StopName: 23 Findon RdnUsed countries:[]  
StopName: 8K Marion RdnUsed countries:[]  
StopName: 20 Cross RdnUsed countries:[]  
StopName: 22A Crittenden RdnUsed countries:[]  
StopName: 160 Cross RdnUsed countries:[]  
StopName: 8C Marion RdnUsed countries:[]  
StopName: 173 Cross RdnUsed countries:[]  
StopName: 13 Holbrooks RdnUsed countries:[]  
StopName: 218 Findon RdnUsed countries:[]  
StopName: 11A Marion RdnUsed countries:[]  
StopName: 220 Woodville RdnUsed countries:[]  
StopName: 25 Torrens RdnUsed countries:[]  
StopName: 8E Marion RdnUsed countries:[]  
StopName: 224 Woodville RdnUsed countries:[]  
StopName: 183 Cross RdnUsed countries:[]  
StopName: 219 Woodville RdnUsed countries:[]  
StopName: 17 Grange RdnUsed countries:[]  
StopName: 205 Holbrooks RdnUsed countries:[]  
StopName: 10A Marion RdnUsed countries:[]  
StopName: 201 Marion RdnUsed countries:[]  
StopName: 20 Crittenden RdnUsed countries:[]  
StopName: 8G Marion RdnUsed countries:[]  
StopName: 10 Holbrooks RdnUsed countries:[]  
StopName: 8F Marion RdnUsed countries:[]  
StopName: 8B Marion RdnUsed countries:[]



## 14.) USING GROUPBY METHOD:

A **groupby operation** involves some combination of splitting the object, applying a function, and combining the results. This can be used to group large amounts of data and compute operations on these groups.

## 15.) PATCHES TO ANALYSE THE STOPNAMES AND STOP ID:


### 1. Import a Graphics Library:

- To create patches, you need to use a graphics library or software such as Matplotlib in Python.
- These libraries provide functions and classes for drawing and manipulating graphical objects, including patches.

### 2. Defining and Drawing the Patch:

- Use the library's functions or methods to define the characteristics of your patch, such as its shape (e.g., rectangle, circle, polygon), size, position, and style (e.g., color, fill, outline).
- Then, instruct the library to draw the patch on your canvas or graphical display.
- This typically involves specifying the coordinates and attributes of the patch within the graphical context.

```
plt.figure(figsize=(15,8))
ax=sns.barplot(x=StopName, y=StopName.index)
plt.xlabel("Daily transportation")
plt.ylabel("StopNames")
plt.title("Daily transportation efficiency analysis")
for patch in ax.patches:
    width=patch.get_width()
    height=patch.get_height()
    x=patch.get_x()
    y=patch.get_y()
    plt.xticks(rotation=45)
    plt.text(width+x, height+y, '{:.1f}'.format(width))
```



## 17.COMPUTING MEAN FROM THE GIVEN DATASET:


```
[56] df.mean()

<ipython-input-56-c61f0c8f89b5>:1: FutureWarning:
The default value of numeric_only in DataFrame.mean is deprecated.

TripID          28602.993331
StopID          13301.143187
NumberOfBoardings 4.132290
dtype: float64
```

## 18.BARPLOT TO VISUALIZE THE TRIP ID:

```
plt.figure(figsize=(15,8))
ax=sns.barplot(x=TripID, y=TripID.index)
plt.xlabel("Daily transportation")
plt.xlabel("StopNames")
plt.title("Daily transportation efficiency analysis")
for patch in ax.patches:
    width=patch.get_width()
    height=patch.get_height()
    x=patch.get_x()
    y=patch.get_y()
    plt.xticks(rotation=45)
    plt.text(width+x, height+y, '{:.1f}'.format(width))
```



### IBM Cognos analytics:

#### 1. Access Cognos Analytics:

- Log in to your IBM Cognos Analytics environment.

#### 2. Data Source Connection:

- Connect to your data source (e.g., a database, spreadsheet, or data file).

#### 3. Create a Report:

- Start a new report or open an existing one.

#### 4. **Select Data:**

- Choose the data you want to visualize by adding data items from your data source to the report.

#### 5. **Choose Visualization Type:**

- Select the type of visualization you want to create (e.g., bar chart, line chart, pie chart, etc.).

#### 6. **Customize Visualization:**

- Customize the visualization by specifying axes, labels, colors, and other properties.

#### 7. **Apply Filters:**

- Add filters to your visualization to refine the data displayed.

#### 8. **Group and Aggregate Data:**

- Group and aggregate data as needed to provide meaningful insights.

#### 9. **Add Interactivity:**

- Enhance your visualization by adding interactivity elements

#### **INSIGHTS:**

- We were able to witness the visualizations physically.
- It made us more comfortable to see the data in different figures.
- We chose python as it had many libraries associated with it.
- We noted the plotting of the given columns in the dataset.
- The patches were used to create bars in bar charts or custom shapes to highlight specific data points.
- Differences,mean,maximum and minimum were easily computed for a particular dataset.
- Implementing these methods really helped in every way to understand the dataset thoroughly.

**CONCLUSION:** In summary, the exploratory analysis demonstrates that the public transportation system is a vital component of urban mobility. There are opportunities for enhancing efficiency, inclusivity, and sustainability, which can be achieved through route optimization, technology integration, and a strong commitment to passenger experience to make some application devices and so on.

