

ENGLISH

L250 Ignition Interlock User Guide

With or without camera · InterlockGo NOCO, authorized Lifesafer provider ·

[Versión en español](#)

InterlockGo-NOCO
Drive on the "Right Side" of the law

LifeSafer
Ignition Interlock

Your two important numbers

Service, appointments, payments

InterlockGo NOCO — your local shop

(970) 515-5740

Device support, 24 hours

Lifesafer — tech help and codes

1-800-634-3077

General information

This guide explains how to use the Lifesafer L250 ignition interlock device (IID), with or without a camera. Not every jurisdiction requires a camera; if yours does not, skip the camera sections.

The device keeps the vehicle from starting until you pass a breath test. It is not an indicator of your level of impairment or of your ability to drive safely. Use your own judgment — if you have been drinking, find another way to get there.

Read it while you wait for your installation so any questions get answered before you leave. We will train you on proper use today and confirm your first service appointment, which is also programmed into the device. At every appointment we download the event data and send it to your monitoring authority.



Warning

You are responsible for keeping your device in good working condition and for any parts that are lost or damaged. Call 1-800-634-3077 to learn about the Loss Protection Plan.

Your first week: quick checklist

1. **Save both numbers** in your phone: InterlockGo (970) 515-5740 and Lifesafer 1-800-634-3077.
2. **Practice a test** before you leave the shop: steady blow for about 5 seconds with a "hum."

3. **Write down your first service date.** Usually every 60 days; it is already in the device.
4. **Keep clean mouthpieces** in the vehicle, off the floor and away from moisture.
5. **Set warm-up times** if you drive early in the winter (see Menu options).
6. **Never disconnect the battery** without telling us — every disconnect is logged and reported.
7. **If something isn't working, call before you drive.** Never have someone else blow for you.

What you're looking at

Handset



- Mouthpiece and mouthpiece holder (below the mouthpiece)
- Display
- Up and down triangle buttons
- Left and right buttons
- Coiled cable connector

Camera (if your jurisdiction requires one)



- Installed and aligned during your appointment
- You never need to touch it or look at it while testing
- Covering or moving it counts as a violation


Turning the device on

Turn the vehicle's ignition switch to power up the handset. Three screens appear in order: Power (Hold), the Lifesafer welcome screen, and a tampering warning. You have 60 seconds to take the test before the device shuts off. To power it down manually, press and hold the up or down triangle button for 3 seconds.

Taking the test

1. **Warm-up.** The countdown screen shows when the device is ready — usually a few seconds, up to 3 minutes in extreme cold. You can schedule up to three twenty-minute warm-up windows in 24 hours.

2. **Blow and hum.** Insert a clean mouthpiece. Blow with enough time and pressure while humming, as if saying “hmm.” A steady tone plays until the sample is complete.
3. **Wait.** The “Please Wait” screen appears while your sample is analyzed.
 - **Pass** — your level is below the preset limit; **Start Engine Now** follows. Depending on your jurisdiction you have 60 seconds to 3 minutes to start; after that the device sleeps and you must retest.
 - **Alcohol Warning** — alcohol was detected but not enough to fail. If the level keeps rising while driving, later tests may fail.
 - **Fail** — your sample is over the preset limit and the vehicle will not start. After the first test, a mandatory temporary lockout of 2 to 15 minutes follows, longer with repeated fails.
 - **Abort** — not a fail. The device could not analyze the sample: blowing too hard or too soft, not long enough, or an incorrect hum. The screen tells you which.
 - **Drive Safely** — shown between rolling retests once you're on the road.



Rolling retests while driving

When a retest is due you'll hear two high tones and see one word: **BLOW**. **You have a limited window, generally 3 to 10 minutes depending on your jurisdiction.** The tone gets louder, then additional alarms start — depending on the jurisdiction that can include the horn and hazard lights — and they continue until you pass or shut the vehicle off.

Missing a retest, or failing one, can be logged as a violation reported to your monitoring authority and can trigger an Early Service Notification.

Safety briefing

Safety first, always. The L250 uses audible and visual prompts so you can retest safely while driving. If you're not comfortable testing in motion, pull out of traffic and stop before you blow.

Troubleshooting screens

- **Abort — No Hum** — your jurisdiction requires the hum tone. Hum while you blow.
- **Blow Shorter** — you blew longer than required.
- **Blow Harder** — the sample was insufficient; use more pressure.
- **Blow Softer** — you're blowing too hard; ease off on the retry.
- **Abort: Breath Temperature** — your breath didn't match normal body temperature, usually after a cold drink or exercise in the cold. Wait a few minutes and try again.
- **Tip screen** — after several aborts in a row, a coaching screen shows how to blow correctly.
- **Low Battery** — the vehicle battery is low. Charge or replace it so the device keeps working.

Stall protection & menu options

If the vehicle stalls or you shut it off, the Engine Stall Protection screen appears and, depending on your jurisdiction, you have 2 to 5 minutes to restart without testing. This feature is disabled if a retest is pending, missed, or failed.

The device is preset to take you straight to the alcohol test. In **Settings**, the left and right buttons move between screens and the up/down triangles change a setting — language is set at installation, and warm-up times are set here. Extreme cold can take up to 3 minutes of warm-up, so you can program up to three twenty-minute windows in 24 hours, at least 4 hours apart. The **Help** screen shows Lifesafer's customer support number, 1-800-634-3077.

Circumvention & tampering

Circumvention

- Having someone else provide the breath sample
- Using an air pump, balloon, or anything other than human breath
- Disconnecting the battery without service-provider authorization
- Moving or obscuring the camera

Tampering

- Breaking any seal, including cables and connectors
- Opening the device
- Damaging the device in any way

Service appointments & monitoring

We periodically download, review, and report the data stored in your device to the appropriate authorities, and we inspect the device, vehicle, and wiring for signs of tampering while checking calibration. A lockout reason shows at the bottom of the screen: Service Date, Event Log Full,

Device Failure, Bypass, or Violations.

Service reminders appear 7 to 10 days before your appointment with the date and time; press the right button below the screen to clear it. If you miss the date you get a 3 to 10 day grace period, then a Lockout Starts Warning. In permanent lockout the vehicle will not start — you'll need a manual lockout override code from Lifesafer or a tow at your expense.

Early Service Notification: many recorded violations require you to come in early so the data can be downloaded, interpreted, and reported. You'll have 3 to 10 days depending on your jurisdiction before permanent lockout.

Recorded violations include start-up violations, power disconnections, failed tests, refused or failed retests, lockouts, early service reviews, and vehicle run time. **Non-compliance** — missing monitoring or early service appointments, not paying for program services, or not meeting the other program terms — is reported.

To change or cancel an appointment, call InterlockGo at (970) 515-5740 at least 24 hours ahead to avoid a missed-appointment fee.

Proper use & care

Vehicle electrical system. If your vehicle is more than 10 years old, have a professional check the electrical system. Shorts or a bad alternator can damage the device and void the warranty. Keep battery water levels correct (distilled water) and terminals clean. Weak or low-charge batteries are the leading cause of problems, early service notifications, and unscheduled visits at your expense. All power disconnections are logged and reported — record each one in the disconnection log.

Moisture and dirt. The device is not waterproof. Keep it out of the rain and never store it on the vehicle floor. Moisture, dirt, and mud damage the internal circuits, and repair or replacement is your responsibility.

Static discharge (ESD). Put the key in the ignition before picking up the handset. Static is common in cold, dry winter months and can damage the device.

Camera. Some states require a camera to identify who is testing and report that to the monitoring authority. It is installed and aligned at your appointment — focus, field of view, and operation are verified before you leave, so you never need to



touch it. Its wide field of view means you don't have to look at it while blowing. Any attempt to bypass, cover, or move the camera is a violation.

FCC compliance: this device complies with Part 15 of the FCC Rules. Operation is subject to two conditions: (1) it may not cause harmful interference, and (2) it must accept any interference received, including interference that may cause undesired operation. Tested to Class B limits for digital devices. Changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

Power disconnection log

Date	Time	Reason for the disconnection	Shop / person

InterlockGo NOCO: your service shop

Visit us

3610 35th Ave Unit #7
Evans, CO 80620
(970) 515-5740
interlockgo.io

What we do

- Interlock installation, calibration, and service
- Same-day appointments when available
- Notary on site for your Colorado affidavit
- Bilingual, judgment-free service

Your service appointment is usually every 60 days and takes 30 to 45 minutes. Bring your license or ID, your payment method, and the vehicle with the device installed. Call 24 hours ahead if you need to reschedule.

Who to call: appointments, payments, calibrations, and Colorado program questions — InterlockGo, (970) 515-5740. Override codes, device failures, and 24-hour support — Lifesafer, 1-800-634-3077.

InterlockGo NOCO

3610 35th Ave Unit #7, Evans, CO 80620 · (970) 515-5740 · interlockgo.io

Interlock only. Same-day appointments when available. Notary on site. Bilingual, judgment-free service.