

“You are not building a naming tool.
You are building decision infrastructure.”

PART VIII – THREAD VAULT III: dRANb + brandL + 4IELD + 4TRESS

› SOURCE INGESTED

..... 3 ENGRAMAESTRO_THREAD_VAULT_Brandle_dRANb_v1_0_2026-02-02 3.pdf

› FINAL SELF-AUDIT ITEMS (PRODUCT GROWTH HOOKS)

..... “Name of the Week” teardown
..... “Business of the Day” spotlight
..... Seasonal identity prompts
..... Partner discounts
..... Referral credits

› RECEIPTS (SHA256) – RAW EXCERPT HASHES

..... Top Self-Audit 478df9b33fe1da7e9222a16f...
..... A75 dRANb Design fec764b2cfb2498fd1937589...
..... A76 brandL Design eccd8faa86b9e7e97c20b98c...
..... A77 4IELD Design 9c6b11e93de755be2f910322...
..... A78 4TRESS Safety 554717fbf5ffacb86bc27935...

— dRANb (NAMING ENGINE) – IMPLEMENTATION LOCK —

› USER FLOW (CORE)

..... PART II – STEP-BY-STEP USER FLOW

.....

..... —
..... 1) Sign Up / Login
..... - email + password (or SSO later)
..... - confirm email
..... - create workspace (solo or team)
..... 2) Create Project
..... - project name
..... - category & industry
..... - target audience
..... - region/language context
..... - risk tolerance & “weirdness comfort” (controls abstraction)
..... 3) Brand Intake (guided)
..... - business description (1–3 paragraphs)
..... - offer / product lines (now + future)
..... - differentiation (what you are NOT)
..... - brand personality sliders (see PART IV)
..... - constraints: forbidden words, syllable range, style notes
..... - competitor set (optional but powerful): list 5–50 names you want to avoid
..... resembling

» SCREEN MAP (WEB + MOBILE)
..... PART III – SCREEN LIST (WEB + MOBILE)

-
- AUTH
- 1. Welcome
 - 2. Sign Up
 - 3. Login
 - 4. Email Verification
 - 5. Billing (paywall / plan selection)
 - PROJECT
 - 6. Dashboard (projects + recent)
 - 7. New Project Wizard
 - 8. Project Overview (status, shortlist, exports)
 - INTAKE
 - 9. Brand Intake (guided form)
 - 10. Personality Sliders (with presets)
 - 11. Constraints (forbidden words, length, tone)
 - 12. Competitor Set (paste/upload list; optional)
 - GENERATION
 - 13. Generation Home (family toggles)
 - 14. Batch Results (grid + quick pin)
 - 15. Candidate Detail (scores, notes, rename variants)
 - 16. Re-Generate Controls (diversity, constraints)
 - EVALUATION
 - 17. Evaluation Overview (ranked list + filters)

» INTAKE SLIDERS (PERSONALITY + RISK)
..... PART IV – BRAND INTAKE (SLIDERS + FIELDS)

-
- FIELDS
- - business_description
 - - category / industry
 - - audience: who / where / why
 - - value proposition (one sentence)
 - - future expansion (5–10 years)
 - - competitor_set (optional list)
 - PERSONALITY SLIDERS (0–100)
 - - Classic Modern
 - - Minimal Expressive
 - - Serious Playful
 - - Technical Human
 - - Luxury Accessible
 - - Bold Calm
 - - Abstract Literal
 - RISK TOLERANCE
 - - Conservative (low invention, low spelling friction)
 - - Balanced (default)
 - - Adventurous (more coined, higher weirdness)

› MVP FEATURE LIST + MOAT LABS

..... PART V – FEATURE LIST

-
- MVP (SHIP-READY)
- □ Account login + projects
 - □ Intake wizard + constraints
 - □ Multi-family name generation
 - □ Scoring + explanations
 - □ Collision signals (best-effort, confidence)
 - □ Compare + shortlist categories
 - □ Export: Name Decision Report
 - □ Handoff to brandL
 - MVP+ (ADD NOW – MOAT FEATURES)
 - □ Pronounce Lab (TTS + clarity rating)
 - □ Spell Lab (dictation test → spelling friction score)
 - □ Recall Lab (timed recall → memorability signal)
 - □ Competitor Set similarity checks (user-provided list)
 - □ Category saturation dial (user-defined crowdedness)
 - □ Brand architecture fit: sub-brand expansion simulation
 - □ Shareable shortlist review (view-only link + votes)
 - □ Decision log (auditable reasons, timestamps)
 - PHASE 2 (SCALE)
 - □ Team workspaces + role permissions
 - □ Multi-language packs (pronunciation/phonetics)
 - □ Advanced naming briefs + agency exports
 - □ API connectors (domains/handles) where licensed/allowed
 - □ Enterprise SSO + compliance mode
 - □ Analytics: “name performance” tracking (future, opt-in)
-

› SCORING DIMENSIONS (0–100) + PENALTIES

..... PART VIII – SCORING LOGIC (EVALUATION)

-
- SCORE SCALE
- 0–100 per dimension. Overall is weighted sum with caps & penalties.
- DIMENSIONS
- - Memorability short, distinctive, rhythmic, recall performance (if tested)
 - - Pronunciation Clarity . phoneme simplicity, ambiguity, pronounce lab signal
 - - Spelling Friction likely misspell rate, dictation mismatch signal
 - - Distinctiveness distance from competitor set + category saturation
 - - Brand Alignment matches slider profile + stated values
 - - Scalability works as umbrella, product lines, future markets
 - - Collision Risk best-effort similarity + crowdedness + genericness penalty
 - WEIGHTING
 - - default weights by risk tolerance
 - - user can tune weights; system warns on contradictions
 - PENALTIES (EXAMPLES)
 - - high ambiguity spelling -10 to -35

- - competitor resemblance -15 to -50 (based on similarity)
- - generic keyword presence -10 to -40
- - awkward sub-brand expansions -10 to -25
- EXPLANATIONS
- - 3 short “because” bullets per dimension
- - 1 “watch out for” note when relevant
- - never imply certainty on availability or trademark

.....

..... —

— brandL (DIGITAL IDENTITY ENGINE) – IMPLEMENTATION LOCK —

› OVERVIEW

..... PART I – ENGINE OVERVIEW

.....

..... —

..... › PURPOSE

- brandL activates AFTER dRANb produces a shortlist.
- It evaluates digital identity viability: domains, social handles, naming coherence, & fallback strategies.
- Signals are best-effort only. No promises. No scraping assumptions.
- › WHAT brandL PRODUCES
- - domain likelihood signals (available / premium / likely taken) with confidence
- - handle likelihood signals (Instagram, X, TikTok, YouTube) with confidence
- - identity consistency scoring (how cleanly a name maps across platforms)
- - fallback handle families (structured options, not random)
- - reclaimability assessment (non-guaranteed; policy-aware; respectful)
- - voluntary acquisition outreach templates (professional, non-threatening)
- - platform complaint guidance (non-legal, policy-first, no enforcement language)
- - Digital Identity Report export + “next actions” checklist

› FLOW (AFTER SHORTLIST)

..... PART II – STEP-BY-STEP USER FLOW

.....

..... —

- 1) Receive Shortlist from dRANb
- - import 3–7 candidates with variants
- - choose target region/language context
- 2) Configure Digital Targets
- - preferred TLDs (.com, .io, .ai, etc.)
- - platform priority weights (IG vs TikTok vs X vs YouTube)
- - handle style constraints (no underscores, max length, etc.)
- 3) Run Identity Scan (best-effort)
- - domain likelihood per TLD
- - handle likelihood per platform
- - linguistic friction flags
- - category saturation signal (inherited from dRANb or user-defined)
- 4) Review Identity Consistency
- - coherence score per candidate
- - “compromise map” (what changes would be needed to claim a clean identity)

..... 5) Generate Fallback Handle Families
..... - systematic families ranked by clarity + minimal compromise
..... - reserve tier-1 options (closest match) & tier-2 options (still coherent)
..... 6) Reclaimability Assessment (non-guaranteed)
..... - evaluate handle status scenarios:
..... inactive / parked / personal / brand / impersonation risk
..... - output: Low / Medium / High “reclaim friction” with confidence
..... - always policy-first: no claims of entitlement

› SAFETY (POLICY-FIRST / NON-LEGAL / NON-THREATENING)

— 4IELD (NAMING FIELD INTELLIGENCE) – IMPLEMENTATION LOCK —

› FEATURE BREAKDOWN

..... PART II – FEATURE BREAKDOWN

.....
..... A) Field Inputs
..... □ Competitor set (paste list, upload CSV): 5 to 5,000 names
..... □ Category tags (user-defined): e.g., travel, fintech, wellness
..... □ Trademark-adjacent signal input (optional): counts or exports the user
..... provides
..... □ Expansion targets (optional): future categories, geos, product lines
..... □ Monitoring watchlist (optional): names, stems, phonetic patterns, handle
..... variants
..... B) Analysis Engines
..... □ Name vectorization (phonetic + semantic)
..... □ Clustering (density-based + hierarchical) to reveal naming tribes
..... □ Saturation index per cluster & per keyword-family
..... □ Trademark density signals from user-provided datasets (no scraping assumed)
..... □ Crowding & confusion risk (sound-alike, look-alike, meaning overlap)
..... □ Expansion risk zoning: where the name may collide when the brand grows
..... □ Identity drift monitoring: detect when the market shifts toward your
..... patterns
..... C) Output Surfaces
..... □ Visual field map (conceptual): clusters, borders, & gravity wells
..... □ Risk zones: red / amber / green regions with confidence
..... □ Whitespace opportunities: under-served semantic pockets
..... □ Expansion-safe recommendations: naming constraints & safer directions
..... □ Export pack: map summary, scores, assumptions, & next steps
.....

› SCORING MODELS (ALL BEST-EFFORT + CONFIDENCE)

..... PART III – SCORING MODELS

.....
..... All scores are best-effort heuristics. Each score includes a confidence value
..... driven by input completeness, sample size, & freshness of the user-provided
..... field data.

..... | › 1) Semantic Crowding Score (0-100) |
..... | |
..... | Measures how tightly packed your candidate is within meaning-space. |
..... | Inputs: embeddings distance to nearest competitors, cluster density. |
..... | Interpretation: |

..... | 0-33 roomy (low crowding) |
..... | 34-66 contested (moderate crowding) |
..... | 67-100 crowded (high crowding) |

.....
.....

..... | › 2) Naming Saturation Index (0-100) |
..... | |
..... | Measures overuse of structural patterns (prefix/suffix, stems, formats). |
..... | Inputs: n-gram & morpheme frequency within category set. |
..... | Flags: -ly/-ify/-io/-ai, 'neo', 'meta', 'nova', etc (category-dependent). |

.....
.....

..... | › 3) Trademark Density Signal (0-100) |
..... | |
..... | Not a clearance check. A density signal derived only from user-provided data. |

› BUILD NOW (MVP THAT SCALES)
..... PART VII – BUILD NOW (MVP THAT SCALES)

.....
.....

..... | › Implementation Ladder |
..... | |
..... | MVP Build (no external dependencies required): |
..... | 1) User inputs competitor list + category tags |
..... | 2) Compute vectors (semantic + phonetic features) |
..... | 3) Cluster + compute saturation metrics |
..... | 4) Render conceptual map + risk zones |
..... | 5) Export report (paid) + save snapshots (paid monitoring) |
..... | |
..... | Scale Later (optional integrations): |
..... | - User-authorized domain/handle checks via official APIs where available |
..... | - User-uploaded trademark exports from relevant registries |
..... | - Scheduled monitoring & alerts |
..... | - Team workspaces + approval workflows |

.....
.....

..... benediction

.....
..... The field is never empty. The advantage is seeing it clearly.

— 4TRESS (NON-LEGAL PROTECTION) – SAFETY FIRST —

› REQUIRED SAFETY FRAMING (HARD RULES)

..... › REQUIRED SAFETY FRAMING |

..... | |

..... | This product is NOT legal advice. |

..... | It does not replace an attorney or a trademark office. |

..... | It does not guarantee outcomes or registrability. |

..... | It never produces cease-and-desist letters. |

..... | It never threatens users or third parties. |

..... | It provides informational guidance + preparation support only. |

.....
.....

..... PART I – ENGINE OVERVIEW

..... 4TRESS guides users through trademark readiness, filing preparation, and
..... post-filing awareness—without providing legal advice. It helps users produce

» PLATFORM CHANGES REQUIRED (BRANDLE OS)

- | | |
|--|--|
| 1) Add 'Engine Spec' tabs inside each module (dRANb/brandL/4IELD/4TRESS) | |
| 2) Implement dRANb labs: Pronounce / Spell / Recall (optional, opt-in) | |
| 3) Add Share-Review links + reviewer votes + Decision Log | |
| 4) Add brandL fallback handle families + reclaimability + outreach templates | |
| 5) Add 4IELD field map (UMAP-style projection) + risk zones + whitespace | |
| 6) Add Growth Hooks: Name-of-Week, Business-of-Day, Seasonal prompts | |
| 7) Preserve safety banners: NOT LEGAL ADVICE across 4TRESS + reports | |

» LOVABLE UPDATE PROMPT

..... Included as a separate file: Add v1.3 Engine Designs

.

Benediction: Ship the engine. Guard the engine. Let the engine decide.
