



TRUNK-RELICT: Relict ice stream, shut down and still smooth




PPB P31.3|s1|w5




A window admissible for this entry; also admissible: BASIN; separating them needs composition, flow_history, reflectivity			
catalogue bound	window value $\pm 2\sigma$	classes admitted by the envelope	measured values for this window
$\beta \geq 2.5$ (soft)	2.93 ± 0.13	soft	A_1km 3.39 log ₁₀ m ³
relief < 350 m (flat)	207 ± 60 m	flat	rms_roughness 56 m
speed < 10 m/yr (very_low, low)	1.9 ± 31.8 m/yr	very_low, low, moderate	η 741 m
elevation unconstrained	-51 ± 20 m	submerged	hill_count 5
			skewness 0.25
			kurtosis -1.13
			ξ 2.34 m ²

ONSET: Ice stream onset




HA IR1HI2_2009362_ASB_JKB1a_GL0092a|s1|w0




A window admissible for this entry, and for no other entry			
catalogue bound	window value $\pm 2\sigma$	classes admitted by the envelope	measured values for this window
$2 \leq \beta < 2.5$ (transitional)	2.25 ± 0.15	transitional	A_1km 3.48 log ₁₀ m ³
relief < 800 m (flat, subdued)	518 ± 60 m	subdued	rms_roughness 23 m
speed ≥ 10 m/yr (moderate, fast)	35.7 ± 1.8 m/yr	moderate	η 546 m
elevation unconstrained	-934 ± 20 m	submerged	hill_count 8
			skewness -0.15
			kurtosis -0.68
			ξ 6.75 m ²

DISSECTED: Deeply dissected highland, trough-and-interfluve




RSL G12d|s3|w0



A window admissible for this entry, and for no other entry; confirming it needs origin			
catalogue bound	window value $\pm 2\sigma$	classes admitted by the envelope	measured values for this window
$\beta \geq 1.5$ (hard, transitional, soft)	2.85 ± 0.14	soft	A_1km 4.95 log ₁₀ m ³
relief ≥ 800 m (mountainous)	955 ± 60 m	mountainous	rms_roughness 243 m
$5 \leq \text{speed} < 50$ m/yr (low, moderate)	28.9 ± 1.3 m/yr	moderate	η 581 m
elevation unconstrained	-322 ± 20 m	submerged	hill_count 4
			skewness 0.31
			kurtosis -0.82
			ξ 475 m ²

DIVIDE: Warm-base divide




ASB-LR IR1HI2_2009346_WSB_JKB1a_R33c|s1|w3




A window admissible for this entry, and for no other entry			
catalogue bound	window value $\pm 2\sigma$	classes admitted by the envelope	measured values for this window
$2 \leq \beta < 2.5$ (transitional)	2.05 ± 0.16	hard, transitional	A_1km 4.41 log ₁₀ m ³
relief ≥ 350 m (subdued, mountainous)	440 ± 60 m	subdued	rms_roughness 72 m
speed < 10 m/yr (very_low, low)	3.1 ± 0.8 m/yr	very_low	η 469 m
elevation < 1000 m (submerged, emerged)	-438 ± 20 m	submerged	hill_count 3
			skewness 0.53
			kurtosis -0.74
			ξ 164 m ²

SHATTERED: Shattered / chaotic



GSM IR1HI2_2009021_ASB_JKB1a_R19Ea|s1|w3



A window admissible for this entry, and for no other entry			
catalogue bound	window value $\pm 2\sigma$	classes admitted by the envelope	measured values for this window
$\beta < 1.5$ (chaotic)	1.02 ± 0.14	chaotic	A_1km 4.62 log ₁₀ m ³
relief unconstrained	128 ± 60 m	flat	rms_roughness 21 m
speed unconstrained	22.4 ± 5.0 m/yr	moderate	η 498 m
elevation unconstrained	-536 ± 20 m	submerged	hill_count 4
			skewness -0.10
			kurtosis 0.22
			ξ 106 m ²