

BASE.css

Requirement / CSS topic	Selector / Property	Line	Student
Color palette	#1F1F1F, #F5F5F5, #D32F2F, #FFFFFF, orange	1–8	Team
Universal selector	*	11	Team
Box sizing	box-sizing: border-box	12	Team
Type selector	body	16	Team
Background color	background-color: rgb(245, 245, 245)	19	Team
Text color	color: #1F1F1F	20	Team
First font family	Arial, Helvetica, sans-serif	21	Team
Font size	font-size: 16px	22	Team
Font weight	font-weight: 400	23	Team
Line height	line-height: 1.6	24	Team
Letter spacing	letter-spacing: 0.2px	25	Team
Grouping selector	h1, h2, h3	29–31	Team
Second font family	Georgia, "Times New Roman", Times, serif	32	Team
Heading font weight	font-weight: 700	33	Team
Header styling	header	38–43	Team
Descendant selector	header p	46	Team
Text alignment	text-align: center	48	Team
Child selector	nav > ul	53	Team
Navigation Flexbox	display: flex	54	Team
Flex direction	flex-direction: row	55	Team
Flex alignment	justify-content: center	56	Team
Flex alignment	align-items: center	57	Team
Flex gap	gap: 18px	58	Team
Grouping selector	nav a, footer a	65–66	Team
Navigation link styling	nav a	72–74	Team
Class selector	.content-card	77	Team
Border	border: 1px solid #D32F2F	80	Team

:hover pseudo-class	nav a:hover	84	Team
:focus pseudo-class	nav a:focus	89	Team
Named color	orange	90	Team
Main container	main	94–99	Team
Centering with margin auto	margin: 0 auto	96	Team
Padding	padding: 30px	97	Team
Child + grouping selector	main > section, main > article, main > aside, main > figure	102–105	Team
Type selector	h1	109	Team
Heading centering	text-align: center	111	Team
Type selector	h2	115	Team
Type selector	p	120	Team
Type selector	a	124	Team
Footer styling	footer	128–134	Team
Footer descendant selector	footer p	136	Team
Margin collapse explanation	Margin collapse comment	140–145	Team

Ali CSS Checklist

Requirement / CSS topic	Selector / Property	Line	Student
Class selector	.restaurant-intro	4	Ali Nadirov
ID selector	#about-restaurant	244	Ali Nadirov
Descendant selector	.branch-info p	257	Ali Nadirov
Child selector	.branch-info > p	400	Ali Nadirov
Adjacent sibling selector	h2 + p	223	Ali Nadirov
Attribute selector	.branch-info a[href^="https://"]	420	Ali Nadirov

:hover pseudo-class	.offer-card:hover	81	Ali Nadirov
:focus pseudo-class	.form-actions button:focus	231	Ali Nadirov
:nth-child() pseudo-class	.information-table tr:nth-child(even)	227	Ali Nadirov
::before pseudo-element	.gallery-section h2::before	248	Ali Nadirov
Classes (8+)	.restaurant-intro, .offer-card, .gallery-item, .form-control, etc.	4, 70, 153, 173...	Ali Nadirov
IDs (2)	#about-restaurant, #branch	244, 265	Ali Nadirov
Grid	.restaurant-intro	4	Ali Nadirov
Grid columns	grid-template-columns: repeat(2, minmax(250px, 1fr))	6	Ali Nadirov
repeat()	repeat(2, ...)	6	Ali Nadirov
minmax()	minmax(250px, 1fr)	6	Ali Nadirov
Grid gap	gap: 20px	7	Ali Nadirov
Grid spanning	grid-column: 1 / -1	17	Ali Nadirov
Second Grid section	.gallery-section	136	Ali Nadirov
Grid centering	justify-self: center	157	Ali Nadirov
Flexbox	.offer-list	57	Ali Nadirov
Flex direction	flex-direction: row	59	Ali Nadirov
Flex wrapping	flex-wrap: wrap	60	Ali Nadirov
Flex alignment	justify-content: center	61	Ali Nadirov
Flex alignment	align-items: stretch	62	Ali Nadirov
Flexible items	flex: 1 1 250px	71	Ali Nadirov
Second Flexbox block	.form-actions	183	Ali Nadirov
Static positioning	main { position: static; }	193	Ali Nadirov
Relative positioning	.branch-details	24	Ali Nadirov

Absolute positioning	.opening-badge	36	Ali Nadirov
Fixed positioning	footer p:last-child	452	Ali Nadirov
Float	.branch-photo { float: left; }	108–109	Ali Nadirov
Clear	.branch-info { clear: both; }	438–439	Ali Nadirov
Centering with margin auto	.information-table	197–201	Ali Nadirov
Centering with Flexbox	.form-actions	183–189	Ali Nadirov
Centering with Grid	.gallery-item	153–157	Ali Nadirov
Specificity	.offer-card	235	Ali Nadirov
Higher specificity	.offers-section .offer-card	240	Ali Nadirov
!important	outline: 3px solid orange !important	232	Ali Nadirov
Font size/weight	.offer-card	275–277	Ali Nadirov
Form styling	.review-form	280	Ali Nadirov
Gallery image styling	.gallery-item img	321	Ali Nadirov
Definition list styling	main dl	341	Ali Nadirov
Ordered list styling	main ol	363	Ali Nadirov
Form fieldset	.review-form fieldset	385	Ali Nadirov
Official link styling	.branch-info a[href^="https://"]	420	Ali Nadirov
Clear explanation	.branch-info comment	437–439	Ali Nadirov
Fixed positioning explanation	footer p:last-child comment	448–453	Ali Nadirov
Additional Information section	main section:nth-of-type(3)	464	Ali Nadirov

Alikhan_CSS_CHECKLIST

Required element	File	Line	Student
Type selector (<code>caption</code>)	Alikhan-Kuttybayev.css	86	Alikhan Kuttybayev
Class selector (<code>.price-table</code>)	Alikhan-Kuttybayev.css	76	Alikhan Kuttybayev
ID selector (<code>#prices</code>)	Alikhan-Kuttybayev.css	58	Alikhan Kuttybayev
ID selector (<code>#customer-reviews</code>)	Alikhan-Kuttybayev.css	296	Alikhan Kuttybayev
ID selector (<code>#review-form</code>)	Alikhan-Kuttybayev.css	367	Alikhan Kuttybayev
Descendant selector (<code>.price-table thead th</code>)	Alikhan-Kuttybayev.css	103	Alikhan Kuttybayev
Descendant selector (<code>.info-note mark</code>)	Alikhan-Kuttybayev.css	253	Alikhan Kuttybayev
Child selector (<code>> (.drink-group > ul)</code>)	Alikhan-Kuttybayev.css	193	Alikhan Kuttybayev
Child selector (<code>> (.review-card > blockquote)</code>)	Alikhan-Kuttybayev.css	334	Alikhan Kuttybayev
Adjacent sibling (<code>+ (blockquote + p)</code>)	Alikhan-Kuttybayev.css	342	Alikhan Kuttybayev

Required element	File	Line	Student
Grouping with commas	Alikhan-Kuttybayev.css	31–32	Alikhan Kuttybayev
Attribute selector (<code>main [lang]</code>)	Alikhan-Kuttybayev.css	220	Alikhan Kuttybayev
Attribute selector (<code>input [type="checkbox"]</code>)	Alikhan-Kuttybayev.css	419–420	Alikhan Kuttybayev
Universal selector (<code>. feedback-form *</code>)	Alikhan-Kuttybayev.css	383	Alikhan Kuttybayev
<code>:hover</code>	Alikhan-Kuttybayev.css	115, 318	Alikhan Kuttybayev
<code>:focus</code>	Alikhan-Kuttybayev.css	283, 426–428	Alikhan Kuttybayev
<code>:nth-child</code>	Alikhan-Kuttybayev.css	110	Alikhan Kuttybayev
<code>::before</code>	Alikhan-Kuttybayev.css	327	Alikhan Kuttybayev
<code>::after</code>	Alikhan-Kuttybayev.css	210	Alikhan Kuttybayev
8+ meaningful classes	Alikhan-Kuttybayev.css	17, 42, 76, 124, 150, 170, 203, 229, 266, 310, 371	Alikhan Kuttybayev
2+ ids, comment why	Alikhan-Kuttybayev.css	58, 296, 367	Alikhan Kuttybayev
Colour: hex	Alikhan-Kuttybayev.css	25	Alikhan Kuttybayev
Colour: <code>rgb()</code>	Alikhan-Kuttybayev.css	111	Alikhan Kuttybayev
Colour: <code>rgba()</code>	Alikhan-Kuttybayev.css	116	Alikhan Kuttybayev
Named colour (<code>orange</code>)	Alikhan-Kuttybayev.css	284	Alikhan Kuttybayev
Font family 2 with fallback	Alikhan-Kuttybayev.css	88	Alikhan Kuttybayev
<code>font-size, font-weight, line-height, letter-spacing</code>	Alikhan-Kuttybayev.css	36–39	Alikhan Kuttybayev
<code>box-sizing, margin, padding, border</code>	Alikhan-Kuttybayev.css	22–25	Alikhan Kuttybayev
Margin-collapse comment	Alikhan-Kuttybayev.css	11–16	Alikhan Kuttybayev
<code>text-align</code>	Alikhan-Kuttybayev.css	47	Alikhan Kuttybayev
Specificity experiment (0,1,0) vs (1,1,0)	Alikhan-Kuttybayev.css	352, 359	Alikhan Kuttybayev

Required element	File	Line	Student
Flex nav-style container, flex-wrap	Alikhan-Kuttybayev.css	170, 173	Alikhan Kuttybayev
Items grow/shrink (flex: 1 1 280px)	Alikhan-Kuttybayev.css	184	Alikhan Kuttybayev
flex-direction	Alikhan-Kuttybayev.css	126, 172	Alikhan Kuttybayev
Grid section, fr/repeat()/minmax()/gap	Alikhan-Kuttybayev.css	58–61	Alikhan Kuttybayev
Grid item spanning columns	Alikhan-Kuttybayev.css	68, 307	Alikhan Kuttybayev
Grid vs flex comment	Alikhan-Kuttybayev.css	52–57	Alikhan Kuttybayev
position: static + comment	Alikhan-Kuttybayev.css	19–21	Alikhan Kuttybayev
position: relative (containing block)	Alikhan-Kuttybayev.css	230	Alikhan Kuttybayev
position: absolute (badge)	Alikhan-Kuttybayev.css	240	Alikhan Kuttybayev
position: fixed	Alikhan-Kuttybayev.css	267	Alikhan Kuttybayev
float: left + comment	Alikhan-Kuttybayev.css	151	Alikhan Kuttybayev
clear: both + comment	Alikhan-Kuttybayev.css	158–163	Alikhan Kuttybayev
Centering 1: margin auto	Alikhan-Kuttybayev.css	79	Alikhan Kuttybayev
Centering 2: flexbox	Alikhan-Kuttybayev.css	124–127	Alikhan Kuttybayev
Centering 3: absolute + transform	Alikhan-Kuttybayev.css	240–243	Alikhan Kuttybayev
CSS linked: base.css then personal	menu.html / reviews.html	11–12	Alikhan Kuttybayev

NurasyL.css

Requirement / CSS topic	Selector / Property	Line	Student
Type selector	main	2	Mazhit NurasyL
Class selector	.order-info	6	Mazhit NurasyL
ID selector	#info	83	Mazhit NurasyL

Second ID selector	#form	87	Mazhit Nurasy
Descendant selector	.order-form input	168	Mazhit Nurasy
Child selector	.order-form > fieldset	172	Mazhit Nurasy
Adjacent sibling selector	h2 + p	177	Mazhit Nurasy
Grouping selector	.food-table th, .food-table td	153–154	Mazhit Nurasy
Attribute selector	input[type="email"]	181	Mazhit Nurasy
Universal selector	.order-form *	164	Mazhit Nurasy
:hover pseudo-class	.form-actions button:hover	111	Mazhit Nurasy
Second :hover	.faq-actions a:hover	137	Mazhit Nurasy
:focus pseudo-class	input:focus, select:focus, textarea:focus	185–188	Mazhit Nurasy
:nth-child() pseudo-class	.food-table tbody tr:nth-child(even)	160	Mazhit Nurasy
::before pseudo-element	.important-note h2::before	191	Mazhit Nurasy
Classes (8+)	.order-info, .order-badge, .back-link, .order-photo, .clear-section, .form-actions, .faq-actions, .food-table...	6, 14, 25, 37, 44, 93, 117, 142...	Mazhit Nurasy
IDs (2)	#info, #form	83, 87	Mazhit Nurasy
Grid	.order-grid-container	48	Mazhit Nurasy
Grid columns	grid-template-columns: repeat(2, minmax(250px, 1fr))	50	Mazhit Nurasy
repeat()	repeat(2, ...)	50	Mazhit Nurasy
minmax()	minmax(250px, 1fr)	50	Mazhit Nurasy
fr unit	1fr	50	Mazhit Nurasy
Grid gap	gap: 20px	51	Mazhit Nurasy

Grid spanning	<code>grid-column: 1 / -1</code>	63	Mazhit Nurasyil
Second Grid section	<code>.faq-grid-container</code>	55	Mazhit Nurasyil
Second Grid columns	<code>repeat(2, minmax(280px, 1fr))</code>	57	Mazhit Nurasyil
Grid centering	<code>.photo-center-grid</code>	77–80	Mazhit Nurasyil
Flexbox	<code>.form-actions</code>	93	Mazhit Nurasyil
Flex direction	<code>flex-direction: row</code>	95	Mazhit Nurasyil
Flex wrapping	<code>flex-wrap: wrap</code>	96	Mazhit Nurasyil
Flex horizontal alignment	<code>justify-content: center</code>	97	Mazhit Nurasyil
Flex vertical alignment	<code>align-items: center</code>	98	Mazhit Nurasyil
Flex gap	<code>gap: 15px</code>	99	Mazhit Nurasyil
Flexible items	<code>flex: 1 1 140px</code>	103	Mazhit Nurasyil
Second Flexbox block	<code>.faq-actions</code>	117	Mazhit Nurasyil
Second Flex flexible items	<code>.faq-actions a { flex: 1 1 140px; }</code>	126–128	Mazhit Nurasyil
Static positioning	<code>main { position: static; }</code>	1–3	Mazhit Nurasyil
Relative positioning	<code>.order-info { position: relative; }</code>	5–11	Mazhit Nurasyil
Absolute positioning	<code>.order-badge { position: absolute; }</code>	13–22	Mazhit Nurasyil
Fixed positioning	<code>.back-link { position: fixed; }</code>	24–34	Mazhit Nurasyil
Float	<code>.order-photo { float: left; }</code>	36–41	Mazhit Nurasyil
Clear	<code>.clear-section { clear: both; }</code>	43–45	Mazhit Nurasyil
Centering with margin auto	<code>.food-table { margin: 20px auto; }</code>	141–146	Mazhit Nurasyil
Centering with Flexbox	<code>.form-actions</code>	92–100	Mazhit Nurasyil
Centering with Grid	<code>.photo-center-grid</code>	74–80	Mazhit Nurasyil
Specificity rule 1	<code>.food-table — (0,1,0)</code>	141–146	Mazhit Nurasyil
Higher specificity rule	<code>.popular-food .food-table — (0,2,0)</code>	148–150	Mazhit Nurasyil

Specificity winner	<code>.popular-food .food-table</code>	148–150	Mazhit Nurasy
Table styling	<code>.food-table th, .food-table td</code>	153–157	Mazhit Nurasy
Table row styling	<code>.food-table tbody tr:nth-child(even)</code>	159–161	Mazhit Nurasy
Form styling	<code>.order-form input</code>	167–169	Mazhit Nurasy
Form fieldset	<code>.order-form > fieldset</code>	171–174	Mazhit Nurasy
Email input styling	<code>input[type="email"]</code>	180–182	Mazhit Nurasy
Focus styling	<code>outline: 2px solid #D32F2F</code>	184–188	Mazhit Nurasy
Popular food section	<code>.popular-food</code>	194–196	Mazhit Nurasy
Reusable class	<code>.form-control</code>	198–199	Mazhit Nurasy
Customer opinion styling	<code>.customer-opinion</code>	201–204	Mazhit Nurasy
Important note styling	<code>.important-note</code>	206–209	Mazhit Nurasy
Internal cascade external rule	<code>.cascade-demo</code>	216–218	Mazhit Nurasy
Inline cascade external rule	<code>.inline-demo</code>	225–226	Mazhit Nurasy
Definition list term spacing	<code>.faq-grid-container dt</code>	228–229	Mazhit Nurasy
Definition list description spacing	<code>.faq-grid-container dd</code>	231–232	Mazhit Nurasy
FAQ list styling	<code>.faq-grid-container ul</code>	234–235	Mazhit Nurasy