

AI-Log

Project: Doner na Abaya Website

Course: WEB Technologies 1

Assignment: Assignment 3 — Bootstrap Responsive Design

Ali Nadirov AI Usage Log

In this assignment, I used AI tools such as ChatGPT to understand Bootstrap concepts, check whether my pages met the assignment requirements, and understand how Bootstrap classes could replace parts of my previous custom CSS. I used AI mainly for explanations, troubleshooting, and reviewing my own code. I made the final changes to my HTML and CSS myself.

Prompt 1

AI Tool: ChatGPT

Prompt:

"What is the difference between `.container` and `.container-fluid` in Bootstrap, and when should I use each one?"

Why I asked:

The assignment requires the project to use both `.container` and `.container-fluid`. I wanted to understand why they are different and where each one would be appropriate on my website.

How I used the answer:

I learned that `.container` provides a responsive fixed maximum width at different Bootstrap breakpoints, while `.container-fluid` uses the full available width. I used `.container` for the main page content and `.container-fluid` for wider elements such as the header and navigation area.

Prompt 2

AI Tool: ChatGPT

Prompt:

"How does the Bootstrap grid system work with classes like `col-12` `col-md-6` `col-lg-4`?"

Why I asked:

The assignment requires responsive columns that change depending on screen width. I wanted to understand what each class means instead of using the classes without knowing how they work.

How I used the answer:

I learned that `col-12` makes an element take the full row width on small screens, `col-md-6` gives it half of the row from the medium breakpoint, and `col-lg-4` gives it one third of the row on large screens. I used this combination for the offer cards on my About page.

Prompt 3

AI Tool: ChatGPT

Prompt:

"How can Bootstrap spacing and alignment utility classes replace custom CSS margins and padding?"

Why I asked:

The assignment requires Bootstrap utility classes and asks us to remove custom CSS that Bootstrap can replace. I wanted to understand which classes could replace my previous spacing rules.

How I used the answer:

I learned how classes such as `p-3`, `p-4`, `mb-5`, `g-4`, `text-center`, and `text-md-start` can control spacing and alignment without writing separate CSS rules. I used these utilities throughout my About and Gallery pages.

Prompt 4

AI Tool: ChatGPT

Prompt:

"How does the Bootstrap responsive navbar with `navbar-expand-lg`, `navbar-toggler`, and `collapse` work?"

Why I asked:

The assignment requires the navigation menu to collapse on smaller screens and work with a mobile toggler. I wanted to understand how the Bootstrap navbar component works.

How I used the answer:

I learned that `navbar-expand-lg` keeps the navigation expanded on large screens and changes it to a collapsed menu below the large breakpoint. I used `navbar-toggler`, `navbar-collapse`, and the Bootstrap collapse attributes so that the mobile navigation can be opened and closed.

Prompt 5

AI Tool: ChatGPT

Prompt:

"Which Bootstrap classes can replace custom card, border, shadow, and button CSS?"

Why I asked:

My previous version of the project contained many custom CSS rules for cards, borders, shadows, and buttons. The assignment requires Bootstrap to handle most of these styles and the custom stylesheet to be much smaller.

How I used the answer:

I learned that Bootstrap classes such as `card`, `border`, `border-danger`, `rounded`, `rounded-3`, `shadow`, `shadow-sm`, and `btn` can provide these styles without additional custom CSS. I replaced many of my previous rules with Bootstrap classes and kept only the CSS that was still needed for my own image aspect ratios.

Mazhit Nurasyil AI Usage Log

Prompt 1

AI Tool: ChatGPT

Prompt:

"How do Bootstrap responsive display classes like `d-none` and `d-md-inline-block` work, and when should I use them?"

Why I asked:

The assignment requires elements to hide, show, or change at different screen widths. I wanted to understand how Bootstrap display utilities work instead of writing custom media queries.

How I used the answer:

I learned that `d-none` hides an element by default and `d-md-inline-block` shows it from the medium breakpoint. I used these classes for elements such as the Order Guide badge and the Open 24/7 badge so they do not take extra space on small phone screens. order faq

Prompt 2

AI Tool: ChatGPT

Prompt:

"How do I correctly make a nested Bootstrap grid with a row inside a column, and why is nesting useful?"

Why I asked:

The assignment requires at least one nested Bootstrap grid. I wanted to understand how to place another row inside an existing column without breaking the Bootstrap grid structure.

How I used the answer:

I learned that a new `.row` can be placed inside a Bootstrap column and then contain its own columns. I used this on the Order page inside the `col-md-8` section to create separate Pickup and Delivery blocks. order

Prompt 3

AI Tool: ChatGPT

Prompt:

"What is the difference between `table-responsive` and Bootstrap table classes like `table-striped`, `table-bordered`, and `table-hover`?"

Why I asked:

My Order page contains a food and price table, and the assignment requires the page to work correctly on phone screens. I wanted to understand which Bootstrap classes control the table appearance and which class helps with responsiveness.

How I used the answer:

I learned that `table-responsive` provides a responsive wrapper for the table, while classes such as `table-striped`, `table-bordered`, and `table-hover` control its visual style. I used these classes for the Popular Food table instead of keeping the custom table CSS from Assignment 2. order

Prompt 4

AI Tool: ChatGPT

Prompt:

"How do Bootstrap form classes such as `form-control`, `form-select`, `form-check`, and `form-check-inline` replace custom form CSS?"

Why I asked:

My Order page has different form elements such as text inputs, email, phone, date, a select menu, radio buttons, textarea, and checkbox. The assignment says Bootstrap should do most of the styling, so I wanted to understand which classes should be used for each type of form control.

How I used the answer:

I learned that `form-control` styles normal inputs and textareas, `form-select` styles select menus, and `form-check` or `form-check-inline` can be used for checkboxes and radio buttons. I applied these classes to the Order form and removed the old custom form layout styles. order

Prompt 5

AI Tool: ChatGPT

Prompt:

"How does the Bootstrap Accordion component work with data-bs-toggle, data-bs-target, collapse, and data-bs-parent?"

Why I asked:

The assignment requires one Bootstrap component that is suitable for the project. I decided that Accordion was useful for the FAQ page because users can open and close questions without showing every answer at the same time.

How I used the answer:

I learned that data-bs-toggle="collapse" activates the collapse behaviour, data-bs-target connects the button to the answer section, and data-bs-parent connects the items to the same Accordion. I used this component for the restaurant FAQ questions and adapted the content to our existing questions and answers.

Kuttybayev Alikhan AI Usage Log

Prompt 1

AI Tool: ChatGPT

Prompt:

"How can I style an HTML table with Bootstrap so that it looks good but doesn't cause a horizontal scrollbar on mobile screens?"

Why I asked: The assignment explicitly mentions a 10-point penalty for horizontal overflow at the 375px phone width. I wanted to safely include a table for my doner prices on the Menu page without breaking the responsive layout.

How I used the answer: The AI suggested wrapping the table in a <div class="table-responsive">. I applied this to the prices table on my Menu page along with table-striped, table-hover, and table-bordered, ensuring the page stays strictly within the screen width on phones.

Prompt 2

AI Tool: ChatGPT

Prompt:

"How do I put several form buttons in a row with a gap between them in Bootstrap without writing my own flexbox CSS?"

Why I asked: The assignment strictly forbids rebuilding layouts with hand-written flex rules, which carries a 10-point penalty, and requires the use of utility classes. I needed to style the action buttons at the bottom of my review form.

How I used the answer: I learned to use Bootstrap's utility classes d-flex, flex-wrap, and gap-2. I applied these to the button container in reviews.html, allowing me to completely replace my old hand-written .form-actions flexbox CSS.

Prompt 3

AI Tool: ChatGPT

Prompt:

"How can I hide a fixed button on small mobile screens but show it on tablets and desktops using Bootstrap classes?"

Why I asked: The assignment requires using responsive display utilities to hide, show, or re-align at least two elements at different breakpoints. I wanted to add a "Back to prices" button that wouldn't block the text on small devices.

How I used the answer: ChatGPT explained the combination of d-none and d-md-inline-block classes. I added these to the fixed button on the Menu page so it remains hidden on phones where it would cover text, but appears automatically starting from the medium breakpoint.

Prompt 4

AI Tool: ChatGPT

Prompt:

"How do I place a Bootstrap badge exactly on the top center border of a container without writing custom positioning CSS?"

Why I asked: I wanted to implement a badge as my required Bootstrap component. However, I needed to make sure Bootstrap did the heavy lifting for positioning, as the assignment requires reducing custom CSS to just a small correction layer.

How I used the answer: I learned about position utilities and applied position-relative to my `<aside>` element. I then added position-absolute top-0 start-50 translate-middle to the badge element itself, which perfectly centered the "Halal certified" badge on the top border using only Bootstrap classes.