

PART V: Polkadot-JS (Substrate setups)

1. Substrate accounts: Set Substrate networks for your Polkadot-JS accounts.

The screenshot shows the Polkadot/Substrate Portal interface. The main window displays a list of accounts under the 'Accounts' tab. The accounts listed are:

Account Name	Type	Tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

A blue callout box with the text "1. Click on the Polkadot-JS extension icon to reveal the Accounts window." points to the Polkadot-JS extension icon in the browser's toolbar. A green arrow points to the extension icon.

A second blue callout box with the text "2. Click on the 3 vertical dots to reveal the Account settings window." points to the three vertical dots next to the 'Anaelle LTD@KSM' account in the Accounts window. A green arrow points to the three vertical dots.

The Accounts window shows a list of accounts with their names, addresses, and network tags. The accounts listed are:

- CRING (Darwinia Crab)
- ALTD@KSM (Kusama)
- Anaelle LTD@KSM (Kusama)
- ALTD@DOT (Polkadot)

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.1

The screenshot shows the Polkadot/Substrate Portal interface. The main navigation bar includes 'Accounts', 'Network', 'Governance', and 'Developer'. The 'Accounts' section is active, displaying a list of accounts under the 'My accounts' tab. The list includes 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM', both marked as 'injected' and having 'no tags'. A modal window titled 'Accounts' is open, showing a list of accounts: 'CRING' (Darwinia Crab), 'ALTD@KSM' (Kusama), 'Anaelle LTD@KSM', and 'ALTD@DOT'. A context menu is open over the 'ALTD@DOT' account, offering options: 'Rename', 'Derive New Account', 'Export Account', 'Forget Account', and 'Kusama Relay Chain'. A green arrow points to the dropdown arrow next to 'Kusama Relay Chain'.

3. Click on the **dropdown arrow** to show the list of Substrate networks.

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.1

The screenshot shows the Polkadot/Substrate Portal interface. The top navigation bar includes 'Accounts', 'Network', 'Governance', and 'Developer'. The 'Accounts' section is active, displaying a list of accounts under the heading 'accounts'. A blue callout box with a green arrow points to the 'Network' dropdown menu, which is open, showing a list of Substrate networks. The callout box contains the text: '4. Select one Substrate network from the list or choose **Allow use on any chain** to access all Substrate networks.'

Accounts

filter by name or tags

accounts	type	tags
ALTD@KSM (EXTENSION)	injected	no tags
ANAELLE LTD@KSM	injected	no tags

Network Selection Dropdown:

- Allow use on any chain
- Polkadot Relay Chain
- Kusama Relay Chain
- Acala Mandala TC5
- Acala Mandala TC6
- Bifrost Asgard CC4
- Bit.Country Tewai Chain
- ChainX
- Crust Maxwell**
- Darwinia
- Darwinia Crab
- Dock Mainnet
- Edgeware
- Equilibrium Network
- EquilibriumTestnet
- Galois
- HydraDX
- Jupiter A1
- Karura
- Kulupu
- Kusama Relay Chain

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.1

The screenshot displays the 'Accounts' section of the Polkadot-JS interface. On the left, a sidebar shows 'Accounts' selected, with 'My accounts' and 'Vanity generator' as sub-options. The main area lists accounts under the heading 'accounts'. Two accounts are visible: 'ALTD@KSM (EXTENSION)' and 'ANAELLE LTD@KSM', both marked as 'injected' with 'no tags'. A blue callout box with the text '5. Your account is now set up to access your chosen Substrate network.' is overlaid on the right side of the interface. The background shows a dark-themed 'Accounts' panel with a list of accounts: 'CRING' (5CaG...), 'Anaelle LTD@KSM' (5HDzaY5r7QosxXtsTadzkg2XCT62AwVdE86U1Ev1tquDAud6), and 'ALTD@DOT'. The 'Anaelle LTD@KSM' account is highlighted with a green circle, and the 'Crust Maxwell' tag is visible next to it. Other tags like 'Darwinia Crab' and 'Polkadot' are also present.

Kusama
kusama/9070
#8,137,530

Accounts Network Governance Developer

Accounts My accounts Vanity generator

filter by name or tags

accounts	type	tags
★ ALTD@KSM (EXTENSION)	injected	no tags
★ ANAELLE LTD@KSM	injected	no tags

5. Your account is now set up to access your chosen Substrate network.

Accounts

CRING
5CaG...

Anaelle LTD@KSM
5HDzaY5r7QosxXtsTadzkg2XCT62AwVdE86U1Ev1tquDAud6

ALTD@DOT

Crust Maxwell

Polkadot

send

2. Substrate chains: Switch between Relay chain/Parachain/Testnets' interfaces.

The screenshot shows the Polkadot-JS interface. At the top, there is a dark navigation bar with the Kusama logo, the text 'Kusama kusama/9070 #8,137,536', and a dropdown arrow. To the right of this are links for 'Accounts', 'Network', 'Governance', 'Developer', and 'Settings'. Further right are links for 'GitHub' and 'Wiki'. Below the navigation bar, there is a section with 'Accounts', 'My accounts', and 'Vanity generator'. A green arrow points to the dropdown arrow in the top navigation bar. Below this, a blue box contains the text: '1. Click on the **dropdown arrow** to show the Substrate networks sidebar.' To the right of this box are buttons for 'Add account', 'Restore JSON', 'Add via Qr', 'Multisig', and 'Proxied'. Below these buttons is a search bar labeled 'filter by name or tags'. Below the search bar is a table with the following columns: 'accounts', 'type', 'tags', and 'balances'. The table contains two rows of accounts:

accounts	type	tags	balances
ALTD@KSM (EXTENSION)	injected	no tags	10.3509 KSM
ANAELLE LTD@KSM	injected	no tags	1.0376 KSM

At the bottom right of the table, the total balance is shown as 11.3886 KSM.

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.1

The screenshot displays the Polkadot-JS Apps interface. The sidebar on the left lists various Substrate networks under the heading 'KUSAMA & PARACHAINS'. The 'Kusama' network is highlighted with a green box. Below it, other networks like Statemine, Bifrost, and Crust Shadow are listed. The main content area shows a table of account balances for the selected network. A blue callout box points to the sidebar, and another blue callout box points to the network selection dropdown in the sidebar.

2. The sidebar displays your **current Substrate network and node**.

3. Navigate the sidebar dropdown menus to **find your chosen Substrate network**.

type	tags	balances
injected	no tags	10.3509 KSM
injected	no tags	1.0376 KSM
		11.3886 KSM

GUIDE TO POLKADOT-JS APPS – PART V: Polkadot-JS (Substrate setups)

Version 1.1

The screenshot displays the Polkadot-JS Apps interface. On the left, a sidebar lists various networks under categories like 'POLKADOT & PARACHAINS', 'KUSAMA & PARACHAINS', 'TEST WESTEND & PARACHAINS', 'TEST ROCOCO & PARACHAINS', 'LIVE NETWORKS', and 'TEST NETWORKS'. The 'TEST NETWORKS' section is expanded, showing a list of networks including Amber, Arcadia, Beresheet, Bifrost Asgard, Bit.Country Tewai, Canvas, Crust Maxwell, and Dock. A green arrow points from the 'Switch' button at the top of the sidebar to the 'Crust Maxwell' network entry. Another green arrow points from the 'Crust Maxwell' entry to the 'via DCloud Foundation' option. A blue callout box with the text '4. Select a node for your chosen Substrate network, then click on Switch.' is overlaid on the interface.

4. Select a node for your chosen Substrate network, then click on Switch.

5. You have successfully switched Substrate networks!

Crust Maxwell
crust/25
#2,215,340

Accounts Network Governance Developer Settings 1

Accounts My accounts Vanity generator

6. If prompted, update your **settings**.

You have 1 extensions that need to be updated with the latest chain properties in order to display the correct information for the chain you are connected to. This update includes chain metadata and chain properties.

Visit your [settings page](#) to apply the updates to the injected extensions.

filter by name or tags

accounts	type	tags	balances
★ ANAELLE LTD@KSM (EXTENSION)	injected	no tags	0.0000 CRU send
			0.0000 CRU