# PART V: Polkadot-JS (Substrate setups)

1. Substrate accounts: Set Substrate networks for your Polkadot-JS accounts.

1. Click on the Polkadot.JS Extension icon to reveal the **Accounts** window.

2. Click on the 3 vertical dots to reveal the **Account settings** window.

3. Click on the dropdown arrow to show the **Networks list**.

4. Select **one** network from the list or choose **Allow use on any chain** to access all networks.

5. **Your account is now set up to access your chosen network.**

2. **Substrate chains:** Switch between Relay chain/Parachain/Testnets' interfaces.

1. Click on the dropdown arrow to show the **Networks sidebar**.

2. The sidebar displays your **current network and node**.

3. Navigate the sidebar dropdown menus to **find your chosen network.**

4. Select a **node for your chosen network**, then click on **Switch**.

5. **You have successfully switched networks**!

6. If prompted, update your **Polkadot-JS settings.**

You have 1 extensions that need to be updated with the latest chain properties in order to display the correct information for the chain you are connected to. This update includes chain metadata and chain properties.

Visit your settings page to apply the updates to the injected extensions.

filter by name or tags

● accounts		type	tags	balances		
☆ ⋮	ANAELLE LTD@KSM (EXTENSION)	injected	no tags	0.0000 CRU ▾	◢ send	⋮
				0.0000 CRU		