



jobid: 16574	uid: 1000	nprocs: 4	runtime: 1 seconds
--------------	-----------	-----------	--------------------

I/O performance *estimate* (at the MPI-IO layer): transferred 0.0 MiB at 1.50 MiB/s I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.36 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

	access size	count
POSIX	400	8
MPI-IO ‡	400	8

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	3	557	1.6K
read-only files	0	0	0
write-only files	2	35	39
read/write files	1	1.6K	1.6K
created files	3	557	1.6K




Average I/O per process (POSIX and STDIO)

hours:minutes:seconds

Twerage if 6 per process (1 contains 51516)							
	Cumulative time spent in	Amount of I/O (MB)					
	I/O functions (seconds)						
Independent reads	0	0					
Independent writes	1e-06	9.29832458496094e-06					
Independent metadata	2.225e-05	N/A					
Shared reads	2e-06	0.0003814697265625					
Shared writes	2.25e-05	0.000411033630371094					
Shared metadata	9.25e-06	N/A					

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Wr	ite	Read		
	MiB	Ratio	MiB	Ratio	
UNKNOWN	0.00012	0.07033	0.00000	0.00000	
/	0.00156	0.92967	0.00153	1.00000	



 $sequential: An I/O op issued at an offset greater than where the previous I/O op ended. \\ consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest		σ			
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
chmark/todel	4	1	0.000013	800	0	0.000023	800	0	0
<stdout></stdout>	4	1	0.000012	31	2	0.000021	31	0	0