

jobid: 29262 uid: 1000 runtime: 1083 seconds nprocs: 4

I/O performance estimate (at the STDIO layer): transferred 0.3 MiB at 15.07 MiB/s







File Count Summary (estimated by POSIX I/O access offsets)


Most Common Access Sizes

	MPI-IO)	
	access size	count

type	number of files	avg. size	max size	
total opened	7	47K	311K	
read-only files	2	158K	311K	
write-only files	3	3.8K	5.7K	
read/write files	0	0	0	
created files	3	3.8K	5.7K	








Average I/O per process (POSIX and STDIO)

riverage if a per process (rabilitatia biblo)							
	Cumulative time spent in	Amount of I/O (MB)					
	I/O functions (seconds)						
Independent reads	0.00037075	0.0768976211547852					
Independent writes	0.00106225	0.00135087966918945					
Independent metadata	6.725e-05	N/A					
Shared reads	0	0					
Shared writes	0.00378175	0.0013725757598877					
Shared metadata	0	N/A					

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Wr	rite	Read		
The System	MiB	Ratio	MiB	Ratio	
UNKNOWN	0.00549	0.50398	0.00000	0.00000	
/	0.00540	0.49602	0.30759	1.00000	



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
<stdout></stdout>	4	1	0.000000	0	0	0.015127	5.7K	0.00656	2.49e+03