## References

- [1] Koffi Ganyo Eric Agbessi. 3\_Dynamique spatiale des populations de Cercopithecus erythrogaster erythrogaster Gray dans le complexe d'aires protégées Togodo (Togo). , .
- [2] Barthélémy Kassa, Georges Nobimè, Laurence Hanon, Achille Ephrem Assogbadjo, and Brice Sinsin.
- 2\_Caractéristiques de l'habitat du singe à ventre rouge (Cercopithecus e. erythrogaster) dans le Sud-Bénin. Quelles aires protégées pour l'Afrique de l'Ouest ? : Conservation de la biodiversité et développement, Ed.: Fournier, Anne and Mensah, Guy Apollinaire, IRD Éditions, pp. 262–271, 2014.

Note: Code: Quelles aires protégées pour l'Afrique de l'Ouest ? : Conservation de la biodiversité et développement

- [3] Andy Purvis, Kate E. Jones, and Georgina M. Mace. 1\_Extinction. BioEssays, 22, pp. 1123-1133, 2000.
- [4] William J. McSHEA. 6\_What are the roles of species distribution models in conservation planning?. Environmental Conservation, 41, pp. 93–96, 2014.

Note: Publisher: Cambridge University Press

- [5] A. Townsend Peterson and Jorge Soberón. 4\_Species Distribution Modeling and Ecological Niche Modeling: Getting the Concepts Right. Natureza & Conservação, **10**, pp. 102–107, 2012.
- [6] Matteo Pecchi, Maurizio Marchi, Vanessa Burton, Francesca Giannetti, Marco Moriondo, Iacopo Bernetti, Marco Bindi, and Gherardo Chirici. *7\_Species distribution modelling to support forest management. A literature review.* Ecological Modelling, **411**, pp. 108817, 2019.
- [7] Sara Beery, Elijah Cole, Joseph Parker, Pietro Perona, and Kevin Winner. *8\_Species Distribution Modeling for Machine Learning Practitioners: A Review.* ACM SIGCAS Conference on Computing and Sustainable Societies, Association for Computing Machinery, pp. 329–348, 2021.
- [8] Chunrong Mi, Falk Huettmann, Yumin Guo, Xuesong Han, and Lijia Wen. 9\_Why choose Random Forest to predict rare species distribution with few samples in large undersampled areas? Three Asian crane species models provide supporting evidence. Peerl, 5, pp. e2849, 2017.

Note: Publisher: Peerl Inc.

[9] André S. J. van Proosdij, Marc S. M. Sosef, Jan J. Wieringa, and Niels Raes. *10\_Minimum required number of specimen records to develop accurate species distribution models.* Ecography, **39**, pp. 542–552, 2016.

Note: \_eprint: https://onlinelibrary.wiley.com/doi/pdf/10.1111/ecog.01509

- [10] Leo Breiman. 11\_Random Forests (mathematics). Machine Learning, 45, pp. 5-32, 2001.
- [11] Damaris Zurell, Janet Franklin, Christian König, Phil J. Bouchet, Carsten F. Dormann, Jane Elith, Guillermo Fandos, Xiao Feng, Gurutzeta Guillera-Arroita, Antoine Guisan, José J. Lahoz-Monfort, Pedro J. Leitão, Daniel S. Park, A. Townsend Peterson, Giovanni Rapacciuolo, Dirk R. Schmatz, Boris Schröder, Josep M. Serra-Diaz, Wilfried Thuiller, Katherine L. Yates, Niklaus E. Zimmermann, and Cory Merow. 5\_A standard protocol for reporting species distribution models. Ecography, 43, pp. 1261–1277, 2020.

Note: \_eprint: https://onlinelibrary.wiley.com/doi/pdf/10.1111/ecog.04960