ACTIVITY MAIN.XML

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/</pre>
android"
    xmlns:tools="http://schemas.android.com/tools"
android:layout width="match parent"
    android:layout height="match parent"
tools:context=".MainActivity">
     <TextView
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:textAppearance="?android:attr/textAppearanceLarge"
        android:text="Name"
        android:id="@+id/textView"
        android:layout alignParentTop="true"
        android:layout alignParentLeft="true"
        android:layout alignParentStart="true" />
    <TextView
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:textAppearance="?android:attr/textAppearanceLarge"
        android:text="Surname"
        android:id="@+id/textView2"
        android:layout_below="@+id/editText_name"
        android:layout alignParentLeft="true"
        android:layout alignParentStart="true" />
    <TextView
        android:layout width="wrap content"
        android:layout_height="wrap_content"
        android:textAppearance="?android:attr/textAppearanceLarge"
```

```
android:text="Marks"
   android:id="@+id/textView3"
    android:layout below="@+id/editText surname"
    android:layout alignParentLeft="true"
    android:layout alignParentStart="true" />
<EditText
    android:layout width="match_parent"
    android:layout height="wrap content"
    android:id="@+id/editText name"
    android:layout alignTop="@+id/textView"
   android:layout toRightOf="@+id/textView"
    android:layout toEndOf="@+id/textView" />
<EditText
    android:layout width="match parent"
   android:layout height="wrap content"
   android:id="@+id/editText surname"
   android:layout alignTop="@+id/textView2"
    android:layout toRightOf="@+id/textView2"
    android:layout toEndOf="@+id/textView2" />
<EditText
   android:layout_width="match_parent"
   android:layout height="wrap content"
   android:id="@+id/editText Marks"
    android:layout below="@+id/editText surname"
   android:layout toRightOf="@+id/textView3"
    android:layout toEndOf="@+id/textView3" />
<Button
    android:layout width="wrap content"
    android:layout height="wrap content"
```

```
android:text="Add Data"
   android:id="@+id/button add"
   android:layout below="@+id/editText Marks"
    android:layout alignParentLeft="true"
    android:layout alignParentStart="true"
    android:layout marginTop="76dp" />
<Button
   android:layout width="wrap content"
    android:layout height="wrap content"
    android:text="View All"
   android:id="@+id/button_viewAll"
   android:layout above="@+id/button update"
    android:layout centerHorizontal="true" />
<Button
    android:layout width="wrap content"
   android:layout height="wrap content"
   android:text="Update"
    android:id="@+id/button update"
    android:layout below="@+id/button add"
   android:layout alignParentLeft="true"
    android:layout alignParentStart="true" />
<Button
   android:layout width="wrap content"
    android:layout height="wrap content"
    android:text="Delete"
   android:id="@+id/button delete"
   android:layout centerVertical="true"
    android:layout below="@+id/button viewAll"
    android:layout alignLeft="@+id/button viewAll"
```

```
android:layout alignStart="@+id/button viewAll" />
    <TextView
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:textAppearance="?android:attr/textAppearanceLarge"
        android:text="id"
        android:id="@+id/textView id"
        android:layout below="@+id/editText Marks"
        android:layout alignParentLeft="true"
        android:layout alignParentStart="true" />
    <EditText
        android:layout_width="match_parent"
        android:layout height="wrap content"
        android:id="@+id/editText id"
        android:layout alignTop="@+id/textView id"
        android:layout toRightOf="@+id/textView3"
        android:layout toEndOf="@+id/textView3" />
</RelativeLayout>
```

MAINACTIVITY. JAVA

```
package com.example.dbtest;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.database.Cursor;
import android.os.Bundle;
import android.view.Menu;
import android.view.MenuItem;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
    DatabaseHelper myDb;
    EditText editName,editSurname,editMarks ,editTextId;
    Button btnAddData;
    Button btnviewAll;
    Button btnDelete;
    Button btnviewUpdate;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity main);
        myDb = new DatabaseHelper(this);
        editName = (EditText)findViewById(R.id.editText name);
        editSurname =
(EditText)findViewById(R.id.editText_surname);
```

```
editMarks = (EditText)findViewById(R.id.editText Marks);
        editTextId = (EditText)findViewById(R.id.editText id);
        btnAddData = (Button)findViewById(R.id.button add);
        btnviewAll = (Button)findViewById(R.id.button viewAll);
        btnviewUpdate= (Button)findViewById(R.id.button update);
        btnDelete= (Button)findViewById(R.id.button delete);
        AddData();
        viewAll();
        UpdateData();
        DeleteData();
    }
    public void DeleteData() {
        btnDelete.setOnClickListener(
                new View.OnClickListener() {
                    @Override
                    public void onClick(View v) {
                        Integer deletedRows =
myDb.deleteData(editTextId.getText().toString());
                        if(deletedRows > 0)
                            Toast.makeText(MainActivity.this, "Data
Deleted", Toast. LENGTH LONG).show();
                        else
                            Toast.makeText(MainActivity.this, "Data
not Deleted", Toast.LENGTH LONG).show();
                    }
                }
        );
    }
    public void UpdateData() {
        btnviewUpdate.setOnClickListener(
```

```
new View.OnClickListener() {
                    @Override
                    public void onClick(View v) {
                        boolean isUpdate =
myDb.updateData(editTextId.getText().toString(),
                                 editName.getText().toString(),
editSurname.getText().toString(),editMarks.getText().toString());
                        if(isUpdate == true)
                            Toast.makeText(MainActivity.this, "Data
Update", Toast.LENGTH_LONG).show();
                        else
                            Toast.makeText(MainActivity.this, "Data
not Updated",Toast.LENGTH_LONG).show();
                    }
                }
        );
    }
    public void AddData() {
        btnAddData.setOnClickListener(
                new View.OnClickListener() {
                    @Override
                    public void onClick(View v) {
                        boolean isInserted =
myDb.insertData(editName.getText().toString(),
                                 editSurname.getText().toString(),
                                 editMarks.getText().toString() );
                        if(isInserted == true)
                            Toast.makeText(MainActivity.this, "Data
Inserted", Toast.LENGTH LONG).show();
                        else
```

```
Toast.makeText(MainActivity.this, "Data
not Inserted", Toast.LENGTH_LONG).show();
                    }
                }
        );
    }
    public void viewAll() {
        btnviewAll.setOnClickListener(
                new View.OnClickListener() {
                    @Override
                    public void onClick(View v) {
                        Cursor res = myDb.getAllData();
                         if(res.getCount() == 0) {
                             // show message
                             showMessage("Error", "Nothing found");
                             return;
                         }
                        StringBuffer buffer = new StringBuffer();
                        while (res.moveToNext()) {
                             buffer.append("Id :"+
res.getString(0)+"\n");
                             buffer.append("Name :"+
res.getString(1)+"\n");
                             buffer.append("Surname :"+
res.getString(2)+"\n");
                             buffer.append("Marks :"+
res.getString(3)+"\n\n");
                         }
```

```
// Show all data
                        showMessage("Data",buffer.toString());
                    }
                }
        );
    }
    public void showMessage(String title,String Message){
        AlertDialog.Builder builder = new
AlertDialog.Builder(this);
        builder.setCancelable(true);
        builder.setTitle(title);
        builder.setMessage(Message);
        builder.show();
    }
    @Override
    public boolean onCreateOptionsMenu(Menu menu) {
        // Inflate the menu; this adds items to the action bar if
it is present.
        //getMenuInflater().inflate(R.menu.menu_main, menu);
        return true;
    }
    @Override
    public boolean onOptionsItemSelected(MenuItem item) {
        // Handle action bar item clicks here. The action bar will
```

```
// automatically handle clicks on the Home/Up button, so
long

// as you specify a parent activity in
AndroidManifest.xml.

int id = item.getItemId();

//noinspection SimplifiableIfStatement

/* if (id == R.id.action_settings) {
    return true;
    }*/

return super.onOptionsItemSelected(item);
}
```

DATABASEHELPER.JAVA //A NEW JAVA FILE //

```
package com.example.dbtest;
import android.content.ContentValues;
import android.content.Context;
import android.database.Cursor;
import android.database.sqlite.SQLiteDatabase;
import android.database.sqlite.SQLiteOpenHelper;
public class DatabaseHelper extends SQLiteOpenHelper {
    public static final String DATABASE NAME = "Student.db";
    public static final String TABLE NAME = "student table";
    public static final String COL 1 = "ID";
    public static final String COL 2 = "NAME";
    public static final String COL 3 = "SURNAME";
    public static final String COL 4 = "MARKS";
    public DatabaseHelper(Context context) {
        super(context, DATABASE NAME, null, 1);
    }
    @Override
    public void onCreate(SQLiteDatabase db) {
        db.execSQL("create table " + TABLE NAME +" (ID INTEGER PRIMARY
KEY AUTOINCREMENT, NAME TEXT, SURNAME TEXT, MARKS INTEGER)");
    }
    @Override
    public void onUpgrade(SQLiteDatabase db, int oldVersion, int
newVersion) {
        db.execSQL("DROP TABLE IF EXISTS "+TABLE_NAME);
```

```
onCreate(db);
    }
    public boolean insertData(String name, String surname, String marks) {
        SQLiteDatabase db = this.getWritableDatabase();
        ContentValues contentValues = new ContentValues();
        contentValues.put(COL 2, name);
        contentValues.put(COL 3,surname);
        contentValues.put(COL 4, marks);
        long result = db.insert(TABLE NAME, null , contentValues);
        if(result == -1)
            return false;
        else
            return true;
    }
    public Cursor getAllData() {
        SQLiteDatabase db = this.getWritableDatabase();
        Cursor res = db.rawQuery("select * from "+TABLE NAME, null);
        return res;
    }
    public boolean updateData(String id,String name,String surname,String
marks) {
        SQLiteDatabase db = this.getWritableDatabase();
        ContentValues contentValues = new ContentValues();
        contentValues.put(COL_1,id);
        contentValues.put(COL 2, name);
        contentValues.put(COL 3, surname);
        contentValues.put(COL 4, marks);
        db.update(TABLE_NAME, contentValues, "ID = ?", new String[]
{ id });
```

```
return true;
}

public Integer deleteData (String id) {
    SQLiteDatabase db = this.getWritableDatabase();
    return db.delete(TABLE_NAME, "ID = ?",new String[] {id});
}
```



