ID	Título do caso de teste	Etapas do teste	Dados do teste (corpo da solicitação)	Resultado esperado	Resultado real	Status	Link para o relatório de bug
Requisito 1: **/api/v1/kits/:id/products**							

1	Adicionar produtos existentes a um kit	1. Envie uma solicitação POST para /api/v1/kits/:id/products com um ID de kit existente na URL e um ID de produto no corpo da solicitação.	Path params: id=2
			{
			"productsList": [
			{
			"id": 1,
			"quantity":
			2
			}
			]
			}
				200 OK	200 OK	APROVADO	

	Adicionar o mesmo produto novamente ao kit	1. Envie uma solicitação POST para /api/v1/kits/:id/products com um produto já existente no kit	Path params: id=2
			{
			"productsList": [
			{
			"id": 1,
			"quantity": 3
			}
			]
				200 OK	200 OK	APROVADO	

	POST /api/v1/kits/:id/products - Parâmetro "id" aceita letras indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "id" contendo letras	Path params: id=2
			{
			"productsList": [
			{
			"id": "ABC",
			"quantity": 2
			}
			]
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-4?atlOrigin=eyJpIjoiZjNhY2Q0OTA4M2I1NGI1YWIyZTRhZjAxM2ZiMWUyOGYiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "id" aceita símbolos indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "id" contendo símbolos	Path params: id=2
			{
			"productsList": [
			{
			"id": "@#$",
			"quantity": 2
			}
			]
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-5?atlOrigin=eyJpIjoiOGUzNTYzOWNjZTQ1NDIwZGI2NDIwOTExMTJhODlIMDYiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "id" aceita string vazia indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "id" vazio	Path params: id=2
			{
			"productsList": [
			{
			"id": "",
			"quantity": 2
			}
			]
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-6?atlOrigin=eyJpIjoiY2Y3NzI0ODliNDYyNGYwODhjZWMwN2U2OGIwMTQwOWQiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "id" aceita valor muito longo indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "id" de 20+ caracteres	Path params: id=2
			{
			"productsList": [
			{
			"id": "12345678901234567890",
			"quantity": 2
			}
			]
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-7?atlOrigin=eyJpIjoiMDY4Mzk1MjNhYzc0NDZlOGIwNGU0YzEyYTAyZDU5NmYiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "quantity" aceita letras indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "quantity" contendo letras	Path params: id=2
			{
			"productsList": [
			{
			"id": 1,
			"quantity": "ABC"
			}
			]
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-8?atlOrigin=eyJpIjoiMzQyZjg4ZmJiOGE0NGU0OWFlMGJhZmNkOGYyMTVjNzciLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "quantity" aceita string vazia indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "quantity" vazio	Path params: id=2
			{
			"productsList": [
			{
			"id": 1,
			"quantity": ""
			}
			]
				400 Bad Request	400 Bad Request	APROVADO	

	POST /api/v1/kits/:id/products - Parâmetro "quantity" aceita valor muito longo indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "quantity" de 20+ caracteres	Path params: id=2
			{
			"productsList": [
			{
			"id": 1,
			"quantity": "12345678901234567890"
			}
			]
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-10?atlOrigin=eyJpIjoiMzFmMGI4Y2ZiMmIwNDFjZTk0YjgxNTlkYmRlZjYwOWEiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "productsList" aceita matriz vazia indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com "productsList" vazio	Path params: id=2
			{
			"productsList": []
			}
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-11?atlOrigin=eyJpIjoiNjliOTgxMjRhMTNmNDYyODgzOTYwN2QwMzZiYzI2YjkiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "productsList" aceita objeto em vez de matriz indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com objeto no lugar de matriz	Path params: id=2
			{
			"productsList": {"id": 1, "quantity": 2}
			}
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-12?atlOrigin=eyJpIjoiYjlmMTY0ZDk1YjNlNDNlODkxZGEwMzY4ZjgxYmQ3MGMiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Parâmetro "productsList" aceita string vazia indevidamente	1. Envie uma solicitação POST para /api/v1/kits/:id/products com string vazia	Path params: id=2
			{
			"productsList": ""
			}
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-13?atlOrigin=eyJpIjoiYjFkOTI5YmE1NjcwNGY4ZGFkOGJjZTg4MmVhMzg2ZWUiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Kit criado sem parâmetro "id" no productsList	1. Envie uma solicitação POST para /api/v1/kits/:id/products sem incluir "id"	Path params: id=2
			{
			"productsList": [
			{
			"quantity": 2
			}
			]
			}
				400 Bad Request	200 OK	REPROVADO	https://analicep584.atlassian.net/browse/ST4-16

	POST /api/v1/kits/:id/products - Kit criado sem parâmetro "quantity" no productsList	1. Envie uma solicitação POST para /api/v1/kits/:id/products sem incluir "quantity"	Path params: id=2
			{
			"productsList": [
			{
			"id": 1
			}
			]
			}
				400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/browse/ST4-14?atlOrigin=eyJpIjoiYzVhNGZhNTA2NmVjNDdhMGE0YTRmMjhkNmQ1N2VlYjUiLCJwIjoiaiJ9

	POST /api/v1/kits/:id/products - Kit criado sem parâmetro "productsList" no body	1. Envie uma solicitação POST para /api/v1/kits/:id/products com body vazio	Path params: id=2 {}	400 Bad Request	500 Internal Server Error	REPROVADO	https://analicep584.atlassian.net/jira/servicedesk/projects/ST4/queues/custom/1/ST4-15
2	Adicionar 29 itens a um Kit	1. Envie uma solicitação POST para /api/v1/kits?id=1 Adicione no body no parametro "name" - Teste de 29 e crie 2. Envie uma solicitação POST para /api/v1/kits/:id/products Adicione 29	{ "id": 7, "name": "Teste de 29", "productsList": [{ "id": 1, "name": "Suco de laranja - prensado a frio, sem açúcar, sem	200 OK	200 OK	APROVADO	
3	Adicionar 30 itens a um Kit	1. Envie uma solicitação POST para /api/v1/kits?id=1 Adicione no body no parametro "name" - Teste de 30 e crie 2. Envie uma solicitação POST para /api/v1/kits/:id/products Adicione 29 produtos com o id do kit "Teste de 30"	{ "id": 8, "name": "Teste de 30", "productsList": [{ "id": 1, "name": "Suco de laranja - prensado a frio, sem açúcar, sem conservantes", "price": 2, "weight": 473, "units": "ml",	200 OK	200 OK	APROVADO	

4	Adicionar 31 itens a um Kit	1. Envie uma solicitação POST para /api/v1/kits?id=1 Adicione no body no parametro "name" - Teste de 31 e crie
		2. Envie uma solicitação POST para /api/v1/kits/:id/products Adicione 29 produtos com o id do kit "Teste de 31"
			{
			"code": 400,
			"message": "Menos de 30 itens por kit"
			}
				400 Bad Request	200 OK	REPROVADO	https://analicep584.atlassian.net/browse/ST4-17

Requisito 2: **POST /order-and-go/v1/delivery**							

	POST /order-and-go/v1/delivery - deliveryTime 7 retorna clientDeliveryCost incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime=7	{
			"deliveryTime": 7,
			"productsCount": 5,
			"productsWeight": 3
			}
				isItPossibleToDeliver: false	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-18

	Validar deliveryTime=8	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime=8	{
			"deliveryTime": 8,
			"productsCount": 5,
			"productsWeight": 3
			}
				200 OK	isItPossibleToDeliver: true (200 OK)	APROVADO	

	Validar deliveryTime=9	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime=9	{
			"deliveryTime": 9,
			"productsCount": 5,
			"productsWeight": 3
			}
				200 OK	isItPossibleToDeliver: true (200 OK)	APROVADO	

	Validar deliveryTime=21	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime=21	{
			"deliveryTime": 21,
			"productsCount": 5,
			"productsWeight": 3
			}
				200 OK	isItPossibleToDeliver: true (200 OK)	APROVADO	

	Validar deliveryTime=22	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime=22	{
			"deliveryTime": 22,
			"productsCount": 5,
			"productsWeight": 3
			}
				200 OK	isItPossibleToDeliver: true (200 OK)	APROVADO	

	POST /order-and-go/v1/delivery - deliveryTime 23	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime=23	{
			"deliveryTime": 23,
			"productsCount": 5,
			"productsWeight": 3
			}
				isItPossibleToDeliver: false	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-19

	POST /order-and-go/v1/delivery - productsWeight 0	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=0.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 0}	isItPossibleToDeliver: true; hostDeliveryCost: 3	isItPossibleToDeliver: true; hostDeliveryCost: 3	APROVADO	

	Validar productsWeight limite inferior (1)	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=1.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 1}	hostDeliveryCost: 3	hostDeliveryCost: 3	APROVADO	
	Validar productsWeight=2	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=2.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 2}	200 OK	hostDeliveryCost: 3	APROVADO	
	Validar productsWeight=2.9	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=2.9.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 2.9}	200 OK	hostDeliveryCost: 3	APROVADO	
	Validar productsWeight=3 (limite mudança de faixa)	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=3.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 3}	200 OK	hostDeliveryCost: 3	APROVADO	
	POST /order-and-go/v1/delivery - productsWeight 3.1 retorna hostDeliveryCost incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=3.1.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 3.1}	hostDeliveryCost: 5	hostDeliveryCost: 3	REPROVADO	https://analicep584.atlassian.net/browse/ST4-20
	Validar productsWeight=3.2	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=3.2.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 3.2}	hostDeliveryCost: 5	hostDeliveryCost: 5	APROVADO	
	Validar productsWeight=5.9	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=5.9.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 5.9}	hostDeliveryCost: 5	hostDeliveryCost: 5	APROVADO	
	Validar productsWeight limite superior (6)	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=6.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 6}	hostDeliveryCost: 5; clientDeliveryCost: 0	hostDeliveryCost: 5; clientDeliveryCost: 0	APROVADO	

	POST /order-and-go/v1/delivery - productsWeight 6.1 retorna clientDeliveryCost incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight=6.1.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": 6.1}	clientDeliveryCost: 9	clientDeliveryCost: 0	REPROVADO	https://analicep584.atlassian.net/browse/ST4-21									
	POST /order-and-go/v1/delivery - productsCount -1 retorna isItPossibleToDeliver incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=-1.	{"deliveryTime": 10, "productsCount": -1, "productsWeight": 3}	400 Bad Request ou isItPossibleToDeliver: false	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-22									
	Validar productsCount=0	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=0.	{"deliveryTime": 10, "productsCount": 0, "productsWeight": 3}	hostDeliveryCost: 3	hostDeliveryCost: 3	APROVADO										
	Validar productsCount limite inferior (1)	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=1.	{"deliveryTime": 10, "productsCount": 1, "productsWeight": 3}	hostDeliveryCost: 3	hostDeliveryCost: 3	APROVADO										
	Validar productsCount=7	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=7.	{"deliveryTime": 10, "productsCount": 7, "productsWeight": 3}	hostDeliveryCost: 3	hostDeliveryCost: 3	APROVADO										
	Validar productsCount=8 (limite mudança de faixa)	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=8.	{"deliveryTime": 10, "productsCount": 8, "productsWeight": 3}	hostDeliveryCost: 3	hostDeliveryCost: 5	APROVADO										
	Validar productsCount=9	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=9.	{"deliveryTime": 10, "productsCount": 9, "productsWeight": 3}	hostDeliveryCost: 5	hostDeliveryCost: 5	APROVADO										
	Validar productsCount=10	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=10.	{"deliveryTime": 10, "productsCount": 10, "productsWeight": 3}	hostDeliveryCost: 5	hostDeliveryCost: 5	APROVADO										

	Validar productsCount=14	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=14.	{"deliveryTime": 10, "productsCount": 14, "productsWeight": 3}	hostDeliveryCost: 5	hostDeliveryCost: 5	APROVADO	
	Validar productsCount limite superior (15)	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=15.	{"deliveryTime": 10, "productsCount": 15, "productsWeight": 3}	hostDeliveryCost: 5	hostDeliveryCost: 5	APROVADO	
	POST /order-and-go/v1/delivery - productsCount 16 retorna clientDeliveryCost incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount=16.	{"deliveryTime": 10, "productsCount": 16, "productsWeight": 3}	clientDeliveryCost: 9	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-23
	POST /order-and-go/v1/delivery - productsWeight com string vazia retorna isItPossibleToDeliver incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsWeight vazio.	{"deliveryTime": 10, "productsCount": 5, "productsWeight": ""}	isItPossibleToDeliver: false	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-24
	POST /order-and-go/v1/delivery - deliveryTime com string vazia retorna isItPossibleToDeliver incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com deliveryTime vazio.	{"deliveryTime": "", "productsCount": 5, "productsWeight": 3}	isItPossibleToDeliver: false	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-25
	POST /order-and-go/v1/delivery - productsCount com string vazia retorna isItPossibleToDeliver incorreto	1. Envie uma solicitação POST para /order-and-go/v1/delivery com productsCount vazio.	{"deliveryTime": 10, "productsCount": "", "productsWeight": 3}	isItPossibleToDeliver: false	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-26
	POST /order-and-go/v1/delivery - Entrega processada sem parâmetro productsWeight	1. Envie uma solicitação POST para /order-and-go/v1/delivery sem productsWeight.	{"deliveryTime": 10, "productsCount": 5}	400 Bad Request	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-27
	POST /order-and-go/v1/delivery - Entrega processada sem parâmetro productsCount	1. Envie uma solicitação POST para /order-and-go/v1/delivery sem productsCount.	{"deliveryTime": 10, "productsWeight": 3}	400 Bad Request	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-28

	POST /order-and-go/v1/delivery - Entrega processada sem parâmetro deliveryTime	1. Envie uma solicitação POST para /order-and-go/v1/delivery sem deliveryTime.	{"productsCount": 5, "productsWeight": 3}	400 Bad Request	isItPossibleToDeliver: true (200 OK)	REPROVADO	https://analicep584.atlassian.net/browse/ST4-29						