Table of Contents

Select a section below to navigate directly to its heading in Word.

Document control Document owner, classification and version

1. Purpose and scope Purpose, users, scope and assumptions

2. Solution and operations summary Dependencies, connectivity and access

3. Technical specifications Model, DAX, lineage, report pages and diagrams

4. Handover and support Support procedures and ownership

5. Revision history Document version and change record

Document control

Solution / Report Name	Contoso Retail
Project / CMDB ID	22b37ec2-8b7e-4f57-9b74-678631be81d1
Version	1.0
Document Date	2026-10-29
Document Owner	***[To be confirmed]***
Business Owner	***[To be confirmed]***
Classification / GxP	***[To be confirmed]***
Related Change / Release	***[To be confirmed]***

1. Purpose and scope

Content below was inferred from PBIP metadata. Items marked [SUGGESTED] in pink should be reviewed and confirmed by the business owner.

External Jira / Power BI enrichments are disabled in local-only mode.

1.1 Purpose

[SUGGESTED] *Describe the business problem this report solves and the intended outcome.*

1.2 Users and usage

[SUGGESTED] *List user groups, the pages they use, and decisions they make.*

1.3 In scope

[SUGGESTED] *5 pages — Executive overview, Products & brands, Stores & customers, Markets & drivers, Deep-dive insights. 12 tables, 55 measures. Data from 0 source(s).*

1.4 Out of scope

[SUGGESTED] *Confirm out-of-scope capabilities, excluded user scenarios, refresh SLAs, and integration limits with the report owner. These exclusions cannot be established from PBIP source alone.*

1.5 Assumptions, dependencies and limitations

[SUGGESTED] *List assumptions, dependencies (e.g. SharePoint sites, mapping files), and limitations.*

2. Solution and operations summary

2.1 Delivered artifacts

Workspace(s)	[To be confirmed]
App / Report(s)	Contoso Retail
Semantic model(s)	Contoso Retail
Related assets	ContosoExecutive-4f18b4d2.json, CY24SU06
Deployment path	[To be confirmed]

2.2 Connectivity and refresh

Connectivity mode	local
Refresh schedule	[To be confirmed]
Refresh owner / monitor	[To be confirmed]
Gateway / special connectivity	[To be confirmed]
Operational notes	Culture: en-US, Compatibility level: 1606

2.3 Access and security summary

- **[SUGGESTED]** *Development and testing in a dedicated Power BI workspace. Published via Power BI App with audience-based access.*
- **[SUGGESTED]** *No RLS roles defined — all app users see the same dataset.*

2.4 References

[To be confirmed] *Backlog / demand record*

[To be confirmed] *Support runbook / access document*

3. Technical specifications

Mode: Full. All statements derived from PBIP metadata.

Running in local-only mode: cache-backed Jira and Power BI service augmentations are disabled.




Figure 1 — Data lineage: source systems to loaded tables

3.1 Semantic model overview

12	69	55	19	5	54
Tables	Columns	Measures	Relationships	Pages	Visuals

Semantic model relationship diagrams

Schema relationship focus: Fact Sales




Figure 2 - Fact Sales - focused schema (12 tables, 19 prioritized relationships).




Figure 3 - Fact Returns - focused schema (12 tables, 19 prioritized relationships).

Schema relationship focus: Fact Inventory Snapshot




Figure 4 - Fact Inventory Snapshot - focused schema (12 tables, 19 prioritized relationships).

Schema relationship focus: Fact Sales Budget




Figure 5 - Fact Sales Budget - focused schema (12 tables, 19 prioritized relationships).

Model: "Contoso Retail". local mode, compatibility level 1606. 12 tables · 69 columns · 55 measures · 19 relationships.
Pattern: Semantic model relationship diagrams (4 diagram(s)).

Model extraction notes

Parser confidence	high
Warnings detected	0
Has RLS	No
Hierarchies	1
Calculation items	0
Partitions	12

Model properties

Culture	en-US
Default data source version	powerBI_V3
Default mode	—
Default data view	—
Query groups	—
Model description	—

3.1.1 Table inventory

Table inventory

Table	Role	Storage Mode	Columns	Measures	Hidden	Data Category
Dim Customer	Other	Import	5	0		City
Dim Date	Other	Import	8	0		Time
Dim Employee	Other	Import	4	0		
Dim Product	Other	Import	5	0		
Dim Promotion	Other	Import	4	0		
Dim Return Reason	Other	Import	3	0		
Dim Store	Other	Import	5	0		Country
Dim Supplier	Other	Import	5	0		Country
Fact Inventory Snapshot	Other	Import	7	4		
Fact Returns	Other	Import	9	5		
Fact Sales Budget	Other	Import	4	3		
Fact Sales	Other	Import	10	43		

3.1.2 Column detail

[Table] **Dim Customer**

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Customer Key	int64	none			Y
Customer Name	string	none			

Segment	string	none			
City	string	none			
Country	string	none			

[Table] Dim Date

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Date Key	int64	none			Y
Date	dateTime	none		yyyy-MM-dd	
Year	int64	none		0	
Quarter	string	none			
Month Number	int64	none			Y
Month Name	string	none	Month Number		
Year Month	string	none	Year Month Sort		
Year Month Sort	int64	none			Y

[Table] Dim Employee

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Employee Key	int64	none			Y
Employee Name	string	none			
Role	string	none			
Region	string	none			

[Table] Dim Product

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Product Key	int64	none			Y
Product Name	string	none			
Brand	string	none			
Category	string	none			
Subcategory	string	none			

[Table] Dim Promotion

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Promotion Key	int64	none			Y
Promotion Name	string	none			
Promotion Type	string	none			
Discount Band	string	none			

[Table] Dim Return Reason

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Return Reason Key	int64	none			Y
Return Reason	string	none			
Reason Group	string	none			

[Table] Dim Store

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Store Key	int64	none			Y
Store Name	string	none			
Region	string	none			
Country	string	none			
Channel	string	none			

[Table] Dim Supplier

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Supplier Key	int64	none			Y
Supplier Name	string	none			
Country	string	none			

Lead Time Days	int64	none			
Risk Tier	string	none			

[Table] **Fact Inventory Snapshot**

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Snapshot Date Key	int64	none			Y
Product Key	int64	none			Y
Store Key	int64	none			Y
Supplier Key	int64	none			Y
Units On Hand	int64	sum			Y
Inventory Value	decimal	sum		$#,0.00;($#,0.00);$#,0.00	Y
Stockout Flag	int64	none			Y

[Table] **Fact Returns**

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Return ID	string	none			Y
Return Date Key	int64	none			Y
Customer Key	int64	none			Y
Product Key	int64	none			Y
Store Key	int64	none			Y
Promotion Key	int64	none			Y
Return Reason Key	int64	none			Y
Return Quantity	int64	sum			Y
Return Amount	decimal	sum		$#,0.00;($#,0.00);$#,0.00	Y

[Table] **Fact Sales Budget**

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Budget Date Key	int64	none			Y
Product Key	int64	none			Y
Store Key	int64	none			Y
Budget Amount	decimal	sum		$#,0.00;($#,0.00);$#,0.00	Y

[Table] **Fact Sales**

Column	Data Type	Summarize By	Sort By Column	Format String	Hidden
Sales Order Number	string	none			Y
Order Date Key	int64	none			Y
Customer Key	int64	none			Y
Product Key	int64	none			Y
Store Key	int64	none			Y
Promotion Key	int64	none			Y
Employee Key	int64	none			Y
Quantity	int64	sum			Y
Net Sales	decimal	sum		$#,0.00;($#,0.00);$#,0.00	Y
Cost Amount	decimal	sum		$#,0.00;($#,0.00);$#,0.00	Y

Hierarchies and calculation groups

[Table] **Dim Date**

Hierarchies

Hierarchy	Levels detected	What was identified
Calendar Hierarchy	4	Year, Quarter, Month, Date

3.1.3 Relationships

Relationships

#	From Table	From Column	To Table	To Column	Direction	Active
1	Fact Sales	Customer Key	Dim Customer	Customer Key	single	Yes
2	Fact Sales	Order Date Key	Dim Date	Date Key	single	Yes
3	Fact Sales	Product Key	Dim Product	Product Key	single	Yes
4	Fact Sales	Store Key	Dim Store	Store Key	single	Yes
5	Fact Sales	Promotion Key	Dim Promotion	Promotion Key	single	Yes
6	Fact Sales	Employee Key	Dim Employee	Employee Key	single	Yes
7	Fact Returns	Return Date Key	Dim Date	Date Key	single	Yes
8	Fact Returns	Customer Key	Dim Customer	Customer Key	single	Yes
9	Fact Returns	Product Key	Dim Product	Product Key	single	Yes
10	Fact Returns	Store Key	Dim Store	Store Key	single	Yes
11	Fact Returns	Promotion Key	Dim Promotion	Promotion Key	single	Yes
12	Fact Returns	Return Reason Key	Dim Return Reason	Return Reason Key	single	Yes
13	Fact Inventory Snapshot	Snapshot Date Key	Dim Date	Date Key	single	Yes
14	Fact Inventory Snapshot	Product Key	Dim Product	Product Key	single	Yes
15	Fact Inventory Snapshot	Store Key	Dim Store	Store Key	single	Yes
16	Fact Inventory Snapshot	Supplier Key	Dim Supplier	Supplier Key	single	Yes
17	Fact Sales Budget	Budget Date Key	Dim Date	Date Key	single	Yes
18	Fact Sales Budget	Product Key	Dim Product	Product Key	single	Yes
19	Fact Sales Budget	Store Key	Dim Store	Store Key	single	Yes

3.2 Data sources and Power Query overview

Source systems

Connector	Type	Server / URL	Tables
(none detected)	—	No data source calls found	—

Query inventory

Query inventory

Query / Expression	Category	Loaded	Storage Mode	Transforms Applied
Dim Customer	Partition	Yes	import	—
Dim Date	Partition	Yes	import	—
Dim Employee	Partition	Yes	import	—
Dim Product	Partition	Yes	import	—
Dim Promotion	Partition	Yes	import	—
Dim Return Reason	Partition	Yes	import	group
Dim Store	Partition	Yes	import	—
Dim Supplier	Partition	Yes	import	—
Fact Inventory Snapshot	Partition	Yes	import	—
Fact Returns	Partition	Yes	import	—
Fact Sales Budget	Partition	Yes	import	—
Fact Sales	Partition	Yes	import	—
pScenarioStartDate	Expr (Date)	No	—	
pScenarioEndDate	Expr (Date)	No	—	
fnSeasonalityFactor	Expr (Function)	No	—	
stgProductEconomics	Expr (Table)	No	—	
stgSalesPlan	Expr (Table)	No	—	

Shared expressions and parameters

Expression	Result Type	Query Group	Preview
pScenarioStartDate	Date	—	#date(2023, 1, 1) meta [IsParameterQuery=true, Type="Date", IsParameterQueryRequired=true]
pScenarioEndDate	Date	—	#date(2025, 12, 31) meta [IsParameterQuery=true, Type="Date", IsParameterQueryRequired=...
fnSeasonalityFactor	Function	—	(month as number) as number => {0.90, 0.94, 1.02, 1.05, 1.08, 1.13, 0.99, 1.01, 1.09, 1...
stgProductEconomics	Table	—	#table(type table [#"Product Key" = Int64.Type, #"Unit Price" = Currency.Type, #"Cost R...
stgSalesPlan	Table	—	#table(type table [Year = Int64.Type, #"Growth Rate" = number], {{2023, 1.00}, {2024, 1...

Full M / Power Query code

[Table] **Dim Customer** *(import)*

```
let
Source = #table(
type table [#"Customer Key" = Int64.Type, #"Customer Name" = text, Segment = text, City = text, Country
= text],
{
{1, "A. Datum", "Corporate", "Seattle", "United States"},
{2, "Adventure Works", "Corporate", "Austin", "United States"},
{3, "Fabrikam", "Small Business", "Toronto", "Canada"},
{4, "Northwind Traders", "Consumer", "Vancouver", "Canada"},
{5, "Proseware", "Corporate", "London", "United Kingdom"},
{6, "Tailspin Toys", "Small Business", "Manchester", "United Kingdom"},
{7, "Contoso Europe", "Consumer", "Berlin", "Germany"},
{8, "Wide World Importers", "Corporate", "Munich", "Germany"},
{9, "Alpine Ski House", "Consumer", "Sydney", "Australia"},
{10, "City Power & Light", "Small Business", "Melbourne", "Australia"},
{11, "Wingtip Toys", "Consumer", "Tokyo", "Japan"},
{12, "Blue Yonder Airlines", "Corporate", "Osaka", "Japan"}
}
)
in
Source
```

[Table] **Dim Date** *(import)*

```
let
StartDate = #date(2023, 1, 1),
EndDate = #date(2025, 12, 31),
Dates = List.Dates(StartDate, Duration.Days(EndDate - StartDate) + 1, #duration(1, 0, 0, 0)),
Rows = List.Transform(Dates, each [
#"Date Key" = Date.Year(_) * 10000 + Date.Month(_) * 100 + Date.Day(_),
Date = _,
Year = Date.Year(_),
Quarter = "Q" & Text.From(Date.QuarterOfYear(_)),
#"Month Number" = Date.Month(_),
#"Month Name" = Date.ToText(_, "MMM", "en-US"),
#"Year Month" = Date.ToText(_, "MMM yyyy", "en-US"),
#"Year Month Sort" = Date.Year(_) * 100 + Date.Month(_)
]),
Source = Table.FromRecords(Rows, type table [#"Date Key" = Int64.Type, Date = date, Year = Int64.Type,
Quarter = text, #"Month Number" = Int64.Type, #"Month Name" = text, #"Year Month" = text, #"Year Month
Sort" = Int64.Type])
in
Source
```

[Table] **Dim Employee** *(import)*

```
let
Source = #table(type table [#"Employee Key" = Int64.Type, #"Employee Name" = text, Role = text, Region =
text], {{1, "Jordan Lee", "Account Executive", "North America"}, {2, "Morgan Chen", "Account Executive",
"North America"}, {3, "Taylor Hughes", "Digital Lead", "Europe"}, {4, "Riley Singh", "Store Manager",
"Europe"}, {5, "Casey Wong", "Digital Lead", "Asia Pacific"}, {6, "Avery Martin", "Commercial Manager",
"Global"}})
in
Source
```

[Table] **Dim Product** *(import)*

```
let
Source = #table(
type table [#"Product Key" = Int64.Type, #"Product Name" = text, Brand = text, Category = text,
Subcategory = text],
{
{1, "Contoso Laptop Pro", "Contoso", "Electronics", "Computers"},
{2, "Fabrikam Ultrabook", "Fabrikam", "Electronics", "Computers"},
{3, "Litware Smart TV", "Litware", "Electronics", "Televisions"},
{4, "Adventure Works Phone", "Adventure Works", "Electronics", "Mobile"},
{5, "Contoso Espresso Maker", "Contoso", "Home & Appliances", "Kitchen"},
{6, "Fabrikam Air Purifier", "Fabrikam", "Home & Appliances", "Climate"},
{7, "Adventure Works Fitness Watch", "Adventure Works", "Sports & Outdoors", "Fitness"},
```

```
{8, "Northwind Camping Kit", "Northwind", "Sports & Outdoors", "Outdoor"}
}
)
in
Source
```

[Table] **Dim Promotion** *(import)*

```
let
Source = #table(type table [#"Promotion Key" = Int64.Type, #"Promotion Name" = text, #"Promotion Type" =
text, #"Discount Band" = text], {{1, "Always On", "Base", "None"}, {2, "Spring Upgrade", "Seasonal",
"10%"}, {3, "Summer Bundle", "Bundle", "15%"}, {4, "Holiday Event", "Seasonal", "20%"}})
in
Source
```

[Table] **Dim Return Reason** *(import)*

```
let
Source = #table(type table [#"Return Reason Key" = Int64.Type, #"Return Reason" = text, #"Reason Group"
= text], {{1, "Damaged in transit", "Fulfilment"}, {2, "Product defect", "Quality"}, {3, "Changed mind",
"Preference"}, {4, "Incorrect item", "Fulfilment"}})
in
Source
```

[Table] **Dim Store** *(import)*

```
let
Source = #table(
type table [#"Store Key" = Int64.Type, #"Store Name" = text, Region = text, Country = text, Channel =
text],
{
{1, "Seattle Flagship", "North America", "United States", "Retail"},
{2, "Toronto Central", "North America", "Canada", "Retail"},
{3, "London Digital", "Europe", "United Kingdom", "Online"},
{4, "Berlin Mitte", "Europe", "Germany", "Retail"},
{5, "Sydney Online", "Asia Pacific", "Australia", "Online"}
}
)
in
Source
```

[Table] **Dim Supplier** *(import)*

```
let
Source = #table(type table [#"Supplier Key" = Int64.Type, #"Supplier Name" = text, Country = text,
#"Lead Time Days" = Int64.Type, #"Risk Tier" = text], {{1, "Alpine Components", "United States", 12,
"Low"}, {2, "Fabrikam Manufacturing", "Germany", 21, "Medium"}, {3, "Northwind Imports", "United
Kingdom", 28, "High"}, {4, "Adventure Distribution", "Japan", 18, "Medium"}})
in
Source
```

[Table] **Fact Inventory Snapshot** *(import)*

```
let
Months = List.Generate(() => #date(2023, 1, 1), each _ <= #date(2025, 12, 1), each Date.AddMonths(_,
1)),
Rows = List.Combine(List.Transform(Months, (d as date) => List.Combine(List.Transform({1..5}, (s as
number) => List.Transform({1..8}, (p as number) =>
let
Units = Number.Mod(Date.Month(d) * 3 + p * 7 + s * 5, 42),
UnitCost = {779, 666, 479, 448, 125, 171, 137, 90}{p - 1}
in
[#"Snapshot Date Key" = Date.Year(d) * 10000 + Date.Month(d) * 100 + 28, #"Product Key" = p, #"Store
Key" = s, #"Supplier Key" = Number.Mod(p - 1, 4) + 1, #"Units On Hand" = Units, #"Inventory Value" =
Number.Round(Units * UnitCost, 2), #"Stockout Flag" = if Units = 0 then 1 else 0]
))))),
Source = Table.FromRecords(Rows, type table [#"Snapshot Date Key" = Int64.Type, #"Product Key" =
Int64.Type, #"Store Key" = Int64.Type, #"Supplier Key" = Int64.Type, #"Units On Hand" = Int64.Type,
#"Inventory Value" = Currency.Type, #"Stockout Flag" = Int64.Type])
in
Source
```

[Table] **Fact Returns** *(import)*

```
let
```

```
Months = List.Generate(() => #date(2023, 1, 1), each _ <= #date(2025, 12, 1), each Date.AddMonths(_,
1)),
Rows = List.Combine(List.Transform(Months, (d as date) => List.Transform({1..8}, (p as number) =>
let
StoreKey = Number.Mod(p + Date.Month(d), 5) + 1,
CustomerKey = Number.Mod(p * 2 + Date.Month(d) + Date.Year(d), 12) + 1,
PromotionKey = Number.Mod(p + Date.Month(d), 4) + 1,
Quantity = if Number.Mod(p + Date.Month(d), 3) = 0 then 2 else 1,
UnitPrice = {1180, 980, 760, 640, 220, 280, 190, 150}{p - 1},
Amount = Number.Round(Quantity * UnitPrice * (0.82 + Number.Mod(Date.Month(d), 3) * 0.04), 2)
in
[#"Return ID" = Text.Combine({"R", Text.From(Date.Year(d)), Text.PadStart(Text.From(Date.Month(d)), 2,
"0"), Text.From(p)}, "-"), #"Return Date Key" = Date.Year(d) * 10000 + Date.Month(d) * 100 + 20,
#"Customer Key" = CustomerKey, #"Product Key" = p, #"Store Key" = StoreKey, #"Promotion Key" =
PromotionKey, #"Return Reason Key" = Number.Mod(p + Date.Month(d), 4) + 1, #"Return Quantity" =
Quantity, #"Return Amount" = Amount]
))),
Source = Table.FromRecords(Rows, type table [#"Return ID" = text, #"Return Date Key" = Int64.Type,
#"Customer Key" = Int64.Type, #"Product Key" = Int64.Type, #"Store Key" = Int64.Type, #"Promotion Key" =
Int64.Type, #"Return Reason Key" = Int64.Type, #"Return Quantity" = Int64.Type, #"Return Amount" =
Currency.Type])
in
Source
```

[Table] **Fact Sales Budget** *(import)*

```
let
Months = List.Generate(() => #date(2023, 1, 1), each _ <= #date(2025, 12, 1), each Date.AddMonths(_,
1)),
Rows = List.Combine(List.Transform(Months, (d as date) => List.Combine(List.Transform({1..5}, (s as
number) => List.Transform({1..8}, (p as number) =>
let
YearFactor = if Date.Year(d) = 2023 then 1 else if Date.Year(d) = 2024 then 1.10 else 1.21,
Seasonality = {0.90, 0.94, 1.02, 1.05, 1.08, 1.13, 0.99, 1.01, 1.09, 1.18, 1.30, 1.48}{Date.Month(d) -
1},
UnitPrice = {1180, 980, 760, 640, 220, 280, 190, 150}{p - 1},
PlannedUnits = 8 + s + Number.Mod(p * 2 + Date.Month(d), 7)
in
[#"Budget Date Key" = Date.Year(d) * 10000 + Date.Month(d) * 100 + 1, #"Product Key" = p, #"Store Key" =
s, #"Budget Amount" = Number.Round(PlannedUnits * UnitPrice * YearFactor * Seasonality, 2)]
)))))),
Source = Table.FromRecords(Rows, type table [#"Budget Date Key" = Int64.Type, #"Product Key" =
Int64.Type, #"Store Key" = Int64.Type, #"Budget Amount" = Currency.Type])
in
Source
```

[Table] **Fact Sales** *(import)*

```
let
MonthStarts = List.Generate(() => #date(2023, 1, 1), each _ <= #date(2025, 12, 1), each
Date.AddMonths(_, 1)),
StoreKeys = {1..5},
ProductKeys = {1..8},
Rows = List.Combine(List.Transform(MonthStarts, (d as date) =>
List.Combine(List.Transform(StoreKeys, (s as number) =>
List.Transform(ProductKeys, (p as number) =>
let
YearFactor = if Date.Year(d) = 2023 then 1 else if Date.Year(d) = 2024 then 1.10 else 1.21,
Seasonality = {0.90, 0.94, 1.02, 1.05, 1.08, 1.13, 0.99, 1.01, 1.09, 1.18, 1.30, 1.48}{Date.Month(d) -
1},
StoreFactor = {1.18, 0.96, 1.14, 0.88, 1.05}{s - 1},
ProductFactor = {1.35, 1.22, 1.12, 1.28, 0.84, 0.78, 1.03, 0.91}{p - 1},
QuantityValue = Number.RoundDown(6 + Date.Month(d) / 2 + s + Number.Mod(p * 3 + Date.Month(d), 8)),
UnitPrice = {1180, 980, 760, 640, 220, 280, 190, 150}{p - 1},
CostRate = {0.66, 0.68, 0.63, 0.70, 0.57, 0.61, 0.72, 0.60}{p - 1},
SalesValue = Number.Round(QuantityValue * UnitPrice * YearFactor * Seasonality * StoreFactor *
ProductFactor, 2),
CostValue = Number.Round(SalesValue * CostRate, 2),
CustomerValue = Number.Mod(Date.Month(d) + s * 2 + p * 3 + Date.Year(d), 12) + 1,
PromotionValue = Number.Mod(p + Date.Month(d), 4) + 1,
EmployeeValue = Number.Mod(s + p + Date.Month(d), 6) + 1
```

```
in
[#"Sales Order Number" = Text.Combine({Text.From(Date.Year(d)), Text.PadStart(Text.From(Date.Month(d)),
2, "0"), Text.From(s), Text.PadStart(Text.From(p), 2, "0")}, "-"), #"Order Date Key" = Date.Year(d) *
10000 + Date.Month(d) * 100 + 1, #"Customer Key" = CustomerValue, #"Product Key" = p, #"Store Key" = s,
#"Promotion Key" = PromotionValue, #"Employee Key" = EmployeeValue, Quantity = QuantityValue, #"Net
Sales" = SalesValue, #"Cost Amount" = CostValue]
)
))
)),
Source = Table.FromRecords(Rows, type table [#"Sales Order Number" = text, #"Order Date Key" =
Int64.Type, #"Customer Key" = Int64.Type, #"Product Key" = Int64.Type, #"Store Key" = Int64.Type,
#"Promotion Key" = Int64.Type, #"Employee Key" = Int64.Type, Quantity = Int64.Type, #"Net Sales" =
Currency.Type, #"Cost Amount" = Currency.Type])
in
Source
```

[Expression] **pScenarioStartDate** *(Date)*

```
#date(2023, 1, 1) meta [IsParameterQuery=true, Type="Date", IsParameterQueryRequired=true]
```

[Expression] **pScenarioEndDate** *(Date)*

```
#date(2025, 12, 31) meta [IsParameterQuery=true, Type="Date", IsParameterQueryRequired=true]
```

[Expression] **fnSeasonalityFactor** *(Function)*

```
(month as number) as number => {0.90, 0.94, 1.02, 1.05, 1.08, 1.13, 0.99, 1.01, 1.09, 1.18, 1.30, 1.48}
{month - 1}
```

[Expression] **stgProductEconomics** *(Table)*

```
#table(type table [#"Product Key" = Int64.Type, #"Unit Price" = Currency.Type, #"Cost Rate" = number],
{{1, 1180, 0.66}, {2, 980, 0.68}, {3, 760, 0.63}, {4, 640, 0.70}, {5, 220, 0.57}, {6, 280, 0.61}, {7,
190, 0.72}, {8, 150, 0.60}})
```

[Expression] **stgSalesPlan** *(Table)*

```
#table(type table [Year = Int64.Type, #"Growth Rate" = number], {{2023, 1.00}, {2024, 1.10}, {2025,
1.21}})
```

3.3 Measures and calculations

Measures

#	Measure Name	Source Table	Format String	DAX Pattern
1	Inventory Units On Hand	Fact Inventory Snapshot	#,0	Basic
2	Inventory Carrying Value	Fact Inventory Snapshot	$#,0;($#,0);$#,0	Basic
3	Stockout SKU Count	Fact Inventory Snapshot	#,0	CALCULATE, Distinct Count
4	Weeks of Supply	Fact Inventory Snapshot	0.0	DIVIDE
5	Return Value	Fact Returns	$#,0;($#,0);$#,0	Basic
6	Returned Units	Fact Returns	#,0	Basic
7	Return Orders	Fact Returns	#,0	Basic
8	Return Rate %	Fact Returns	0.0%;(0.0%);0.0%	DIVIDE
9	Net Sales After Returns	Fact Returns	$#,0;($#,0);$#,0	Basic
10	Sales Budget	Fact Sales Budget	$#,0;($#,0);$#,0	Basic
11	Sales vs Budget	Fact Sales Budget	$#,0;($#,0);$#,0	Basic
12	Budget Attainment %	Fact Sales Budget	0.0%;(0.0%);0.0%	DIVIDE
13	Sales Amount	Fact Sales	$#,0;($#,0);$#,0	Basic
14	Total Cost	Fact Sales	$#,0;($#,0);$#,0	Basic
15	Gross Margin	Fact Sales	$#,0;($#,0);$#,0	Basic
16	Gross Margin %	Fact Sales	0.0%;(0.0%);0.0%	DIVIDE
17	Order Count	Fact Sales	#,0	Distinct Count
18	Units Sold	Fact Sales	#,0	Basic
19	Active Customers	Fact Sales	#,0	Distinct Count
20	Average Order Value	Fact Sales	$#,0;($#,0);$#,0	DIVIDE
21	Average Selling Price	Fact Sales	$#,0.00;($#,0.00);$#,0.00	DIVIDE
22	Sales LY	Fact Sales	$#,0;($#,0);$#,0	CALCULATE
23	Sales YoY	Fact Sales	$#,0;($#,0);$#,0	Basic
24	Sales YoY %	Fact Sales	0.0%;(0.0%);0.0%	DIVIDE
25	Sales YTD	Fact Sales	$#,0;($#,0);$#,0	Basic
26	Rolling 3M Sales	Fact Sales	$#,0;($#,0);$#,0	CALCULATE
27	Reporting Year	Fact Sales	0	Basic
28	Reporting Year Sales	Fact Sales	$#,0;($#,0);$#,0	CALCULATE
29	Reporting Year Sales LY	Fact Sales	$#,0;($#,0);$#,0	CALCULATE
30	Reporting Year Sales YoY %	Fact Sales	0.0%;(0.0%);0.0%	DIVIDE
31	Reporting Year Gross Margin	Fact Sales	$#,0;($#,0);$#,0	CALCULATE
32	Reporting Year GM %	Fact Sales	0.0%;(0.0%);0.0%	DIVIDE
33	Reporting Year Orders	Fact Sales	#,0	CALCULATE

#	Measure Name	Source Table	Format String	DAX Pattern
34	Reporting Year Units	Fact Sales	#,0	CALCULATE
35	Top Category	Fact Sales	—	Basic
36	Top Region	Fact Sales	—	Basic
37	Top Store	Fact Sales	—	Basic
38	Reporting Year Sales Variance	Fact Sales	$#,0;($#,0);$#,0	Basic
39	GM Target Gap	Fact Sales	0.0 "pp";-0.0 "pp";0.0 "pp"	Basic
40	Region Sales Share	Fact Sales	0.0%;(0.0%);0.0%	CALCULATE, DIVIDE
41	Category Sales Share	Fact Sales	0.0%;(0.0%);0.0%	CALCULATE, DIVIDE
42	Store Sales Rank	Fact Sales	#,0	Basic
43	Sales per Active Customer	Fact Sales	$#,0;($#,0);$#,0	DIVIDE
44	Reporting Year Active Customers	Fact Sales	#,0	CALCULATE
45	Reporting Year Average Order Value	Fact Sales	$#,0;($#,0);$#,0	DIVIDE
46	GM Target Gap Label	Fact Sales	—	Basic
47	Sales	Fact Sales	$#,0;($#,0);$#,0	Basic
48	Gross margin $	Fact Sales	$#,0;($#,0);$#,0	Basic
49	GM %	Fact Sales	0.0%;(0.0%);0.0%	Basic
50	YoY	Fact Sales	0.0%;(0.0%);0.0%	Basic
51	Units	Fact Sales	#,0	Basic
52	Orders	Fact Sales	#,0	Basic
53	Avg order value	Fact Sales	$#,0;($#,0);$#,0	Basic
54	Sales per customer	Fact Sales	$#,0;($#,0);$#,0	Basic
55	GM vs target	Fact Sales	0.0 "pp";-0.0 "pp";0.0 "pp"	Basic

Full DAX code

[Fact Inventory Snapshot] **Inventory Units On Hand** *[#,0]*

```
SUM ( 'Fact Inventory Snapshot'[Units On Hand] )
```

[Fact Inventory Snapshot] **Inventory Carrying Value** *[$#,0;($#,0);$#,0]*

```
SUM ( 'Fact Inventory Snapshot'[Inventory Value] )
```

[Fact Inventory Snapshot] **Stockout SKU Count** *[#,0]*

```
CALCULATE ( DISTINCTCOUNT ( 'Fact Inventory Snapshot'[Product Key] ), 'Fact Inventory Snapshot'[Stockout Flag] = 1 )
```

[Fact Inventory Snapshot] **Weeks of Supply** *[0.0]*

```
DIVIDE ( [Inventory Units On Hand], DIVIDE ( [Reporting Year Units], 52 ) )
```

[Fact Returns] **Return Value** *[$#,0;($#,0);$#,0]*

```
SUM ( 'Fact Returns'[Return Amount] )
```

[Fact Returns] **Returned Units** *[#,0]*

```
SUM ( 'Fact Returns'[Return Quantity] )
```

[Fact Returns] **Return Orders** *[#,0]*

```
COUNTROWS ( 'Fact Returns' )
```

[Fact Returns] **Return Rate %** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Return Value], [Sales Amount] )
```

[Fact Returns] **Net Sales After Returns** *[$#,0;($#,0);$#,0]*

```
[Sales Amount] - [Return Value]
```

[Fact Sales Budget] **Sales Budget** *[$#,0;($#,0);$#,0]*

```
SUM ( 'Fact Sales Budget'[Budget Amount] )
```

[Fact Sales Budget] **Sales vs Budget** *[$#,0;($#,0);$#,0]*

```
[Sales Amount] - [Sales Budget]
```

[Fact Sales Budget] **Budget Attainment %** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Sales Amount], [Sales Budget] )
```

[Fact Sales] **Sales Amount** *[$#,0;($#,0);$#,0]*

```
SUM ( 'Fact Sales'[Net Sales] )
```

[Fact Sales] **Total Cost** *[$#,0;($#,0);$#,0]*

```
SUM ( 'Fact Sales'[Cost Amount] )
```

[Fact Sales] **Gross Margin** *[$#,0;($#,0);$#,0]*

```
[Sales Amount] - [Total Cost]
```

[Fact Sales] **Gross Margin %** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Gross Margin], [Sales Amount] )
```

[Fact Sales] **Order Count** *[#,0]*

```
DISTINCTCOUNT ( 'Fact Sales'[Sales Order Number] )
```

[Fact Sales] **Units Sold** *[#,0]*

```
SUM ( 'Fact Sales'[Quantity] )
```

[Fact Sales] **Active Customers** *[#,0]*

```
DISTINCTCOUNT ( 'Fact Sales'[Customer Key] )
```

[Fact Sales] **Average Order Value** *[$#,0;($#,0);$#,0]*

```
DIVIDE ( [Sales Amount], [Order Count] )
```

[Fact Sales] **Average Selling Price** *[$#,0.00;($#,0.00);$#,0.00]*

```
DIVIDE ( [Sales Amount], [Units Sold] )
```

[Fact Sales] **Sales LY** *[$#,0;($#,0);$#,0]*

```
VAR _PriorDates = SELECTCOLUMNS ( VALUES ( 'Dim Date'[Date] ), "__Date", EDATE ( 'Dim Date'[Date], -12 ) ) RETURN CALCULATE ( [Sales Amount], REMOVEFILTERS ( 'Dim Date' ), TREATAS ( _PriorDates, 'Dim Date'[Date] ) )
```

[Fact Sales] **Sales YoY** *[$#,0;($#,0);$#,0]*

```
[Sales Amount] - [Sales LY]
```

[Fact Sales] **Sales YoY %** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Sales YoY], [Sales LY] )
```

[Fact Sales] **Sales YTD** *[$#,0;($#,0);$#,0]*

```
TOTALYTD ( [Sales Amount], 'Dim Date'[Date] )
```

[Fact Sales] **Rolling 3M Sales** *[$#,0;($#,0);$#,0]*

```
CALCULATE ( [Sales Amount], DATESINPERIOD ( 'Dim Date'[Date], MAX ( 'Dim Date'[Date] ), -3, MONTH ) )
```

[Fact Sales] **Reporting Year** *[0]*

```
MAX ( 'Dim Date'[Year] )
```

[Fact Sales] **Reporting Year Sales** *[$#,0;($#,0);$#,0]*

```
VAR _SelectedYear = [Reporting Year] RETURN CALCULATE ( [Sales Amount], REMOVEFILTERS ( 'Dim Date'[Year] ), KEEPFILTERS ( 'Dim Date'[Year] = _SelectedYear ) )
```

[Fact Sales] **Reporting Year Sales LY** *[$#,0;($#,0);$#,0]*

```
VAR _SelectedYear = [Reporting Year] RETURN CALCULATE ( [Sales Amount], REMOVEFILTERS ( 'Dim Date'[Year] ), KEEPFILTERS ( 'Dim Date'[Year] = _SelectedYear - 1 ) )
```

[Fact Sales] **Reporting Year Sales YoY %** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Reporting Year Sales] - [Reporting Year Sales LY], [Reporting Year Sales LY] )
```

[Fact Sales] **Reporting Year Gross Margin** *[$#,0;($#,0);$#,0]*

```
VAR _SelectedYear = [Reporting Year] RETURN CALCULATE ( [Gross Margin], REMOVEFILTERS ( 'Dim Date'[Year] ), KEEPFILTERS ( 'Dim Date'[Year] = _SelectedYear ) )
```

[Fact Sales] **Reporting Year GM %** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Reporting Year Gross Margin], [Reporting Year Sales] )
```

[Fact Sales] **Reporting Year Orders** *[#,0]*

```
VAR _SelectedYear = [Reporting Year] RETURN CALCULATE ( [Order Count], REMOVEFILTERS ( 'Dim Date'[Year] ), KEEPFILTERS ( 'Dim Date'[Year] = _SelectedYear ) )
```

[Fact Sales] **Reporting Year Units** *[#,0]*

```
VAR _SelectedYear = [Reporting Year] RETURN CALCULATE ( [Units Sold], REMOVEFILTERS ( 'Dim Date'[Year] ), KEEPFILTERS ( 'Dim Date'[Year] = _SelectedYear ) )
```

[Fact Sales] **Top Category**

```
VAR _Ranking = TOPN ( 1, ADDCOLUMNS ( ALLSELECTED ( 'Dim Product'[Category] ), "__Sales", [Reporting Year Sales] ), [__Sales], DESC, 'Dim Product'[Category], ASC ) RETURN CONCATENATEX ( _Ranking, 'Dim Product'[Category], ", " )
```

[Fact Sales] **Top Region**

```
VAR _Ranking = TOPN ( 1, ADDCOLUMNS ( ALLSELECTED ( 'Dim Store'[Region] ), "__Sales", [Reporting Year Sales] ), [__Sales], DESC, 'Dim Store'[Region], ASC ) RETURN CONCATENATEX ( _Ranking, 'Dim Store'[Region], ", " )
```

[Fact Sales] **Top Store**

```
VAR _Ranking = TOPN ( 1, ADDCOLUMNS ( ALLSELECTED ( 'Dim Store'[Store Name] ), "__Sales", [Reporting Year Sales] ), [__Sales], DESC, 'Dim Store'[Store Name], ASC ) RETURN CONCATENATEX ( _Ranking, 'Dim Store'[Store Name], ", " )
```

[Fact Sales] **Reporting Year Sales Variance** *[$#,0;($#,0);$#,0]*

```
[Reporting Year Sales] - [Reporting Year Sales LY]
```

[Fact Sales] **GM Target Gap** *[0.0 "pp";-0.0 "pp";0.0 "pp"]*

```
( [Reporting Year GM %] - 0.35 ) * 100
```

[Fact Sales] **Region Sales Share** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Reporting Year Sales], CALCULATE ( [Reporting Year Sales], ALLSELECTED ( 'Dim Store'[Region] ) ) )
```

[Fact Sales] **Category Sales Share** *[0.0%;(0.0%);0.0%]*

```
DIVIDE ( [Reporting Year Sales], CALCULATE ( [Reporting Year Sales], ALLSELECTED ( 'Dim Product'[Category] ) ) )
```

[Fact Sales] **Store Sales Rank** *[#,0]*

```
RANKX ( ALLSELECTED ( 'Dim Store'[Store Name] ), [Reporting Year Sales], , DESC, DENSE )
```

[Fact Sales] **Sales per Active Customer** *[$#,0;($#,0);$#,0]*

```
DIVIDE ( [Reporting Year Sales], [Reporting Year Active Customers] )
```

[Fact Sales] **Reporting Year Active Customers** *[#,0]*

```
VAR _SelectedYear = [Reporting Year] RETURN CALCULATE ( [Active Customers], REMOVEFILTERS ( 'Dim
Date'[Year] ), KEEPFILTERS ( 'Dim Date'[Year] = _SelectedYear ) )
```

[Fact Sales] **Reporting Year Average Order Value** *[$#,0;($#,0);$#,0]*

```
DIVIDE ( [Reporting Year Sales], [Reporting Year Orders] )
```

[Fact Sales] **GM Target Gap Label**

```
VAR _Gap = [GM Target Gap] RETURN IF ( _Gap < 0, UNICHAR ( 8722 ), "" ) & FORMAT ( ABS ( _Gap ), "0.0" )
& " pp"
```

[Fact Sales] **Sales** *[$#,0;($#,0);$#,0]*

```
[Reporting Year Sales]
```

[Fact Sales] **Gross margin $** *[$#,0;($#,0);$#,0]*

```
[Reporting Year Gross Margin]
```

[Fact Sales] **GM %** *[0.0%;(0.0%);0.0%]*

```
[Reporting Year GM %]
```

[Fact Sales] **YoY** *[0.0%;(0.0%);0.0%]*

```
[Reporting Year Sales YoY %]
```

[Fact Sales] **Units** *[#,0]*

```
[Reporting Year Units]
```

[Fact Sales] **Orders** *[#,0]*

```
[Reporting Year Orders]
```

[Fact Sales] **Avg order value** *[$#,0;($#,0);$#,0]*

```
[Reporting Year Average Order Value]
```

[Fact Sales] **Sales per customer** *[$#,0;($#,0);$#,0]*

```
[Sales per Active Customer]
```

[Fact Sales] **GM vs target** *[0.0 "pp";-0.0 "pp";0.0 "pp"]*

```
[GM Target Gap]
```

3.4 Report structure

Report structure

Page	Page Type	Total Visuals	Data Visuals	Slicers	Decorative
Executive overview	Standard	10	9	1	0
Products & brands	Standard	11	10	2	-1
Stores & customers	Standard	11	10	2	-1
Markets & drivers	Standard	12	10	1	1
Deep-dive insights	Standard	10	8	1	1

Report page — Executive overview

Wireframe




Figure 3 — Executive overview page layout

Filters

Filter Field	Filter Type
Year	Dropdown

Data Visuals

Visual Type	Data Bindings	Visual ID
lineChart	Dim Date.Month Name(Category); Fact Sales.Reporting Year Gross Margin(Tooltips); Fact Sales.Reporting Year Sales(Y); Fact Sales.Reporting Year Sales LY(Y)	28b18a9efa6c
clusteredBarChart	Dim Store.Region(Category); Fact Sales.Reporting Year Sales(Y); Fact Sales.Reporting Year GM %(Tooltips)	364c01f845a4
card	Fact Sales.Reporting Year Sales(Values)	card-096ca6e
card	Fact Sales.GM Target Gap Label(Values)	card-ab236b8
card	Fact Sales.Reporting Year Sales YoY %(Values)	card-b8ef7dc
card	Fact Sales.Reporting Year GM %(Values)	card-e6b9388
clusteredBarChart	Dim Product.Category(Category); Fact Sales.Reporting Year Sales(Tooltips); Fact Sales.Reporting Year GM %(Y)	cd368855f0cc
multiRowCard	Fact Sales.Top Region(Values); Fact Sales.Top Category(Values); Fact Sales.GM Target Gap Label(Values)	d1e2f3041526

Report page — Products & brands

Wireframe




Figure 4 — Products & brands page layout

Filters

Filter Field	Filter Type
Year	Dropdown
Category	Dropdown

Data Visuals

Visual Type	Data Bindings	Visual ID
clusteredColumnChart	Dim Product.Subcategory(Category); Fact Sales.Reporting Year Sales(Y); Fact Sales.Reporting Year GM %(Tooltips)	2c82531fad7b
pivotTable	Dim Product.Category(Rows); Dim Product.Subcategory(Rows); Fact Sales.Reporting Year Sales(Values); Fact Sales.Reporting Year GM %(Values); Fact Sales.Reporting Year Sales YoY %(Values)	2dcda049b363
clusteredBarChart	Dim Product.Brand(Category); Fact Sales.Reporting Year Sales(Y); Fact Sales.Reporting Year GM %(Tooltips)	6eef7fa28042
card	Fact Sales.Reporting Year Sales(Values)	card-00f9592
card	Fact Sales.Reporting Year GM %(Values)	card-21ffa97
card	Fact Sales.Reporting Year Units(Values)	card-98a5cc5
card	Fact Sales.Reporting Year Gross Margin(Values)	card-da940bf
pivotTable	Dim Product.Category(Rows); Fact Sales.Reporting Year Sales(Values); Fact Sales.GM Target Gap(Values)	product-oppo

Report page — Stores & customers

Wireframe




Figure 5 — Stores & customers page layout

Filters

Filter Field	Filter Type
Region	Dropdown
Year	Dropdown

Data Visuals

Visual Type	Data Bindings	Visual ID
clusteredColumnChart	Dim Customer.Segment(Category); Fact Sales.Reporting Year Sales(Y); Fact Sales.Active Customers(Tooltips)	766e07cce875
card	Fact Sales.Reporting Year Orders(Values)	card-4a46200
card	Fact Sales.Reporting Year Sales(Values)	card-4bba64e
card	Fact Sales.Reporting Year Average Order Value(Values)	card-7c3f6bb
card	Fact Sales.Sales per Active Customer(Values)	card-97e13b1
pivotTable	Dim Customer.Segment(Rows); Fact Sales.Reporting Year Sales(Values); Fact Sales.Reporting Year GM %(Values)	customer-hea
clusteredBarChart	Dim Store.Store Name(Category); Fact Sales.Reporting Year Sales(Y); Fact Sales.Reporting Year GM %(Tooltips)	defff69aa9c7
pivotTable	Dim Store.Region(Rows); Dim Store.Store Name(Rows); Fact Sales.Reporting Year Sales(Values); Fact Sales.Reporting Year Sales YoY %(Values)	fbcd96997679

Report page — Markets & drivers

Wireframe




Figure 6 — Markets & drivers page layout

Filters

Filter Field	Filter Type
Year	Dropdown

Data Visuals

Visual Type	Data Bindings	Visual ID
decompositionTreeVisual	Fact Sales.Sales Amount(Analyze); Dim Store.Region(ExplainBy); Dim Product.Category(ExplainBy); Dim Customer.Segment(ExplainBy)	a1b2c3d4e5f6
waterfallChart	Dim Store.Region(Category); Fact Sales.Reporting Year GM %(Tooltips); Fact Sales.Reporting Year Sales Variance(Y)	b1c2d3e4f506
clusteredBarChart	Dim Product.Category(Category); Fact Sales.Reporting Year Sales(Tooltips); Fact Sales.Reporting Year GM %(Tooltips); Fact Sales.Reporting Year Gross Margin(Y)	c1d2e3f40516
clusteredBarChart	Dim Store.Channel(Category); Fact Sales.Reporting Year Sales(Y)	channel-mix-
card	Fact Sales.GM Target Gap Label(Values)	market-gap
card	Fact Sales.Reporting Year Sales YoY %(Values)	market-growt
card	Fact Sales.Reporting Year GM %(Values)	market-margi
card	Fact Sales.Reporting Year Sales(Values)	market-sales
clusteredBarChart	Dim Product.Category(Category); Fact Sales.Reporting Year Sales YoY %(Tooltips); Fact Sales.Reporting Year Sales(Y)	market-sales

Report page — Deep-dive insights

Wireframe




Figure 7 — Deep-dive insights page layout

Filters

Filter Field	Filter Type
Year	Dropdown

Data Visuals

Visual Type	Data Bindings	Visual ID
card	Fact Sales.Reporting Year GM %(Values)	card-gm
card	Fact Sales.Reporting Year Sales(Values)	card-sales
card	Fact Sales.Reporting Year Units(Values)	card-units
card	Fact Sales.Reporting Year Sales YoY %(Values)	card-yoy
donutChart	Dim Store.Channel(Category); Fact Sales.Reporting Year Units(Y)	sales-by-cha
map	Dim Store.Country(Category); Fact Sales.Reporting Year Sales(Size)	sales-by-cou
decompositionTreeVisual	Fact Sales.Reporting Year Sales(Analyze); Dim Store.Region(ExplainBy); Dim Product.Category(ExplainBy); Dim Date.Year(ExplainBy)	what-drives-

3.5 Data security

No RLS roles were detected in the local semantic model. Effective workspace access and any external row/object security require separate confirmation.

3.6 Technical observations

Warnings

1	**Date labels without Sort By** 1 month/quarter label column(s) may sort alphabetically: Dim Date.Quarter.
2	**Unused measures exposed in the model** 39 measure(s) are not referenced by any report visual metadata (e.g. Fact Inventory Snapshot[Inventory Units On Hand], Fact Inventory Snapshot[Inventory Carrying Value], Fact Inventory Snapshot[Stockout SKU Count], Fact Inventory Snapshot[Weeks of Supply], Fact Returns[Return Value]...). Review whether they should be hidden, grouped, or removed.

Info

3	**Disabled-load staging queries** Not loaded: stgProductEconomics, stgSalesPlan.
4	**Helper/function queries** fnSeasonalityFactor. Verify still in use.
5	**Visible columns not used in the report** 18 visible column(s) are not referenced by visual metadata (e.g. Dim Customer.Customer Name, Dim Customer.City, Dim Customer.Country, Dim Date.Date, Dim Date.Quarter, Dim Employee.Employee Name...). Consider hiding technical or author-noise columns.
6	**Exposed tables not used in report metadata** 7 non-hidden table(s) are not referenced by report visuals: Dim Employee, Dim Promotion, Dim Return Reason, Dim Supplier, Fact Inventory Snapshot.... Confirm whether these belong in the authoring surface.
7	**High visual-type diversity** The report uses 11 distinct non-decorative visual types. High visual variety can reduce consistency and increase support complexity.
8	**Sort column configuration** Dim Date.Month Name sorted by Month Number.
9	**Parameter-driven connections** Binary parameters: pScenarioStartDate, pScenarioEndDate.

Good Practices

10	**Naming conventions look serviceable** No obviously generic table, column, or measure names were detected by the metadata scan. Continue to validate business terminology with report owners.

4. Handover and support

4.1 Support contacts

Business Owner	[To be confirmed]
Technical Owner	[To be confirmed]
Support Queue	[To be confirmed]

4.2 Typical support scenarios

[SUGGESTED] *Top scenarios below generated from PBIP analysis. Confirm, modify, or add.*

Scenario	Likely Cause	Resolution
Stale data after expected refresh	Scheduled refresh failed silently or credentials expired	Check refresh history; re-enter credentials if expired
Access request for new user	User needs access to workspace or published app	Add user to Entra ID security group or app audience
Visual not filtering as expected	Cross-filter interaction rules or report-level filters blocking	Check visual interaction settings; review page and report filters
Performance degradation	Model size growth, complex DAX, or gateway contention	Monitor model size; review DAX performance; check gateway health

4.3 Manual maintenance activities

- **[SUGGESTED]** *Update region mapping file when new company codes are added*
- **[SUGGESTED]** *Provision workspace/app access for new users via Entra ID groups*

4.4 Related evidence and documents

[To be confirmed] *Testing evidence*

[To be confirmed] *Release notes / change record*

[To be confirmed] *Access document*

5. Revision history

Version	Date	Author	Change
1.0	2026-10-29	[Document Owner]	Initial version