PIZZA SALES ANALYSIS - SQL QUERIES

➢ Data Exploration

1. Data view

```
SELECT * FROM pizza_sales LIMIT 10;
```

Data Output Messages Notifications

Showing rows: 1 to 10 Page No: 1

	pizza_id integer	order_id integer	pizza_name_id character varying	quantity integer	order_date date	order_time time without tim	unit_price numeric (6,	total_price numeric (6,2)	pizza_size character varyi	pizza_category character varying (	pizza_ingredients character varying (200)	pizza_name character varying (200)
1	1	1	hawaiian_m	1	2015-01-01	11:38:36	13.25	13.25	M	Classic	Sliced Ham, Pineapple, Mozzarella Che...	The Hawaiian Pizza
2	2	2	classic_dlx_m	1	2015-01-01	11:57:40	16.00	16.00	M	Classic	Pepperoni, Mushrooms, Red Onions, R...	The Classic Deluxe Pizza
3	3	2	five_cheese_l	1	2015-01-01	11:57:40	18.50	18.50	L	Veggie	Mozzarella Cheese, Provolone Cheese, ...	The Five Cheese Pizza
4	4	2	ital_supr_l	1	2015-01-01	11:57:40	20.75	20.75	L	Supreme	Calabrese Salami, Capocollo, Tomatoe...	The Italian Supreme Pizza
5	5	2	mexicana_m	1	2015-01-01	11:57:40	16.00	16.00	M	Veggie	Tomatoes, Red Peppers, Jalapeno Pep...	The Mexicana Pizza
6	6	2	thai_ckn_l	1	2015-01-01	11:57:40	20.75	20.75	L	Chicken	Chicken, Pineapple, Tomatoes, Red Pe...	The Thai Chicken Pizza
7	7	3	ital_supr_m	1	2015-01-01	12:12:28	16.50	16.50	M	Supreme	Calabrese Salami, Capocollo, Tomatoe...	The Italian Supreme Pizza
8	8	3	prsc_argla_l	1	2015-01-01	12:12:28	20.75	20.75	L	Supreme	Prosciutto di San Daniele, Arugula, Mo...	The Prosciutto and Arugula Piz...
9	9	4	ital_supr_m	1	2015-01-01	12:16:31	16.50	16.50	M	Supreme	Calabrese Salami, Capocollo, Tomatoe...	The Italian Supreme Pizza
10	10	5	ital_supr_m	1	2015-01-01	12:21:30	16.50	16.50	M	Supreme	Calabrese Salami, Capocollo, Tomatoe...	The Italian Supreme Pizza

2. Row Count

```
SELECT COUNT(*) FROM pizza_sales;
```

Data Output Messages Notifications

	count bigint
1	48620

3. Category & sizes

```
SELECT DISTINCT pizza_category FROM pizza_sales;
```

Data Output Messages Notifications

	pizza_category character varying (50)
1	Supreme
2	Chicken
3	Veggie
4	Classic

```
SELECT DISTINCT pizza_size FROM pizza_sales;
```

Data Output Messages Notifications

	pizza_size character varying (50)
1	S
2	XXL
3	XL
4	M
5	L

4. Checking for null values

```
SELECT * FROM pizza_sales
WHERE order_id IS NULL
    OR pizza_name IS NULL;
```

Data Output Messages Notifications

pizza_id integer	order_id integer	pizza_name_id character varying (50)	quantity integer	order_date date

➢ KPIs

5. Total Revenue

```
SELECT sum(total_price) as total_revenue
FROM pizza_sales;
```

Data Output | Messages | Notifications

	total_revenue numeric
1	817860.05

6. Average Order Value

```
SELECT
round(sum(total_price) / COUNT(DISTINCT order_id),2) as avg_order_value
FROM pizza_sales;
```

Data Output | Messages | Notifications

Showing rows: 1 to 1

	avg_order_value numeric
1	38.31

7. Total Pizza Sold

```
SELECT sum(quantity) as total_pizza_sold
FROM pizza_sales;
```

Data Output | Messages | Notifications

	total_pizza_sold bigint
1	49574

8. Total Orders

```
SELECT count(DISTINCT order_id) as total_orders
FROM pizza_sales
```

Data Output | Messages | Notifications

	total_orders bigint
1	21350

9. Average Pizza Per Order

```
SELECT CAST(CAST(sum(quantity) AS DECIMAL(10,2)) /
        CAST(count(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2)) as avg_pizza_per_order
FROM pizza_sales
```

Data Output | Messages | Notifications

Showing rows: 1 to 1 | Page No: 1 of 1

	avg_pizza_per_order numeric (10,2)
1	2.32

➢ CHARTS

10. Daily Trend for total orders

```
SELECT TO_CHAR(order_date, 'FMDay') as dayname,
       count(DISTINCT order_id) as total_orders
  FROM pizza_sales
  GROUP BY TO_CHAR(order_date, 'FMDay')
  ORDER BY total_orders DESC;
```

Data Output Messages Notifications

	dayname text	total_orders bigint
1	Friday	3538
2	Thursday	3239
3	Saturday	3158
4	Wednesday	3024
5	Tuesday	2973
6	Monday	2794
7	Sunday	2624

11. Monthly Trend for total Orders

```
SELECT TO_CHAR(order_date, 'FMMonth') as mon_name,
       count(DISTINCT order_id) as total_orders
  FROM pizza_sales
  GROUP BY TO_CHAR(order_date, 'FMMonth')
  ORDER BY total_orders DESC;
```

Data Output Messages Notifications

	mon_name text	total_orders bigint
1	July	1935
2	May	1853
3	January	1845
4	August	1841
5	March	1840
6	April	1799
7	November	1792
8	June	1773
9	February	1685
10	December	1680
11	September	1661
12	October	1646

12. Percentage sales by Pizza Category

```
SELECT pizza_category, sum(total_price) as total_sales,
       ROUND(sum(total_price) * 100 / (SELECT sum(total_price) FROM pizza_sales),2) as pct
FROM pizza_sales
GROUP BY pizza_category
ORDER BY pct DESC ;
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	pizza_category character varying (50)	total_sales numeric	pct numeric
1	Classic	220053.10	26.91
2	Supreme	208197.00	25.46
3	Chicken	195919.50	23.96
4	Veggie	193690.45	23.68

13. Percentage sales by Pizza Size

```
SELECT pizza_size, sum(total_price) as total_sales,
       ROUND(sum(total_price) * 100 / (SELECT sum(total_price) FROM pizza_sales),2) as PCT
FROM pizza_sales
GROUP BY pizza_size
ORDER BY PCT DESC;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	pizza_size character varying (50)	total_sales numeric	pct numeric
1	L	375318.70	45.89
2	M	249382.25	30.49
3	S	178076.50	21.77
4	XL	14076.00	1.72
5	XXL	1006.60	0.12

14. Total Pizza Quantity Sold by Pizza Category

```sql
SELECT pizza_category, sum(quantity) as totalpizza_sold
FROM pizza_sales
GROUP BY pizza_category
ORDER BY totalpizza_sold DESC;
```

Data Output Messages Notifications

	pizza_category character varying (50)	totalpizza_sold bigint
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

15. Top 5 Best-selling Pizza by Revenue

```sql
SELECT pizza_name, sum(total_price) as total_revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_revenue DESC
LIMIT 5;
```

Data Output Messages Notifications

	pizza_name character varying (200)	total_revenue numeric
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768.00
3	The California Chicken Pizza	41409.50
4	The Classic Deluxe Pizza	38180.50
5	The Spicy Italian Pizza	34831.25

16. Bottom 5 sellers by Revenue

```sql
SELECT pizza_name, sum(total_price) as total_revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_revenue ASC
LIMIT 5;
```

Data Output Messages Notifications

	pizza_name character varying (200)	total_revenue numeric
1	The Brie Carre Pizza	11588.50
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.50
5	The Spinach Pesto Pizza	15596.00

17. Top 5 Pizzas by Quantity sold

```sql
SELECT pizza_name, sum(quantity) as total_quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_quantity DESC
LIMIT 5;
```

Data Output Messages Notifications

	pizza_name character varying (200)	total_quantity bigint
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

18. Botton 5 Pizza by quantity sold

```sql
SELECT pizza_name, sum(quantity) as total_quantity
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_quantity ASC
LIMIT 5;
```

Data Output Messages Notifications

	pizza_name character varying (200)	total_quantity bigint
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961

19. Top 5 Pizza sold by Number of Orders

```sql
SELECT pizza_name, count(DISTINCT order_id) as total_orders
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_orders DESC
LIMIT 5;
```

Data Output Messages Notifications

Showing rows: 1

	pizza_name character varying (200)	total_orders bigint
1	The Classic Deluxe Pizza	2329
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Pizza	2273
5	The Thai Chicken Pizza	2225

20. Botton 5 Pizza sold by Number of Orders

```sql
SELECT pizza_name, count(DISTINCT order_id) as total_orders
FROM pizza_sales
GROUP BY pizza_name
ORDER BY total_orders ASC
LIMIT 5;
```

Data Output Messages Notifications

Showing rows: 1 t

	pizza_name character varying (200)	total_orders bigint
1	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Calabrese Pizza	918
4	The Spinach Supreme Pizza	918
5	The Chicken Pesto Pizza	938

Prepared by: Shubham

Pizza Sales Analysis (SQL + Power BI) Project