Operation GhostStore - Banned Seller Resurrection Detection

Detecting banned sellers creating ghost stores to evade marketplace bans.

Problem

500 raw records with 6 intentional obfuscation tricks:

- HTML tags: `<p>BookNest</p>` , `<b>GadgetWorld</b>`
- Emojis: `ToyZone🔥` , `FashionHub💥`
- Char substitution: `G@adgetWorld` , `F@shionHub`
- Case variance: `FASHIONHUB` vs `FashionHub.`
- Extra noise: `BookNest - Best Deals` , `Gadget World`

My Solution (Python)

1. **Cleaning:** Regex to strip HTML, emojis, symbols
2. **Entity Resolution:** Mapped 36 dirty variants -> 5 true sellers
3. **Fraud Detection:** Grouped by bank/address fingerprints
4. **Visualization:** Matplotlib dashboard

Results

- FashionHub: 8 fake names, 118 records
- GadgetWorld: 8 fake names, 78 records
- ToyZone: 7 fake names, 104 records
- **Total: 30 ghost accounts detected**

Files

- `Operation-GhostStore-RAW-MESSY.csv` - Raw messy data
- `GhostStore_CLEANED_By_Me.csv` - Cleaned data
- `My_First_Fraud_Dashboard.png` - Visual report
- `cleaning_code.py` - Full Python code

Tech Stack

Python, Pandas, Regex, Matplotlib, Google Colab

How to Run

```
pip install -r requirements.txt
python cleaning_code.py
```

Author: Vaishali Desai | Learning Python for Trust & Safety