Nvec_NVE23841 (SoxB2/Sox3)
OG: HMGbox_Sox.HG1.34:SRY
PFAM: HMG_box
motif: ARCH497_/Sox4/Sox11_Sox13/S...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 24





Nvec_v1g19278 (Klf13)
OG: zf−C2H2.HG2.12:KLF9/KLF13/KLF14/KLI
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001623084.3 (Six4/5)
OG: Homeodomains.HG3.24:SIX4/SIX5
PFAM: SIX1_SD/Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 142





Nvec_vc1.1_XM_001623084.3 (Six4/5)
OG: Homeodomains.HG3.24:SIX4/SIX5
PFAM: SIX1_SD/Homeodomain
motif: ARCH742_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001624716.3 (NvSox1)
OG: HMGbox_Sox.HG1.35:SOX1/SOX2/SOX3
PFAM: HMG_box/SOXp
motif: ARCH1113_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 12



Nvec_vc1.1_XM_001625109.3 (Six3/6)
OG: Homeodomains.HG3.30:SIX3/SIX6
PFAM: SIX1_SD/Homeodomain
motif: ARCH709_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001625950.3 (FoxC)
OG: Forkhead.HG1.10:FOXC1/FOXC2
PFAM: Forkhead
motif: ARCH507_Foxc2/Foxc1_Foxg1/G...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 226



Nvec_vc1.1_XM_001627136.3 (Tbx1/10−2)
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1129_Tbx10/Tbx1
TF family: T−box
archetype family: T−box
CisBP assigned: TRUE
rank: 765





Nvec_vc1.1_XM_001627136.3 (Tbx1/10−2)
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1047_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001628635.3 (PAX3/7)
OG: Homeodomains.HG2.28:PAX3/PAX7
PFAM: PAX/Homeodomain
motif: ARCH983_Pax7/Pax3
TF family: Pax/Homeodomain
archetype family: Pax/Homeodomain
CisBP assigned: TRUE
rank: 71



Nvec_vc1.1_XM_001629218.3 (TBX20)
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1047_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_001629694.3 (XBP1)
OG: bZIP.HG1.16:XBP1
PFAM: bZIP_1
motif: ARCH140_Xbp1
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 10



Nvec_vc1.1_XM_001629694.3 (XBP1)
OG: bZIP.HG1.16:XBP1
PFAM: bZIP_1
motif: ARCH142_Creb3l2/Creb3l1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_001629987.3 (NvSoxE1)
OG: HMGbox_Sox.HG1.42:SOX8/SOX9/SOX1
PFAM: Sox_N/HMG_box
motif: ARCH528_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 147





Nvec_vc1.1_XM_001631763.3 (PaxA)
OG: Homeodomains.HG2.49:like:PAX1/PAX9
PFAM: PAX
motif: ARCH502_M11209_2.00
TF family: Pax
archetype family: Pax
CisBP assigned: TRUE
rank: 204



Nvec_vc1.1_XM_001632568.3 (NvSoxB2a)
OG: HMGbox_Sox.HG1.34:SRY
PFAM: HMG_box
motif: ARCH1074_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_001632947.3 (NvSoxB1)
OG: HMGbox_Sox.HG1.35:SOX1/SOX2/SOX3
PFAM: HMG_box/SOXp
motif: ARCH1113_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 38



Nvec_vc1.1_XM_001633014.3 (HSF−like)
OG: HSF.HG1.4:like:HSF1/HSF2/HSF4
PFAM: HSF_DNA−bind
motif: ARCH857_Hsf1/Hsf2/Hsf4/Hsf3
TF family: HSF
archetype family: HSF
CisBP assigned: FALSE
rank: 1170



Nvec_vc1.1_XM_001633819.3 (BHMG1)
OG: HLH.HG1.3:BHMG1
PFAM: HLH
motif: ARCH47_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 13



Nvec_vc1.1_XM_001634202.3 (Anthox6/Ax6)
OG: Homeodomains.HG1.58:HOXA1/HOXB1/H
PFAM: Homeodomain
motif: ARCH348_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 106



Nvec_vc1.1_XM_001634202.3 (Anthox6/Ax6)
OG: Homeodomains.HG1.58:HOXA1/HOXB1/H
PFAM: Homeodomain
motif: ARCH1007_M03442_2.00__M0344...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 19



Nvec_vc1.1_XM_001634328.3 (NR12)
OG: zf−C4_Nuclear_receptors.HG1.24:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH982_Nr2c1/Nr2c2
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 482





Nvec_vc1.1_XM_001634505.3 (FoxA)
OG: Forkhead.HG1.1:FOXA1/FOXA2/FOXA3/F
PFAM: Forkhead_N/Forkhead/HNF_C
motif: ARCH514_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001634715.3 (Lbx)
OG: Homeodomains.HG1.29:LBX1/LBX2
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 4





Nvec_vc1.1_XM_001634938.2 (Nem64)
OG: HLH.HG1.93:like:SCX/TCF15
PFAM: HLH
motif: ARCH92_Max/Ppp5c
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 17



Nvec_vc1.1_XM_001636155.3 (NvSoxF1)
OG: HMGbox_Sox.HG1.16:like:PINX1/SOX7/S
PFAM: HMG_box
motif: ARCH1096_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 328



Nvec_vc1.1_XM_001636889.3 (FoxJ1)
OG: Forkhead.HG1.24:FOXJ1
PFAM: Forkhead
motif: ARCH485_Foxd2/Foxd4/Foxd3/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001639701.3 (NvSox2)
OG: HMGbox_Sox.HG1.14:like:SOX1/SOX2/S
PFAM: HMG_box
motif: ARCH745_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 31



Nvec_vc1.1_XM_001640809.3 (Myc2)
OG: HLH.HG1.29:MYC/MYCL/MYCN
PFAM: Myc_N/HLH
motif: ARCH92_Max/Ppp5c
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_001641129.3 (ZNF845)
OG: zf−C2H2.HG3.8:like:ZNF770
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−H2C2_2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001647471.3 (OtxC)
OG: Homeodomains.HG2.46:CRX/OTX1/OTX2
PFAM: Homeodomain
motif: ARCH254_M05250_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 331



Nvec_vc1.1_XM_032362713.2 (Islet)
OG: Homeodomains.HG2.19:ISL1/ISL2
PFAM: LIM/LIM/Homeodomain
motif: ARCH743_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032363992.2 (Pou4)
OG: Homeodomains.HG4.6:POU4F1/POU4F2
PFAM: Pou/Homeodomain
motif: ARCH9_POU4F1
TF family: Pou/Homeodomain
archetype family: Pou/Homeodomain
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032364773.2 (NOTO)
OG: Homeodomains.HG1.59:like:NOTO
PFAM: Homeodomain
motif: ARCH666_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 220



Nvec_vc1.1_XM_032364784.2 (Hhex)
OG: Homeodomains.HG1.28:HHEX
PFAM: Homeodomain
motif: ARCH704_Nanog
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_032364887.2 (FoxL2)
OG: Forkhead.HG1.20:FOXL2
PFAM: Forkhead
motif: ARCH547_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 8





Nvec_vc1.1_XM_032365096.2 (Rfx4/6/8)
OG: RFX.HG1.7:RFX6
PFAM: RFX_DNA_binding
motif: ARCH1015_Rfx1/Rfx3/Rfx2_Rfx6
TF family: RFX
archetype family: RFX
CisBP assigned: TRUE
rank: 101



Nvec_vc1.1_XM_032366098.2 (Ptx1)
OG: HLH.HG1.29:MYC/MYCL/MYCN
PFAM: HLH
motif: ARCH92_Max/Ppp5c
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032366733.2 (Anthox1/Ax1)
OG: Homeodomains.HG1.68:AC004080.3/AC0
PFAM: Homeodomain
motif: ARCH717_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032367288.2 (GATA)
OG: GATA.HG1.5:GATA1/GATA2/GATA3/GATA-
PFAM: GATA/GATA
motif: ARCH35_Gata3/Gata1/Gata2
TF family: GATA
archetype family: GATA
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_032370984.2 (AshA)
OG: HLH.HG1.58:like:ASCL1/ASCL2/ASCL3/A
PFAM: HLH
motif: ARCH47_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_032372264.2 (NvSoxC)
OG: HMGbox_Sox.HG1.11:SOX4/SOX11/SOX
PFAM: HMG_box
motif: ARCH745_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_032373618.2 (Nkx−2.2a)
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH781_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 224



Nvec_vc1.1_XM_032373618.2 (Nkx−2.2a)
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH741_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 11



Nvec_vc1.1_XM_032374843.2 (Tbx1/10−1)
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1129_Tbx10/Tbx1
TF family: T−box
archetype family: T−box
CisBP assigned: TRUE
rank: 769





Nvec_vc1.1_XM_032374843.2 (Tbx1/10−1)
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1047_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032375228.2 (Rfx4)
OG: RFX.HG1.3:like:RFX4/RFX6/RFX8
PFAM: RFX_DNA_binding
motif: ARCH1036_Rfx1/Rfx3/Rfx2_Rfx6
TF family: RFX
archetype family: RFX
CisBP assigned: TRUE
rank: 2



Nvec_vc1.1_XM_032375602.2 (Insm1)
OG: zf−C2H2.HG25.1:INSM1/INSM2
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_032375635.2 (OtxB)
OG: Homeodomains.HG2.46:CRX/OTX1/OTX2
PFAM: Homeodomain
motif: ARCH762_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032376206.2 (SoxB2)
OG: HMGbox_Sox.HG1.13:like:SOX1/SOX2/S
PFAM: HMG_box
motif: ARCH6_M00889_2.00
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 54



Nvec_vc1.1_XM_032377358.2 (VAx−EMX−Lik
OG: Homeodomains.HG1.42:VAX1/VAX2
PFAM: Homeodomain
motif: ARCH360_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 29



Nvec_vc1.1_XM_032377450.2 (Tbx20−1)
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1047_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 3



Nvec_vc1.1_XM_032377897.2 (Pea3/Ets)
OG: Ets.HG1.3:ETV1/ETV4/ETV5
PFAM: ETS_PEA3_N/Ets
motif: ARCH93_Ptf1a
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032378021.2 (Brachyury)
OG: T−box.HG1.5:TBX19/TBXT
PFAM: T−box
motif: ARCH1136_Tbx19/T
TF family: T−box
archetype family: T−box
CisBP assigned: TRUE
rank: 20



Nvec_vc1.1_XM_032378881.2 (CREB3)
OG: bZIP.HG1.15:CREB3/CREB3L1/CREB3L2
PFAM: bZIP_1
motif: ARCH132_Creb3l2/Creb3l1
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 114



Nvec_vc1.1_XM_032378881.2 (CREB3)
OG: bZIP.HG1.15:CREB3/CREB3L1/CREB3L2
PFAM: bZIP_1
motif: ARCH183_Atf3/Jdp2
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 53



Nvec_vc1.1_XM_032379465.2 (SoxB2/Sox3)
OG: HMGbox_Sox.HG1.19:like:SOX1/SOX2/S
PFAM: HMG_box
motif: ARCH626_Mael_Tox3/Tox/Tox2/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 19



Nvec_vc1.1_XM_032379688.2 (NVHD033−AN
OG: Homeodomains.HG1.39:BARHL1/BARHL
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 11





Nvec_vc1.1_XM_032380374.2 (NvSoxA)
OG: HMGbox_Sox.HG1.34:SRY
PFAM: HMG_box
motif: ARCH745_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 15



Nvec_vc1.1_XM_032381908.2 (Hand2)
OG: HLH.HG1.66:like:HAND1/HAND2
PFAM: HLH
motif: ARCH357_bHLH122
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 90



Nvec_vc1.1_XM_032384221.2 (ETV6/7)
OG: Ets.HG1.13:ETV6/ETV7
PFAM: Ets
motif: ARCH452_Elf3/Ehf/Elf5_Etv6
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 206



Nvec_vc1.1_XM_032384221.2 (ETV6/7)
OG: Ets.HG1.13:ETV6/ETV7
PFAM: Ets
motif: ARCH1214_ETV1__Ets1−distal_...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 86



Nvec_vc1.1_XM_032384420.2 (Sp6−9)
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2_4
motif: ARCH185_Sp6/Sp5_Sp7/Sp8/Sp9
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 16



Nvec_vc1.1_XM_032384420.2 (Sp6−9)
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2_4
motif: ARCH210_Klf11
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_032384889.2 (Hes2)
OG: HLH.HG1.63:like:HES5/HES7
PFAM: HLH/Hairy_orange
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 177



Nvec_vc1.1_XM_032384965.2 (BarH−Like3)
OG: Homeodomains.HG1.39:BARHL1/BARHL
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 22





Nvec_vc1.1_XM_032385184.2 (Nem24)
OG: HLH.HG1.93:like:SCX/TCF15
PFAM: HLH
motif: ARCH357_bHLH122
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 164



Nvec_vc1.1_XM_032385185.2 (Nem7)
OG: HLH.HG1.93:like:SCX/TCF15
PFAM: HLH
motif: ARCH89_PL0012.1_hlh−2::hlh−8
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 26



Nvec_vc1.1_XM_032385496.2 (PTF1a)
OG: HLH.HG1.91:like:FERD3L/PTF1A
PFAM: HLH
motif: ARCH93_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 2



Nvec_vc1.1_XM_032385647.2 (RFX1/2/3)
OG: RFX.HG1.2:RFX1/RFX2/RFX3
PFAM: RFX_DNA_binding
motif: ARCH1015_Rfx1/Rfx3/Rfx2_Rfx6
TF family: RFX
archetype family: RFX
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_032385706.2 (FoxQ2d)
OG: Forkhead.HG1.14:like:FOXN1/FOXN2/FO
PFAM: Forkhead
motif: ARCH494_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 35



Nvec_vc1.1_XM_032385745.2 (Prdm14d)
OG: zf−C2H2.HG19.1:PRDM14
PFAM: zf−C2H2/zf−C2H2
motif: ARCH213_Klf5_Klf7_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 3



Nvec_vc1.1_XM_032385896.2 (Cnido−Jun)
OG: bZIP.HG1.6:JUN/JUNB/JUND
PFAM: Jun/bZIP_1
motif: ARCH1146_Atf4/Atf5
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 120



Nvec_vc1.1_XM_032386947.2 (FoxQ2a)
OG: Forkhead.HG1.13:like:FOXN1/FOXN2/FO
PFAM: Forkhead
motif: ARCH492_/Sox4/Sox11_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 47



Nvec_vc1.1_XM_032387167.2 (FoxA/D?)
OG: Forkhead.HG1.1:FOXA1/FOXA2/FOXA3/F
PFAM: Forkhead
motif: ARCH547_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 70





Nvec_vc1.1_XM_032387186.2 (SnailA)
OG: zf−C2H2.HG7.5:SNAI1/SNAI2/SNAI3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 1287



Nvec_vc1.1_XM_032387186.2 (SnailA)
OG: zf−C2H2.HG7.5:SNAI1/SNAI2/SNAI3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 219





Nvec_vc1.1_XM_048728028.1 (FoxB)
OG: Forkhead.HG1.1:FOXA1/FOXA2/FOXA3/F
PFAM: Forkhead
motif: ARCH485_Foxd2/Foxd4/Foxd3/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_048728976.1 (Zic−C)
OG: zf−C2H2.HG4.5:like:ZIC1/ZIC2/ZIC3/ZIC4
PFAM: zf_ZIC/zf−C2H2/zf−C2H2
motif: ARCH285_M06063_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 10



Nvec_vc1.1_XM_048728976.1 (Zic−C)
OG: zf−C2H2.HG4.5:like:ZIC1/ZIC2/ZIC3/ZIC4
PFAM: zf_ZIC/zf−C2H2/zf−C2H2
motif: ARCH236_M03668_2.00__M05861...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_048730161.1 (Cnido−Fos1)
OG: bZIP.HG1.9:like:ATF3/ATF4/ATF5/FOS/FO
PFAM: bZIP_1
motif: ARCH1146_Atf4/Atf5
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 28



Nvec_vc1.1_XM_048731137.1 (LMX)
OG: Homeodomains.HG2.20:LHX1/LHX3/LHX
PFAM: LIM/LIM/Homeodomain
motif: ARCH691_AW822073//Duxf3/Dux...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 31



Nvec_NVE19743
OG: HLH.HG1.55:like:TCF23/TCF24
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 39



Nvec_NVE7697
OG: Homeodomains.HG2.24:like:LEUTX
PFAM: Homeodomain
motif: ARCH1177_Hnf1a/Hnf1b
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 20



Nvec_v1g210540
OG: HLH.HG1.68:like:ASCL3/ASCL4/ASCL5
PFAM: HLH
motif: ARCH47_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 4



Nvec_v1g241767
OG: bZIP.HG1.3:like:JUN/JUNB/JUND
PFAM: Jun
motif: ARCH139_Crebl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 724



Nvec_v1g241767
OG: bZIP.HG1.3:like:JUN/JUNB/JUND
PFAM: Jun
motif: ARCH132_Creb3l2/Creb3l1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 106



Nvec_v1g90177
OG: AT_hook.HG1.0:HMGA2
PFAM: AT_hook/AT_hook/AT_hook/AT_hook
motif: ARCH842_M06438_2.00
TF family: AT_hook
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_v1g93844
OG: zf−C4_Nuclear_receptors.HG1.13:NR4A1
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 185



Nvec_v1g99666
OG: HLH.HG1.93:like:SCX/TCF15
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 38



Nvec_vc1.1_XM_001618929.3
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001623127.3
OG: Forkhead.HG1.31:like:FOXO1/FOXO3/FO
PFAM: Forkhead
motif: ARCH495_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 188



Nvec_vc1.1_XM_001623467.3
OG: bZIP.HG1.12:CREBZF
PFAM: bZIP_2
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 24



Nvec_vc1.1_XM_001623946.3
OG: Homeodomains.HG2.11:DUX4/DUXA/DU
PFAM: Homeodomain
motif: ARCH642_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_001624046.3
OG: Forkhead.HG1.33:like:FOXO1/FOXO3/FO
PFAM: Forkhead
motif: ARCH163_Foxn4/Foxn1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_001624560.3
OG: Homeodomains.HG2.3:like:AC025287.4/A
PFAM: PAX/Homeodomain
motif: ARCH841_Pax5/Pax8/Pax2
TF family: Pax/Homeodomain
archetype family: Pax/Homeodomain
CisBP assigned: FALSE
rank: 314



Nvec_vc1.1_XM_001624689.3
OG: Forkhead.HG1.26:FOXM1
PFAM: Forkhead
motif: ARCH508_Foxk2/Foxk1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_001625118.3
OG: HSF.HG1.0:like:HSF1/HSF2/HSF4/HSF5/
PFAM: HSF_DNA−bind
motif: ARCH857_Hsf1/Hsf2/Hsf4/Hsf3
TF family: HSF
archetype family: HSF
CisBP assigned: FALSE
rank: 781



Nvec_vc1.1_XM_001625254.3
OG: HMGbox_Sox.HG1.55:TFAM/UBTFL1
PFAM: HMG_box/HMG_box
motif: ARCH1080_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 14



Nvec_vc1.1_XM_001625437.3
OG: Myb.HG2.3:NA
PFAM: MADF_DNA_bdg
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 343



Nvec_vc1.1_XM_001625588.3
OG: Runt_Runx.HG1.0:RUNX1/RUNX2/RUNX
PFAM: Runt
motif: ARCH1053_Runx3/Runx2/Runx1
TF family: Runt_Runx
archetype family: Runt_Runx
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_001625700.3
OG: NRF1.HG1.2:NRF1
PFAM: Nrf1_DNA−bind/Nrf1_activ_bdg
motif: ARCH322_Nrf1
TF family: NRF1
archetype family: NRF1
CisBP assigned: TRUE
rank: 1183



Nvec_vc1.1_XM_001625754.3
OG: Homeodomains.HG2.6:like:AC025287.4/A
PFAM: Homeodomain
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 55



Nvec_vc1.1_XM_001625768.3
OG: Homeodomains.HG1.5:like:AC004080.3/A
PFAM: Homeodomain
motif: ARCH684_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 53



Nvec_vc1.1_XM_001625898.3
OG: Homeodomains.HG1.62:like:MEOX1/MEO
PFAM: Homeodomain
motif: ARCH718_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 988



Nvec_vc1.1_XM_001625898.3
OG: Homeodomains.HG1.62:like:MEOX1/MEO
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1





Nvec_vc1.1_XM_001625899.3
OG: Homeodomains.HG1.65:like:MEOX1/MEO
PFAM: Homeodomain
motif: ARCH738_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 1112



Nvec_vc1.1_XM_001625899.3
OG: Homeodomains.HG1.65:like:MEOX1/MEO
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2





Nvec_vc1.1_XM_001625997.3
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH776_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_001625997.3
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH743_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 137



Nvec_vc1.1_XM_001625998.3
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH782_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 3



Nvec_vc1.1_XM_001625998.3
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH704_Nanog
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001626351.3
OG: mTERF.HG1.1:MTERF1/MTERF2
PFAM: mTERF
motif: ARCH515_Foxa3/Foxa1/Foxa2_F...
TF family: mTERF
archetype family: Forkhead
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001626384.3
OG: Homeodomains.HG3.31:SIX1/SIX2
PFAM: SIX1_SD/Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 1





Nvec_vc1.1_XM_001626717.3
OG: T−box.HG1.4:like:EOMES/TBR1/TBX19/T
PFAM: T−box
motif: ARCH1130_Tbx10/Tbx1
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 83



Nvec_vc1.1_XM_001626820.3
OG: T−box.HG1.2:like:MGA/TBX1/TBX2/TBX3
PFAM: T−box
motif: ARCH1048_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 1080



Nvec_vc1.1_XM_001627049.3
OG: HLH.HG1.19:HELT
PFAM: HLH/Hairy_orange
motif: ARCH834_bHLH157
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 80



Nvec_vc1.1_XM_001627072.3
OG: Forkhead.HG1.17:like:FOXI1/FOXI2/FOXI
PFAM: Forkhead
motif: ARCH162_Fos/Fosb/Fosl1/Fosl...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 185



Nvec_vc1.1_XM_001627361.3
OG: zf−C2H2.HG74.0:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001627423.3
OG: HMGbox_Sox.HG1.10:BBX
PFAM: HMG_box
motif: ARCH745_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 13



Nvec_vc1.1_XM_001627544.3
OG: Homeodomains.HG2.58:UNCX
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1





Nvec_vc1.1_XM_001627629.3
OG: Forkhead.HG1.30:like:FOXO1/FOXO3/FO
PFAM: Forkhead
motif: ARCH476_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 28



Nvec_vc1.1_XM_001627662.3
OG: E2F_TDP.HG1.3:E2F4/E2F5
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH378_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: TRUE
rank: 210



Nvec_vc1.1_XM_001627662.3
OG: E2F_TDP.HG1.3:E2F4/E2F5
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH856_Pdp1
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 23



Nvec_vc1.1_XM_001627792.3
OG: Forkhead.HG1.12:FOXN1/FOXN4/FOXR1
PFAM: Forkhead
motif: ARCH163_Foxn4/Foxn1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: TRUE
rank: 1215



Nvec_vc1.1_XM_001627792.3
OG: Forkhead.HG1.12:FOXN1/FOXN4/FOXR1
PFAM: Forkhead
motif: ARCH508_Foxk2/Foxk1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_001627907.3
OG: zf−C2H2.HG1.8:ZNF18/ZNF513/ZNF784/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH197_Klf15
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 67



Nvec_vc1.1_XM_001628041.3
OG: HMGbox_Sox.HG1.24:HMGB1/HMGB2/H
PFAM: HMG_box_2/HMG_box
motif: ARCH626_Mael_Tox3/Tox/Tox2/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 23



Nvec_vc1.1_XM_001628045.2
OG: zf−C2H2.HG2.4:MTF1/ZNF76/ZNF143
PFAM: zf−C2H2/zf−C2H2
motif: ARCH247_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_001628087.3
OG: Doublesex_DM.HG1.12:DMRTA1/DMRTA
PFAM: DM/DMA
motif: ARCH361_Dmrt2_Dmrtc2
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 141





Nvec_vc1.1_XM_001628278.3
OG: HLH.HG1.75:like:ATOH8
PFAM: HLH
motif: ARCH89_PL0012.1_hlh−2::hlh−8
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 356



Nvec_vc1.1_XM_001628279.3
OG: HLH.HG1.76:ATOH8
PFAM: HLH
motif: ARCH45_Tfap4
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001628300.3
OG: HLH.HG1.84:NEUROG1/NEUROG2/NEU
PFAM: HLH
motif: ARCH45_Tfap4
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_001628318.3
OG: Myb.HG2.2:NA
PFAM: MADF_DNA_bdg
motif: ARCH1180_M06398_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: TRUE
rank: 155



Nvec_vc1.1_XM_001628318.3
OG: Myb.HG2.2:NA
PFAM: MADF_DNA_bdg
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 90



Nvec_vc1.1_XM_001628319.3
OG: Forkhead.HG1.25:FOXJ2/FOXJ3
PFAM: Forkhead
motif: ARCH474_Foxj3_Foxk2/Foxk1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: TRUE
rank: 1013



Nvec_vc1.1_XM_001628481.3
OG: Homeodomains.HG1.72:like:NOTO
PFAM: Homeodomain
motif: ARCH983_Pax7/Pax3
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 27



Nvec_vc1.1_XM_001628634.3
OG: Homeodomains.HG2.28:PAX3/PAX7
PFAM: PAX/Homeodomain
motif: ARCH820_Pax5/Pax8/Pax2
TF family: Pax/Homeodomain
archetype family: Pax/Homeodomain
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001628645.3
OG: zf−C2H2.HG1.88:MYNN
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−H2C2_2
motif: ARCH529_Zfp239//Zfp942/Zfp9...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_001628705.3
OG: zf−C2H2.HG1.119:PRDM4
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH241_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_001628892.3
OG: Pipsqueak.HG1.0:NA
PFAM: HTH_psq/HTH_psq/HTH_psq/HTH_psq
motif: ARCH339_NFYC
TF family: Pipsqueak
archetype family:
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001628946.3
OG: bZIP.HG1.19:ATF6/ATF6B
PFAM: bZIP_1
motif: ARCH173_Crem/Creb1/Atf1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 97



Nvec_vc1.1_XM_001628964.3
OG: Forkhead.HG1.23:FOXK1/FOXK2
PFAM: FHA/Forkhead
motif: ARCH474_Foxj3_Foxk2/Foxk1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: TRUE
rank: 178



Nvec_vc1.1_XM_001628964.3
OG: Forkhead.HG1.23:FOXK1/FOXK2
PFAM: FHA/Forkhead
motif: ARCH547_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 42





Nvec_vc1.1_XM_001628971.3
OG: zf−C2H2.HG1.87:like:AC008758.1/AC008
PFAM: zf−met/zf−C2H2/zf−C2H2_4/zf−C2H2/z
motif: ARCH235_Klf5_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 121



Nvec_vc1.1_XM_001629605.3
OG: SMAD_MH1.HG1.2:like:SMAD4
PFAM: MH1/MH1/zf−HC5HC2H_2/PHD/PHD
motif: ARCH831_Smad4
TF family: SMAD_MH1
archetype family: SMAD_MH1
CisBP assigned: TRUE
rank: 418



Nvec_vc1.1_XM_001630131.3
OG: ARID_BRIGHT.HG1.2:ARID4A/ARID4B
PFAM: RBB1NT/ARID/Tudor−knot
motif: ARCH17_Arid5b/Arid5a
TF family: ARID_BRIGHT
archetype family: ARID_BRIGHT
CisBP assigned: FALSE
rank: 110





Nvec_vc1.1_XM_001630333.3
OG: Myb.HG1.0:CDC5L
PFAM: Myb_DNA−bind_6/Myb_Cef
motif: ARCH1061_Msantd4/Mypop_Terf2ip
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 334



Nvec_vc1.1_XM_001630336.3
OG: zf−C4_Nuclear_receptors.HG1.40:NR2E1
PFAM: zf−C4/Hormone_recep
motif: ARCH915_M02394_2.00
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 1192



Nvec_vc1.1_XM_001630336.3
OG: zf−C4_Nuclear_receptors.HG1.40:NR2E1
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 39



Nvec_vc1.1_XM_001630356.3
OG: GATA.HG1.4:ZGLP1
PFAM: GATA
motif: ARCH606_Gata3/Gata1/Gata2
TF family: GATA
archetype family: GATA
CisBP assigned: FALSE
rank: 440



Nvec_vc1.1_XM_001630363.3
OG: Forkhead.HG1.29:FOXO1/FOXO3/FOXO3
PFAM: Forkhead/FOXO−TAD
motif: ARCH494_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 11



Nvec_vc1.1_XM_001630519.3
OG: Homeodomains.HG1.49:like:NOTO
PFAM: Homeodomain
motif: ARCH362_Nkx3−2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 164



Nvec_vc1.1_XM_001630559.3
OG: zf−C2H2.HG19.0:ZNF496
PFAM: zf−C2H2/zf−C2H2_4/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 150





Nvec_vc1.1_XM_001630676.3
OG: Homeodomains.HG2.68:like:ARX/OTP
PFAM: Homeodomain
motif: ARCH360_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 484



Nvec_vc1.1_XM_001630974.3
OG: Myb.HG1.23:TERB1/TERF2
PFAM: Myb_DNA−binding
motif: ARCH849_Cdc5lrt1/Cdc5lrt10/...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 148



Nvec_vc1.1_XM_001631093.3
OG: bZIP.HG1.17:ATF3/JDP2
PFAM: bZIP_1
motif: ARCH132_Creb3l2/Creb3l1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_001631173.3
OG: Homeodomains.HG2.62:VSX1/VSX2
PFAM: Homeodomain
motif: ARCH738_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_001631375.3
OG: Homeodomains.HG2.70:ARX
PFAM: Homeodomain/OAR
motif: ARCH758_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 19



Nvec_vc1.1_XM_001631403.3
OG: HLH.HG1.14:MLXIP/MLXIPL
PFAM: HLH
motif: ARCH357_bHLH122
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 766



Nvec_vc1.1_XM_001631543.3
OG: bZIP.HG1.15:CREB3/CREB3L1/CREB3L2
PFAM: bZIP_1
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 15



Nvec_vc1.1_XM_001631607.3
OG: SMAD_MH1.HG1.5:like:SMAD1/SMAD5/S
PFAM: MH1/MH2
motif: ARCH753_Smad4
TF family: SMAD_MH1
archetype family: SMAD_MH1
CisBP assigned: FALSE
rank: 115



Nvec_vc1.1_XM_001631673.3
OG: Homeodomains.HG2.20:LHX1/LHX3/LHX
PFAM: LIM/LIM/Homeodomain
motif: ARCH4_Alx3/Alx4/Alx1_Barx2/...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 14





Nvec_vc1.1_XM_001632367.3
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH706_Nkx3−2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 120



Nvec_vc1.1_XM_001632367.3
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH704_Nanog
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001632368.2
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH777_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_001632824.3
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1047_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_001632826.3
OG: HLH.HG1.67:HAND1/HAND2
PFAM: HLH
motif: ARCH357_bHLH122
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 98



Nvec_vc1.1_XM_001633156.3
OG: T−box.HG1.1:like:MGA/TBX1/TBX2/TBX3
PFAM: T−box
motif: ARCH1124_Tbx10/Tbx1_Tbx18/T...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 130





Nvec_vc1.1_XM_001633239.3
OG: NFYB_NFYC.HG1.0:DRAP1
PFAM: CBFD_NFYB_HMF
motif: ARCH490_FOXK1
TF family: NFYB_NFYC
archetype family:
CisBP assigned: FALSE
rank: 487



Nvec_vc1.1_XM_001633273.3
OG: bZIP.HG1.17:ATF3/JDP2
PFAM: bZIP_1
motif: ARCH119_Fos/Fosb/Fosl1/Fosl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_001633393.3
OG: bZIP.HG1.18:ATF1/CREB1/CREM
PFAM: pKID/bZIP_1
motif: ARCH147_Crem/Creb1/Atf1
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 331



Nvec_vc1.1_XM_001633393.3
OG: bZIP.HG1.18:ATF1/CREB1/CREM
PFAM: pKID/bZIP_1
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 54



Nvec_vc1.1_XM_001633398.3
OG: zf−C2H2.HG19.1:PRDM14
PFAM: zf−H2C2_2/zf−C2H2
motif: ARCH321_Egr3/Egr1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 101



Nvec_vc1.1_XM_001633482.3
OG: CSD.HG1.6:YBX1/YBX2/YBX3
PFAM: CSD
motif: ARCH804_M03713_2.00
TF family: CSD
archetype family: CSD
CisBP assigned: FALSE
rank: 66



Nvec_vc1.1_XM_001633484.3
OG: LAG1_CSL.HG1.0:RBPJ/RBPJL
PFAM: LAG1−DNAbind/BTD
motif: ARCH1220_dof43
TF family: LAG1_CSL
archetype family:
CisBP assigned: FALSE
rank: 285



Nvec_vc1.1_XM_001633508.3
OG: zf−C2H2.HG1.3:ZBTB3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2_6
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001633541.3
OG: Homeodomains.HG3.5:like:IRX1/IRX2/IRX
PFAM: SIX1_SD/Homeobox_KN
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 56



Nvec_vc1.1_XM_001633762.3
OG: HMGbox_Sox.HG1.37:like:SSRP1
PFAM: HMG_box/HMG_box
motif: ARCH498_/Sox4/Sox11_Sox13/S...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 49



Nvec_vc1.1_XM_001633772.3
OG: zf−C2H2.HG4.1:like:GLI1/GLI2/GLI3/GLIS
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH197_Klf15
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 32



Nvec_vc1.1_XM_001633894.3
OG: AP−2.HG1.0:TFAP2A/TFAP2B/TFAP2C/T
PFAM: TF_AP−2
motif: ARCH398_TFAP2E
TF family: AP2
archetype family: AP2
CisBP assigned: FALSE
rank: 3





Nvec_vc1.1_XM_001633901.3
OG: T−box.HG1.11:TBX2/TBX3
PFAM: T−box
motif: ARCH747_Tbx3/Tbx2
TF family: T−box
archetype family: T−box
CisBP assigned: TRUE
rank: 110



Nvec_vc1.1_XM_001633902.3
OG: T−box.HG1.12:TBX4/TBX5
PFAM: T−box
motif: ARCH1126_Tbx10/Tbx1_Tbx18/T...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 51



Nvec_vc1.1_XM_001633995.3
OG: Homeodomains.HG3.22:IRX1/IRX2/IRX3/
PFAM: Homeobox_KN
motif: ARCH817_Irx6
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 188



Nvec_vc1.1_XM_001633995.3
OG: Homeodomains.HG3.22:IRX1/IRX2/IRX3/
PFAM: Homeobox_KN
motif: ARCH338_Pbx4/Pbx2/Pbx1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 12



Nvec_vc1.1_XM_001634111.3
OG: Forkhead.HG1.1:FOXA1/FOXA2/FOXA3/F
PFAM: Forkhead
motif: ARCH494_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 31



Nvec_vc1.1_XM_001634116.3
OG: Homeodomains.HG2.70:ARX
PFAM: Homeodomain/OAR
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001634132.3
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2
motif: ARCH186_Sp6/Sp5_Sp7/Sp8/Sp9
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 636



Nvec_vc1.1_XM_001634132.3
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2
motif: ARCH305_Zfp760/Zfp770
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 261



Nvec_vc1.1_XM_001634160.3
OG: Homeodomains.HG2.57:RAX/RAX2
PFAM: Homeodomain/OAR
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001634198.3
OG: Homeodomains.HG1.70:HOXA2/HOXB2/P
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1





Nvec_vc1.1_XM_001634199.3
OG: Homeodomains.HG1.70:HOXA2/HOXB2/P
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2





Nvec_vc1.1_XM_001634326.3
OG: bZIP.HG2.0:like:CEBPA/CEBPB/CEBPD/C
PFAM: bZIP_2
motif: ARCH139_Crebl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 245



Nvec_vc1.1_XM_001634326.3
OG: bZIP.HG2.0:like:CEBPA/CEBPB/CEBPD/(
PFAM: bZIP_2
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 54



Nvec_vc1.1_XM_001634460.3
OG: bZIP.HG2.13:like:DBP/HLF/TEF
PFAM: bZIP_2
motif: ARCH162_Fos/Fosb/Fosl1/Fosl...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 81



Nvec_vc1.1_XM_001634673.3
OG: zf−C2H2.HG1.5:ZNF688
PFAM: zf−C2H2_11/zf−C2H2/zf−C2H2/zf−C2H
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 15



Nvec_vc1.1_XM_001634712.3
OG: HLH.HG2.0:EBF1/EBF2/EBF3/EBF4
PFAM: COE1_DBD/TIG/COE1_HLH
motif: ARCH89_PL0012.1_hlh−2::hlh−8
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 529



Nvec_vc1.1_XM_001634768.3
OG: Homeodomains.HG2.11:DUX4/DUXA/DU
PFAM: Homeodomain
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 61



Nvec_vc1.1_XM_001634946.3
OG: Homeodomains.HG3.31:SIX1/SIX2
PFAM: SIX1_SD/Homeodomain
motif: ARCH360_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 843



Nvec_vc1.1_XM_001634946.3
OG: Homeodomains.HG3.31:SIX1/SIX2
PFAM: SIX1_SD/Homeodomain
motif: ARCH101_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 15



Nvec_vc1.1_XM_001634956.3
OG: Homeodomains.HG2.43:GSC/GSC2
PFAM: Homeodomain
motif: ARCH742_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 11



Nvec_vc1.1_XM_001634986.3
OG: STAT.HG1.2:STAT6
PFAM: STAT_alpha/STAT_bind/SH2
motif: ARCH525_Foxa3/Foxa1/Foxa2_F...
TF family: STAT
archetype family: Forkhead
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001635015.3
OG: Homeodomains.HG2.68:like:ARX/OTP
PFAM: Homeodomain
motif: ARCH1010_M06436_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 118





Nvec_vc1.1_XM_001635041.3
OG: MADS−box_SRF.HG1.0:SRF
PFAM: SRF−TF
motif: ARCH282_Srf
TF family: MADS−box_SRF
archetype family: MADS−box_SRF
CisBP assigned: TRUE
rank: 235





Nvec_vc1.1_XM_001635120.3
OG: zf−C2H2.HG1.207:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH84_M08859_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 22





Nvec_vc1.1_XM_001635172.3
OG: HLH.HG1.38:MXD1/MXD3/MXD4/MXI1
PFAM: HLH
motif: ARCH54_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 48



Nvec_vc1.1_XM_001635190.3
OG: zf−C2H2.HG1.30:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 64





Nvec_vc1.1_XM_001635275.3
OG: HLH.HG1.63:like:HES5/HES7
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 131



Nvec_vc1.1_XM_001635276.3
OG: HLH.HG1.63:like:HES5/HES7
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 25



Nvec_vc1.1_XM_001635277.3
OG: HLH.HG1.62:like:HES5/HES7
PFAM: HLH/Hairy_orange
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 96



Nvec_vc1.1_XM_001635315.3
OG: HLH.HG1.63:like:HES5/HES7
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 120



Nvec_vc1.1_XM_001635316.3
OG: HLH.HG1.53:HES5/HES7
PFAM: HLH
motif: ARCH89_PL0012.1_hlh−2::hlh−8
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 204



Nvec_vc1.1_XM_001635374.3
OG: Homeodomains.HG3.7:PBX1/PBX2/PBX3
PFAM: PBC/Homeodomain
motif: ARCH334_Nfya_Pbx4/Pbx2/Pbx1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 12



Nvec_vc1.1_XM_001635374.3
OG: Homeodomains.HG3.7:PBX1/PBX2/PBX3
PFAM: PBC/Homeodomain
motif: ARCH712_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001635960.3
OG: zf−C4_Nuclear_receptors.HG1.25:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH941_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 568



Nvec_vc1.1_XM_001636116.3
OG: TBP.HG1.3:TBP/TBPL2
PFAM: TBP/TBP
motif: ARCH438_Tbpl2/Tbp
TF family: TBP
archetype family: TBP
CisBP assigned: TRUE
rank: 706



Nvec_vc1.1_XM_001636163.3
OG: Homeodomains.HG4.4:POU6F1/POU6F2
PFAM: DFP/DFP/Pou/Homeodomain
motif: ARCH9_POU4F1
TF family: Pou/Homeodomain
archetype family: Pou/Homeodomain
CisBP assigned: FALSE
rank: 23



Nvec_vc1.1_XM_001636315.3
OG: zf−C2H2.HG1.35:FEZF1/FEZF2/GFI1/GF
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 672



Nvec_vc1.1_XM_001636315.3
OG: zf−C2H2.HG1.35:FEZF1/FEZF2/GFI1/GF
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 41



Nvec_vc1.1_XM_001636352.3
OG: Ets.HG1.2:ELK1/ELK3/ELK4
PFAM: Ets
motif: ARCH452_Elf3/Ehf/Elf5_Etv6
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 4



Nvec_vc1.1_XM_001636352.3
OG: Ets.HG1.2:ELK1/ELK3/ELK4
PFAM: Ets
motif: ARCH418_Spdef
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001636464.3
OG: Myb.HG7.0:TERF2IP
PFAM: BRCT_2/Myb_DNA−bind_2
motif: ARCH1061_Msantd4/Mypop_Terf2ip
TF family: Myb
archetype family: Myb
CisBP assigned: TRUE
rank: 50



Nvec_vc1.1_XM_001636587.3
OG: zf−C4_Nuclear_receptors.HG1.11:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 19



Nvec_vc1.1_XM_001636622.3
OG: HLH.HG1.37:MNT
PFAM: HLH
motif: ARCH834_bHLH157
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 153



Nvec_vc1.1_XM_001636859.3
OG: Homeodomains.HG2.58:UNCX
PFAM: Homeodomain/OAR
motif: ARCH483_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 32



Nvec_vc1.1_XM_001636862.3
OG: Homeodomains.HG2.33:like:PAX1/PAX9
PFAM: Homeodomain
motif: ARCH668_Emx1/Emx2_Gbx1/Gbx2...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001636971.3
OG: GATA.HG2.1:RERE
PFAM: BAH/ELM2/GATA
motif: ARCH606_Gata3/Gata1/Gata2
TF family: GATA
archetype family: GATA
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001637044.3
OG: HLH.HG1.54:like:HES5/HES7
PFAM: HLH/Hairy_orange
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 312



Nvec_vc1.1_XM_001637155.3
OG: Myb.HG5.0:DMAP1
PFAM: SANT_DAMP1_like/DMAP1
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 126



Nvec_vc1.1_XM_001637190.3
OG: zf−C2H2.HG4.11:GLIS1/GLIS3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 143





Nvec_vc1.1_XM_001637374.3
OG: Ets.HG1.2:ELK1/ELK3/ELK4
PFAM: Ets
motif: ARCH452_Elf3/Ehf/Elf5_Etv6
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 195



Nvec_vc1.1_XM_001637374.3
OG: Ets.HG1.2:ELK1/ELK3/ELK4
PFAM: Ets
motif: ARCH407_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 18



Nvec_vc1.1_XM_001637529.3
OG: Myb.HG1.2:DMTF1/TTF1
PFAM: Myb_DNA−binding/Myb_DNA−binding
motif: ARCH218_Mybl2/Myb/Mybl1
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 355



Nvec_vc1.1_XM_001637733.3
OG: Homeodomains.HG1.67:GSX1/GSX2
PFAM: Homeodomain
motif: ARCH1177_Hnf1a/Hnf1b
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_001638266.3
OG: bZIP.HG1.0:CREBL2
PFAM: bZIP_2
motif: ARCH139_Crebl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 335



Nvec_vc1.1_XM_001638266.3
OG: bZIP.HG1.0:CREBL2
PFAM: bZIP_2
motif: ARCH133_M04019_2.00__bHLH34
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 45



Nvec_vc1.1_XM_001638761.3
OG: zf−C2H2.HG16.2:like:TRERF1/ZNF541
PFAM: zf−C2H2/zf−C2H2_6/ELM2
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 28



Nvec_vc1.1_XM_001638841.3
OG: Forkhead.HG1.22:FOXG1
PFAM: Forkhead
motif: ARCH494_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 23



Nvec_vc1.1_XM_001638852.3
OG: HMGbox_Sox.HG1.47:like:NSD2
PFAM: HMG_box/HMG_box/HMG_box
motif: ARCH1080_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 24



Nvec_vc1.1_XM_001639101.3
OG: Homeodomains.HG2.27:like:PAX1/PAX2/P
PFAM: PAX/Homeodomain
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Pax/Homeodomain
archetype family: Pax/Homeodomain
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_001639164.3
OG: Homeodomains.HG2.36:like:AC025287.4/
PFAM: Homeodomain
motif: ARCH738_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 74



Nvec_vc1.1_XM_001639307.3
OG: bZIP.HG3.3:like:MAF/MAFA/MAFB/NRL
PFAM: bZIP_Maf
motif: ARCH50_Crem/Creb1/Atf1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 82



Nvec_vc1.1_XM_001639547.3
OG: zf−C2H2.HG2.11:KLF10/KLF11
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH210_Klf11
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 773



Nvec_vc1.1_XM_001639547.3
OG: zf−C2H2.HG2.11:KLF10/KLF11
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 12



Nvec_vc1.1_XM_001639705.3
OG: zf−C2H2.HG1.30:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH241_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 14



Nvec_vc1.1_XM_001639766.3
OG: zf−C2H2.HG3.18:like:HINFP/HIVEP2/HIV
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH279_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001640726.3
OG: NFYA.HG1.2:like:NFYA
PFAM: CBFB_NFYA
motif: ARCH334_Nfya_Pbx4/Pbx2/Pbx1
TF family: NFYA
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 91



Nvec_vc1.1_XM_001640726.3
OG: NFYA.HG1.2:like:NFYA
PFAM: CBFB_NFYA
motif: ARCH330_Foxc2/Foxc1_Foxg1/G...
TF family: NFYA
archetype family: NFYA
CisBP assigned: FALSE
rank: 81



Nvec_vc1.1_XM_001640743.3
OG: HLH.HG1.29:MYC/MYCL/MYCN
PFAM: HLH
motif: ARCH98_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 68



Nvec_vc1.1_XM_001640781.3
OG: Homeodomains.HG1.41:NKX1−1/NKX1−2
PFAM: Homeodomain
motif: ARCH254_M05250_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 434



Nvec_vc1.1_XM_001640853.3
OG: bZIP.HG1.6:JUN/JUNB/JUND
PFAM: Jun/bZIP_1
motif: ARCH156_Fos/Fosb/Fosl1/Fosl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 88



Nvec_vc1.1_XM_001640990.3
OG: HLH.HG1.77:like:NEUROD1/NEUROD2/N
PFAM: HLH
motif: ARCH47_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 14



Nvec_vc1.1_XM_001641032.3
OG: Homeodomains.HG1.18:NANOG/NANOG
PFAM: Homeodomain
motif: ARCH704_Nanog
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 977



Nvec_vc1.1_XM_001641032.3
OG: Homeodomains.HG1.18:NANOG/NANOG
PFAM: Homeodomain
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 61



Nvec_vc1.1_XM_001641086.3
OG: zf−C2H2.HG7.5:SNAI1/SNAI2/SNAI3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 31



Nvec_vc1.1_XM_001641264.3
OG: Homeodomains.HG1.61:NOTO
PFAM: Homeodomain
motif: ARCH348_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 128



Nvec_vc1.1_XM_001641552.3
OG: Homeodomains.HG1.47:like:MSX1/MSX2
PFAM: Homeodomain
motif: ARCH720_M09152_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 205



Nvec_vc1.1_XM_001641552.3
OG: Homeodomains.HG1.47:like:MSX1/MSX2
PFAM: Homeodomain
motif: ARCH483_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 27



Nvec_vc1.1_XM_001641575.3
OG: Homeodomains.HG1.68:AC004080.3/AC0
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 8





Nvec_vc1.1_XM_001641660.3
OG: Homeodomains.HG2.64:PITX1/PITX2/PIT
PFAM: Homeodomain
motif: ARCH757_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_001641783.3
OG: mTERF.HG1.0:MTERF4
PFAM: mTERF
motif: ARCH382_/E2f4_E2f6_E2f8/E2f7
TF family: mTERF
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_001647488.3
OG: Homeodomains.HG2.46:CRX/OTX1/OTX2
PFAM: Homeodomain
motif: ARCH73_Irx6
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 38





Nvec_vc1.1_XM_032361813.2
OG: Myb.HG1.23:TERB1/TERF2
PFAM: Myb_DNA−binding
motif: ARCH583_0610010K14Rik
TF family: Myb
archetype family: Myb
CisBP assigned: TRUE
rank: 750

Nvec_vc1.1_XM_032361813.2
OG: Myb.HG1.23:TERB1/TERF2
PFAM: Myb_DNA−binding
motif: ARCH849_Cdc5lrt1/Cdc5lrt10/...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 74



Nvec_vc1.1_XM_032361849.2
OG: Ets.HG1.2:ELK1/ELK3/ELK4
PFAM: Ets
motif: ARCH456_Elf3/Ehf/Elf5
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 552



Nvec_vc1.1_XM_032361849.2
OG: Ets.HG1.2:ELK1/ELK3/ELK4
PFAM: Ets
motif: ARCH432_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032362135.2
OG: ARID_BRIGHT.HG1.9:ARID3A/ARID3B/A
PFAM: ARID
motif: ARCH17_Arid5b/Arid5a
TF family: ARID_BRIGHT
archetype family: ARID_BRIGHT
CisBP assigned: FALSE
rank: 36





Nvec_vc1.1_XM_032362307.2
OG: Homeodomains.HG1.66:like:GSX1/GSX2
PFAM: Homeodomain
motif: ARCH250_Elf3/Ehf/Elf5_Erg/F...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 59



Nvec_vc1.1_XM_032362346.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH669_Hlx
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 1027



Nvec_vc1.1_XM_032362346.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH1007_M03442_2.00__M0344...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 468



Nvec_vc1.1_XM_032362379.2
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH782_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 44



Nvec_vc1.1_XM_032362379.2
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH741_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032362387.2
OG: Doublesex_DM.HG1.13:like:DMRT1/DMR
PFAM: DM/DMA
motif: ARCH361_Dmrt2_Dmrtc2
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 396





Nvec_vc1.1_XM_032362387.2
OG: Doublesex_DM.HG1.13:like:DMRT1/DMR
PFAM: DM/DMA
motif: ARCH778_PRDM1
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: FALSE
rank: 203



Nvec_vc1.1_XM_032362396.2
OG: Homeodomains.HG1.69:HOXA3/HOXB3/H
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 41





Nvec_vc1.1_XM_032362607.2
OG: Forkhead.HG1.5:FOXQ1
PFAM: Forkhead
motif: ARCH537_Foxn4/Foxn1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 148



Nvec_vc1.1_XM_032362934.2
OG: Ets.HG1.11:EHF/ELF3/ELF5
PFAM: Ets
motif: ARCH452_Elf3/Ehf/Elf5_Etv6
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 123



Nvec_vc1.1_XM_032362934.2
OG: Ets.HG1.11:EHF/ELF3/ELF5
PFAM: Ets
motif: ARCH426_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032362959.2
OG: MADS−box_SRF.HG1.1:like:BORCS8−ME
PFAM: SRF−TF
motif: ARCH548_Mef2c/Mef2b/Mef2a/M...
TF family: MADS−box_SRF
archetype family: MADS−box_SRF
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032363017.2
OG: HLH.HG1.87:LYL1/NHLH1/NHLH2/TAL1/T
PFAM: HLH
motif: ARCH65_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 21



Nvec_vc1.1_XM_032363027.2
OG: zf−C2H2.HG19.1:PRDM14
PFAM: SET/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH305_Zfp760/Zfp770
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_032363271.2
OG: zf−C4_Nuclear_receptors.HG1.8:HNF4A/
PFAM: zf−C4/Hormone_recep
motif: ARCH972_Hnf4g/Hnf4a_Nr2c1/N...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 10





Nvec_vc1.1_XM_032363350.2
OG: Homeodomains.HG1.31:DLX1/DLX2/DLX
PFAM: Homeodomain
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032363417.2
OG: zf−C2H2.HG3.2:ZBTB17
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 122



Nvec_vc1.1_XM_032363603.2
OG: T−box.HG1.13:TBX1/TBX10/TBX15/TBX1
PFAM: T−box
motif: ARCH1047_Tbx18/Tbx22/Tbx15_...
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 65



Nvec_vc1.1_XM_032363733.2
OG: zf−C2H2.HG1.62:ZBTB11
PFAM: zf−C2H2/zf−C2H2_6/zf−C2H2/zf−C2H2
motif: ARCH396_M08281_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 261



Nvec_vc1.1_XM_032363733.2
OG: zf−C2H2.HG1.62:ZBTB11
PFAM: zf−C2H2/zf−C2H2_6/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 143





Nvec_vc1.1_XM_032363859.2
OG: Forkhead.HG1.32:FOXP2
PFAM: FOXP−CC/Forkhead
motif: ARCH488_Foxp4/Foxp2/Foxp1
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: TRUE
rank: 90



Nvec_vc1.1_XM_032363859.2
OG: Forkhead.HG1.32:FOXP2
PFAM: FOXP−CC/Forkhead
motif: ARCH522_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032363874.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH763_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 1132



Nvec_vc1.1_XM_032363874.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH704_Nanog
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032363920.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH682_Emx1/Emx2_Hmx1/Hmx3...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 57





Nvec_vc1.1_XM_032363985.2
OG: bZIP.HG2.6:like:DBP/HLF/TEF
PFAM: bZIP_2
motif: ARCH139_Crebl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 266



Nvec_vc1.1_XM_032363985.2
OG: bZIP.HG2.6:like:DBP/HLF/TEF
PFAM: bZIP_2
motif: ARCH105_Cebpd/Cebpe/Cebpa/C...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 154



Nvec_vc1.1_XM_032364001.2
OG: SMAD_MH1.HG1.6:SMAD1/SMAD5/SMA
PFAM: MH1/MH2
motif: ARCH753_Smad4
TF family: SMAD_MH1
archetype family: SMAD_MH1
CisBP assigned: FALSE
rank: 85



Nvec_vc1.1_XM_032364121.2
OG: Homeodomains.HG1.39:BARHL1/BARHL
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 35





Nvec_vc1.1_XM_032364195.2
OG: zf−C2H2.HG3.22:like:HINFP/HIVEP2/HIV
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 20





Nvec_vc1.1_XM_032364225.2
OG: HMGbox_Sox.HG1.64:like:HMG20B
PFAM: HMG_box
motif: ARCH107_Cic_Hbp1_Sox13/Sox5...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 1279



Nvec_vc1.1_XM_032364281.2
OG: Myb.HG1.23:TERB1/TERF2
PFAM: Myb_DNA−binding
motif: ARCH583_0610010K14Rik
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 107



Nvec_vc1.1_XM_032364329.2
OG: HSF.HG1.5:HSF1/HSF2/HSF4
PFAM: HSF_DNA−bind/Vert_HS_TF
motif: ARCH827_Hsf1/Hsf2/Hsf4/Hsf3
TF family: HSF
archetype family: HSF
CisBP assigned: TRUE
rank: 2



Nvec_vc1.1_XM_032364331.2
OG: TEA.HG1.0:TEAD1/TEAD2/TEAD3/TEAD
PFAM: TEA
motif: ARCH557_LEU3
TF family: TEA
archetype family:
CisBP assigned: FALSE
rank: 3



Nvec_vc1.1_XM_032364348.2
OG: HLH.HG1.34:like:ASCL1/ASCL2/ASCL3/A
PFAM: HLH
motif: ARCH46_Ptf1a_Tfap4
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032364359.2
OG: HMGbox_Sox.HG1.40:TOX/TOX2/TOX3/T
PFAM: HMG_box
motif: ARCH1080_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 15



Nvec_vc1.1_XM_032364561.2
OG: Homeodomains.HG2.0:HNF1A/HNF1B
PFAM: HNF−1_N/Homeodomain
motif: ARCH1177_Hnf1a/Hnf1b
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 524



Nvec_vc1.1_XM_032364561.2
OG: Homeodomains.HG2.0:HNF1A/HNF1B
PFAM: HNF−1_N/Homeodomain
motif: ARCH741_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 163



Nvec_vc1.1_XM_032364605.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH664_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_032364704.2
OG: zf−C2H2.HG4.1:like:GLI1/GLI2/GLI3/GLIS
PFAM: zf−C2H2
motif: ARCH235_Klf5_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 45



Nvec_vc1.1_XM_032364851.2
OG: zf−C2H2.HG1.32:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 3



Nvec_vc1.1_XM_032364903.2
OG: zf−C2H2.HG1.57:like:AC008758.1/AC008
PFAM: zf−C2H2
motif: ARCH285_M06063_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032365104.2
OG: Forkhead.HG1.34:like:FOXO1/FOXO3/FO
PFAM: Forkhead
motif: ARCH21_Foxa3/Foxa1/Foxa2_Fo...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 46



Nvec_vc1.1_XM_032365192.2
OG: HLH.HG1.0:AC019117.4/AHR/AHRR/ARN
PFAM: HLH/PAS
motif: ARCH54_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 56



Nvec_vc1.1_XM_032365212.2
OG: Homeodomains.HG2.3:like:AC025287.4/A
PFAM: Homeodomain
motif: ARCH4_Alx3/Alx4/Alx1_Barx2/...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 147





Nvec_vc1.1_XM_032365977.2
OG: zf−C2H2.HG1.33:like:AC008758.1/AC008
PFAM: zf−C2H2
motif: ARCH321_Egr3/Egr1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032366030.2
OG: HLH.HG1.5:like:CCDC169−SOHLH2/SOH
PFAM: HLH
motif: ARCH357_bHLH122
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 123



Nvec_vc1.1_XM_032366085.2
OG: Homeodomains.HG1.44:EMX1/EMX2
PFAM: Homeodomain
motif: ARCH348_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_032366210.2
OG: Homeodomains.HG1.48:MSX1/MSX2
PFAM: Homeodomain
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032366211.2
OG: Homeodomains.HG1.34:HMX1/HMX2/HM
PFAM: Homeodomain
motif: ARCH719_M03783_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032366225.2
OG: zf−C2H2.HG2.5:KLF15
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH197_Klf15
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 563



Nvec_vc1.1_XM_032366225.2
OG: zf−C2H2.HG2.5:KLF15
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 99





Nvec_vc1.1_XM_032366242.2
OG: bZIP.HG2.12:like:DBP/HLF/TEF
PFAM: bZIP_2
motif: ARCH168_Crem/Creb1/Atf1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 36



Nvec_vc1.1_XM_032366602.2
OG: Ets.HG1.11:EHF/ELF3/ELF5
PFAM: SAM_PNT/Ets
motif: ARCH469_Elf3/Ehf/Elf5
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 210



Nvec_vc1.1_XM_032366602.2
OG: Ets.HG1.11:EHF/ELF3/ELF5
PFAM: SAM_PNT/Ets
motif: ARCH426_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 167



Nvec_vc1.1_XM_032366609.2
OG: Homeodomains.HG1.49:like:NOTO
PFAM: Homeodomain
motif: ARCH4_Alx3/Alx4/Alx1_Barx2/...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 22





Nvec_vc1.1_XM_032366627.2
OG: zf−C2H2.HG1.44:EGR1/EGR2/EGR3/EG
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH321_Egr3/Egr1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 359



Nvec_vc1.1_XM_032366627.2
OG: zf−C2H2.HG1.44:EGR1/EGR2/EGR3/EG
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 37



Nvec_vc1.1_XM_032366646.2
OG: ARID_BRIGHT.HG1.5:ARID5A/ARID5B
PFAM: ARID
motif: ARCH17_Arid5b/Arid5a
TF family: ARID_BRIGHT
archetype family: ARID_BRIGHT
CisBP assigned: TRUE
rank: 41



Nvec_vc1.1_XM_032366739.2
OG: HMGbox_Sox.HG1.65:HMG20B
PFAM: HMG_box
motif: ARCH528_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 283





Nvec_vc1.1_XM_032366790.2
OG: THAP_finger.HG1.0:AC073612.1/THAP1/
PFAM: THAP
motif: ARCH248_M08020_2.00
TF family: THAP_finger
archetype family: THAP_finger
CisBP assigned: FALSE
rank: 1119





Nvec_vc1.1_XM_032366797.2
OG: Myb.HG1.23:TERB1/TERF2
PFAM: Myb_DNA−binding
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 719



Nvec_vc1.1_XM_032366979.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH741_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 16



Nvec_vc1.1_XM_032367023.2
OG: Homeodomains.HG1.47:like:MSX1/MSX2
PFAM: Homeodomain
motif: ARCH757_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032367127.2
OG: bZIP.HG2.10:DBP/HLF/TEF
PFAM: bZIP_2
motif: ARCH168_Crem/Creb1/Atf1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 10



Nvec_vc1.1_XM_032367197.2
OG: zf−C2H2.HG18.0:ZNF277
PFAM: zf−C2H2_2/zf−C2H2_2
motif: ARCH279_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032367573.2
OG: SAND.HG1.1:like:GMEB1/GMEB2
PFAM: SAND/SAM_1
motif: ARCH781_Nkx2−2/Nkx2−9
TF family: SAND
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032367750.2
OG: Myb.HG1.10:RCOR1/RCOR2/RCOR3
PFAM: Myb_DNA−binding
motif: ARCH583_0610010K14Rik
TF family: Myb
archetype family: Myb
CisBP assigned: TRUE
rank: 1268



Nvec_vc1.1_XM_032367750.2
OG: Myb.HG1.10:RCOR1/RCOR2/RCOR3
PFAM: Myb_DNA−binding
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 261



Nvec_vc1.1_XM_032367802.2
OG: zf−C2H2.HG2.9:like:KLF3/KLF5/KLF6/KL
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032368799.2
OG: zf−C2H2.HG1.130:ZBTB45
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 144





Nvec_vc1.1_XM_032369367.2
OG: HLH.HG1.69:ASCL3/ASCL4/ASCL5
PFAM: HLH
motif: ARCH48_Srebf2/Srebf1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032369373.2
OG: Doublesex_DM.HG1.9:like:DMRT1/DMRT
PFAM: DM/DMA
motif: ARCH353_Dmrtc2_Irx6
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 393



Nvec_vc1.1_XM_032369373.2
OG: Doublesex_DM.HG1.9:like:DMRT1/DMRT
PFAM: DM/DMA
motif: ARCH1274_PRDM14
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: FALSE
rank: 102



Nvec_vc1.1_XM_032369437.2
OG: zf−C2H2.HG2.20:KLF6/KLF7
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH204_Klf5_Klf7_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 1077



Nvec_vc1.1_XM_032369437.2
OG: zf−C2H2.HG2.20:KLF6/KLF7
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 18



Nvec_vc1.1_XM_032369810.2
OG: ARID_BRIGHT.HG1.7:like:ARID1A/ARID1
PFAM: ARID/BAF250_C
motif: ARCH17_Arid5b/Arid5a
TF family: ARID_BRIGHT
archetype family: ARID_BRIGHT
CisBP assigned: FALSE
rank: 323





Nvec_vc1.1_XM_032370011.2
OG: Homeodomains.HG1.37:NKX6−1/NKX6−2
PFAM: Homeodomain
motif: ARCH669_Hlx
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 137



Nvec_vc1.1_XM_032370011.2
OG: Homeodomains.HG1.37:NKX6−1/NKX6−2
PFAM: Homeodomain
motif: ARCH483_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032370013.2
OG: Homeodomains.HG1.37:NKX6−1/NKX6−2
PFAM: Homeodomain
motif: ARCH635_Hlx
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 734



Nvec_vc1.1_XM_032370013.2
OG: Homeodomains.HG1.37:NKX6−1/NKX6−2
PFAM: Homeodomain
motif: ARCH703_Barx2/Barx1_Dmbx1_E...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 36



Nvec_vc1.1_XM_032370269.2
OG: bZIP.HG3.3:like:MAF/MAFA/MAFB/NRL
PFAM: bZIP_Maf
motif: ARCH156_Fos/Fosb/Fosl1/Fosl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 218



Nvec_vc1.1_XM_032370334.2
OG: THAP_finger.HG1.20:like:THAP11
PFAM: THAP
motif: ARCH221_M08176_2.00
TF family: THAP_finger
archetype family: THAP_finger
CisBP assigned: FALSE
rank: 221



Nvec_vc1.1_XM_032370541.2
OG: SMAD_MH1.HG1.1:SMAD4
PFAM: MH1/MH2
motif: ARCH831_Smad4
TF family: SMAD_MH1
archetype family: SMAD_MH1
CisBP assigned: TRUE
rank: 51



Nvec_vc1.1_XM_032370623.2
OG: E2F_TDP.HG1.0:E2F7/E2F8
PFAM: E2F_TDP/E2F_TDP
motif: ARCH378_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: TRUE
rank: 11



Nvec_vc1.1_XM_032370623.2
OG: E2F_TDP.HG1.0:E2F7/E2F8
PFAM: E2F_TDP/E2F_TDP
motif: ARCH856_Pdp1
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 147



Nvec_vc1.1_XM_032371032.2
OG: Homeodomains.HG2.70:ARX
PFAM: Homeodomain/OAR
motif: ARCH483_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 23



Nvec_vc1.1_XM_032371091.2
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH203_Klf11_Klf5_Klf7_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 34



Nvec_vc1.1_XM_032371093.2
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH246_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_032371094.2
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032371461.2
OG: zf−C4_Nuclear_receptors.HG1.4:AR/NR3
PFAM: zf−C4/Hormone_recep
motif: ARCH434_Hnf4g/Hnf4a_Nr2c1/N...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 26



Nvec_vc1.1_XM_032371469.2
OG: Homeodomains.HG3.4:SATB1/SATB2/ZH
PFAM: CSTF1_dimer/CUT
motif: ARCH334_Nfya_Pbx4/Pbx2/Pbx1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032371744.2
OG: Doublesex_DM.HG1.12:DMRTA1/DMRTA
PFAM: DM/DMA
motif: ARCH352_Dmrt2_Dmrtc2
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 261



Nvec_vc1.1_XM_032371744.2
OG: Doublesex_DM.HG1.12:DMRTA1/DMRTA
PFAM: DM/DMA
motif: ARCH835_Dmrt1
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: FALSE
rank: 78



Nvec_vc1.1_XM_032371845.2
OG: zf−C2H2.HG1.212:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032371996.2
OG: HMGbox_Sox.HG1.53:LEF1/TCF7/TCF7L
PFAM: HMG_box
motif: ARCH1081_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: TRUE
rank: 98



Nvec_vc1.1_XM_032372025.2
OG: HLH.HG1.0:AC019117.4/AHR/AHRR/ARN
PFAM: HLH/PAS/PAS_11
motif: ARCH49_M08725_2.00
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 861



Nvec_vc1.1_XM_032372025.2
OG: HLH.HG1.0:AC019117.4/AHR/AHRR/ARN
PFAM: HLH/PAS/PAS_11
motif: ARCH357_bHLH122
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 574



Nvec_vc1.1_XM_032372078.2
OG: zf−C4_Nuclear_receptors.HG1.34:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH915_M02394_2.00
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 1144

Nvec_vc1.1_XM_032372078.2
OG: zf−C4_Nuclear_receptors.HG1.34:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 287



Nvec_vc1.1_XM_032372114.2
OG: bZIP.HG1.8:ATF4/ATF5
PFAM: bZIP_1
motif: ARCH125_Atf4/Atf5
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 97



Nvec_vc1.1_XM_032372114.2
OG: bZIP.HG1.8:ATF4/ATF5
PFAM: bZIP_1
motif: ARCH133_M04019_2.00__bHLH34
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 27



Nvec_vc1.1_XM_032372258.2
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032372559.2
OG: CG−1.HG1.1:CAMTA1/CAMTA2
PFAM: CG−1/TIG
motif: ARCH1053_Runx3/Runx2/Runx1
TF family: CG−1
archetype family: Runt_Runx
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032372575.2
OG: Myb.HG2.2:NA
PFAM: MADF_DNA_bdg
motif: ARCH1169_M03912_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 48



Nvec_vc1.1_XM_032372717.2
OG: GCM.HG1.0:GCM1/GCM2
PFAM: GCM
motif: ARCH45_Tfap4
TF family: GCM
archetype family: HLH
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032372867.2
OG: zf−C2H2.HG1.49:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 89



Nvec_vc1.1_XM_032372883.2
OG: Myb.HG1.10:RCOR1/RCOR2/RCOR3
PFAM: ELM2/Myb_DNA−binding
motif: ARCH224_Slug
TF family: Myb
archetype family:
CisBP assigned: FALSE
rank: 7



Nvec_vc1.1_XM_032372904.2
OG: Homeodomains.HG1.27:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 18





Nvec_vc1.1_XM_032373062.2
OG: HMGbox_Sox.HG1.14:like:SOX1/SOX2/S
PFAM: HMG_box
motif: ARCH1093_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 35



Nvec_vc1.1_XM_032373099.2
OG: Homeodomains.HG4.10:POU3F1/POU3F
PFAM: Pou/Homeodomain
motif: ARCH1265_POU3F1
TF family: Pou/Homeodomain
archetype family: Pou/Homeodomain
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032373496.2
OG: Homeodomains.HG1.64:MEOX1/MEOX2
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 12





Nvec_vc1.1_XM_032373497.2
OG: Homeodomains.HG1.63:like:MEOX1/MEO
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 8





Nvec_vc1.1_XM_032373617.2
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH781_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 237



Nvec_vc1.1_XM_032373617.2
OG: Homeodomains.HG1.19:NKX2−1/NKX2−2
PFAM: Homeodomain
motif: ARCH741_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 20



Nvec_vc1.1_XM_032373800.2
OG: zf−C2H2.HG1.38:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 156





Nvec_vc1.1_XM_032373943.2
OG: zf−C2H2.HG130.1:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2_6
motif: ARCH241_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_032374008.2
OG: HLH.HG1.92:like:SCX/TCF15
PFAM: HLH
motif: ARCH46_Ptf1a_Tfap4
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 636



Nvec_vc1.1_XM_032374008.2
OG: HLH.HG1.92:like:SCX/TCF15
PFAM: HLH
motif: ARCH1202_Srebf2/Srebf1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 149



Nvec_vc1.1_XM_032374029.2
OG: bZIP.HG1.6:JUN/JUNB/JUND
PFAM: Jun/bZIP_1
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 89



Nvec_vc1.1_XM_032374041.2
OG: Homeodomains.HG2.9:LHX6/LHX8/ZFHX
PFAM: LIM/LIM/Homeodomain
motif: ARCH719_M03783_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_032374352.2
OG: Forkhead.HG1.9:like:FOXN1/FOXN2/FOX
PFAM: Forkhead
motif: ARCH21_Foxa3/Foxa1/Foxa2_Fo...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 12



Nvec_vc1.1_XM_032374382.2
OG: zf−C2H2.HG1.35:FEZF1/FEZF2/GFI1/GF
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 69



Nvec_vc1.1_XM_032374853.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH743_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_032374864.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH738_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032374977.2
OG: HLH.HG1.56:TCF23/TCF24
PFAM: HLH
motif: ARCH65_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 136



Nvec_vc1.1_XM_032375153.2
OG: Myb.HG3.1:HSPA14/MSANTD1/MSANTD
PFAM: Myb_DNA−bind_4
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 1080



Nvec_vc1.1_XM_032375280.2
OG: HLH.HG1.0:AC019117.4/AHR/AHRR/ARN
PFAM: HLH/PAS/PAS_11
motif: ARCH58_Srebf2/Srebf1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 39



Nvec_vc1.1_XM_032375349.2
OG: HLH.HG1.50:HES3
PFAM: HLH
motif: ARCH93_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032375407.2
OG: HLH.HG1.29:MYC/MYCL/MYCN
PFAM: Myc_N/HLH
motif: ARCH1202_Srebf2/Srebf1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 292



Nvec_vc1.1_XM_032375670.2
OG: Doublesex_DM.HG1.19:like:DMRT1/DMR
PFAM: DM/DMA
motif: ARCH361_Dmrt2_Dmrtc2
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 25





Nvec_vc1.1_XM_032376092.2
OG: Myb.HG3.0:like:HSPA14/MSANTD1/MSAI
PFAM: Myb_DNA−bind_4
motif: ARCH1192_M06394_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: TRUE
rank: 1087



Nvec_vc1.1_XM_032376092.2
OG: Myb.HG3.0:like:HSPA14/MSANTD1/MSAI
PFAM: Myb_DNA−bind_4
motif: ARCH1169_M03912_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 204



Nvec_vc1.1_XM_032376267.2
OG: HMGbox_Sox.HG1.7:HBP1
PFAM: AXH/HMG_box
motif: ARCH1093_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 7



Nvec_vc1.1_XM_032376608.2
OG: Homeodomains.HG3.20:MEIS1/MEIS2/M
PFAM: Meis_PKNOX_N/Homeobox_KN
motif: ARCH743_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032376736.2
OG: zf−C2H2.HG3.23:like:HINFP/RREB1/ZFP
PFAM: zf−C2H2_6/zf−C2H2/zf−C2H2_6/zf−C2
motif: ARCH194_Egr3/Egr1_Sp6/Sp5_S...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_032376926.2
OG: bZIP.HG3.2:like:MAF/MAFA/MAFB/NRL
PFAM: bZIP_Maf
motif: ARCH111_M00126_2.00
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 1137



Nvec_vc1.1_XM_032376926.2
OG: bZIP.HG3.2:like:MAF/MAFA/MAFB/NRL
PFAM: bZIP_Maf
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 17



Nvec_vc1.1_XM_032376930.1
OG: zf−C2H2.HG130.0:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH279_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032376939.2
OG: Homeodomains.HG2.15:LEUTX
PFAM: CUT/Homeodomain/Homeodomain
motif: ARCH743_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032377135.2
OG: Homeodomains.HG1.49:like:NOTO
PFAM: Homeodomain
motif: ARCH353_Dmrtc2_Irx6
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 56



Nvec_vc1.1_XM_032377390.2
OG: Homeodomains.HG1.42:VAX1/VAX2
PFAM: Homeodomain
motif: ARCH1177_Hnf1a/Hnf1b
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 3



Nvec_vc1.1_XM_032377759.2
OG: Doublesex_DM.HG1.16:like:DMRT1/DMR
PFAM: DM/DMA
motif: ARCH19_Dmrt2_Dmrtc2
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 261



Nvec_vc1.1_XM_032377792.2
OG: MADS−box_SRF.HG1.2:BORCS8−MEF2I
PFAM: SRF−TF/HJURP_C
motif: ARCH876_Mef2c/Mef2b/Mef2a/M...
TF family: MADS−box_SRF
archetype family: MADS−box_SRF
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_032377883.2
OG: P53.HG1.6:like:TP53/TP63/TP73
PFAM: P53
motif: ARCH490_FOXK1
TF family: P53
archetype family:
CisBP assigned: FALSE
rank: 7



Nvec_vc1.1_XM_032378000.2
OG: Homeodomains.HG1.27:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH635_Hlx
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 951





Nvec_vc1.1_XM_032378000.2
OG: Homeodomains.HG1.27:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH842_M06438_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 102



Nvec_vc1.1_XM_032378048.2
OG: zf−C4_Nuclear_receptors.HG1.31:NR2F1
PFAM: zf−C4/Hormone_recep
motif: ARCH965_Nr2f1/Nr2f2/Nr2f6
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 330



Nvec_vc1.1_XM_032378048.2
OG: zf−C4_Nuclear_receptors.HG1.31:NR2F1
PFAM: zf−C4/Hormone_recep
motif: ARCH920_M09281_2.00__M09302...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 11





Nvec_vc1.1_XM_032378152.2
OG: HMGbox_Sox.HG1.1:SOX30
PFAM: HMG_box
motif: ARCH745_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 32



Nvec_vc1.1_XM_032378255.2
OG: zf−C2H2.HG105.0:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH256_M05856_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 700



Nvec_vc1.1_XM_032378255.2
OG: zf−C2H2.HG105.0:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH247_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032378312.2
OG: zf−C2H2.HG119.1:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 60



Nvec_vc1.1_XM_032378323.2
OG: zf−C2H2.HG9.0:PLAGL1/PLAGL2/ZBTB1
PFAM: zf−C2H2/zf−C2H2
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032378338.2
OG: zf−C2H2.HG2.0:like:MTF1/ZNF76/ZNF14
PFAM: zf−C2H2/zf−C2H2
motif: ARCH150_M09942_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 410



Nvec_vc1.1_XM_032378338.2
OG: zf−C2H2.HG2.0:like:MTF1/ZNF76/ZNF14
PFAM: zf−C2H2/zf−C2H2
motif: ARCH257_M04483_2.00__M04484...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 7



Nvec_vc1.1_XM_032378402.2
OG: E2F_TDP.HG1.1:TFDP1/TFDP2/TFDP3
PFAM: E2F_TDP/DP
motif: ARCH198_/E2f4_E2f6_Tfdp2/Tfdp1
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: TRUE
rank: 967



Nvec_vc1.1_XM_032378402.2
OG: E2F_TDP.HG1.1:TFDP1/TFDP2/TFDP3
PFAM: E2F_TDP/DP
motif: ARCH386_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 351



Nvec_vc1.1_XM_032378403.2
OG: zf−C2H2.HG1.209:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH1163_Vezf1/Maz
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 496



Nvec_vc1.1_XM_032378403.2
OG: zf−C2H2.HG1.209:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_032378442.2
OG: Myb.HG3.0:like:HSPA14/MSANTD1/MSAI
PFAM: Myb_DNA−bind_4
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 362



Nvec_vc1.1_XM_032378649.2
OG: bZIP.HG1.10:like:ATF3/FOS/FOSB/FOSL
PFAM: bZIP_1
motif: ARCH173_Crem/Creb1/Atf1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 217



Nvec_vc1.1_XM_032378769.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH763_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 381



Nvec_vc1.1_XM_032378769.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH684_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 55



Nvec_vc1.1_XM_032378779.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH763_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 392



Nvec_vc1.1_XM_032378779.2
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 56



Nvec_vc1.1_XM_032378839.2
OG: Forkhead.HG1.14:like:FOXN1/FOXN2/FO
PFAM: Forkhead
motif: ARCH494_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 20



Nvec_vc1.1_XM_032378928.2
OG: zf−C4_Nuclear_receptors.HG1.33:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH915_M02394_2.00
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 1220



Nvec_vc1.1_XM_032378928.2
OG: zf−C4_Nuclear_receptors.HG1.33:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 44



Nvec_vc1.1_XM_032378941.2
OG: zf−C2H2.HG117.0:ZNF800
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH247_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_032379152.2
OG: Forkhead.HG1.13:like:FOXN1/FOXN2/FO
PFAM: Forkhead
motif: ARCH523_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_032379347.2
OG: Homeodomains.HG2.29:PAX4/PAX6
PFAM: PAX/Homeodomain
motif: ARCH5_Pax5/Pax8/Pax2
TF family: Pax/Homeodomain
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 250



Nvec_vc1.1_XM_032379347.2
OG: Homeodomains.HG2.29:PAX4/PAX6
PFAM: PAX/Homeodomain
motif: ARCH2_Arid2_Arid3c/Arid3a/A...
TF family: Pax/Homeodomain
archetype family: Pax/Homeodomain
CisBP assigned: FALSE
rank: 129



Nvec_vc1.1_XM_032379348.2
OG: Homeodomains.HG2.72:like:DMBX1
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 25





Nvec_vc1.1_XM_032379394.2
OG: Homeodomains.HG2.77:like:DMBX1
PFAM: Homeodomain
motif: ARCH757_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 247



Nvec_vc1.1_XM_032379398.2
OG: Homeodomains.HG2.75:DMBX1
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 37





Nvec_vc1.1_XM_032379400.2
OG: Homeodomains.HG2.76:like:DMBX1
PFAM: Homeodomain
motif: ARCH758_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032379457.2
OG: Homeodomains.HG4.2:POU1F1
PFAM: Pou/Homeodomain
motif: ARCH1265_POU3F1
TF family: Pou/Homeodomain
archetype family: Pou/Homeodomain
CisBP assigned: FALSE
rank: 202



Nvec_vc1.1_XM_032379677.2
OG: zf−C2H2.HG1.35:FEZF1/FEZF2/GFI1/GF
PFAM: zf−C2H2/zf−C2H2_6/zf−C2H2/zf−C2H2
motif: ARCH305_Zfp760/Zfp770
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 18



Nvec_vc1.1_XM_032379723.2
OG: Homeodomains.HG2.66:ALX1/ALX3/ALX4
PFAM: Homeodomain/OAR
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 12





Nvec_vc1.1_XM_032379775.2
OG: HLH.HG1.16:TFAP4
PFAM: HLH
motif: ARCH45_Tfap4
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 1127



Nvec_vc1.1_XM_032379775.2
OG: HLH.HG1.16:TFAP4
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 124



Nvec_vc1.1_XM_032380001.2
OG: Homeodomains.HG1.27:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH682_Emx1/Emx2_Hmx1/Hmx3...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1246





Nvec_vc1.1_XM_032380039.2
OG: Tesmin_TSO1−like.HG1.2:LIN54/TESMIN
PFAM: TCR/TCR
motif: ARCH335_Nfya
TF family: Tesmin_TSO1−like
archetype family: NFYA
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032380131.2
OG: HMGbox_Sox.HG1.38:SSRP1
PFAM: POB3_N/SSrecog/Rtt106/HMG_box
motif: ARCH1119_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 23



Nvec_vc1.1_XM_032380148.2
OG: T−box.HG1.2:like:MGA/TBX1/TBX2/TBX3
PFAM: T−box
motif: ARCH1121_Tbx19/T_Tbx3/Tbx2
TF family: T−box
archetype family: T−box
CisBP assigned: TRUE
rank: 395



Nvec_vc1.1_XM_032380148.2
OG: T−box.HG1.2:like:MGA/TBX1/TBX2/TBX3
PFAM: T−box
motif: ARCH1135_Tbx10/Tbx1_Tbx19/T
TF family: T−box
archetype family: T−box
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032380190.2
OG: Homeodomains.HG3.20:MEIS1/MEIS2/M
PFAM: Meis_PKNOX_N/Homeobox_KN
motif: ARCH712_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032380209.2
OG: HLH.HG1.40:USF1/USF2
PFAM: HLH
motif: ARCH54_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 11



Nvec_vc1.1_XM_032380334.2
OG: RFX.HG1.6:like:RFX6
PFAM: RFX_DNA_binding
motif: ARCH1015_Rfx1/Rfx3/Rfx2_Rfx6
TF family: RFX
archetype family: RFX
CisBP assigned: TRUE
rank: 5



Nvec_vc1.1_XM_032380334.2
OG: RFX.HG1.6:like:RFX6
PFAM: RFX_DNA_binding
motif: ARCH1046_/Rfx5
TF family: RFX
archetype family: RFX
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032380417.2
OG: zf−C2H2.HG2.2:like:MTF1/ZNF76/ZNF14
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2_6
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 111



Nvec_vc1.1_XM_032380573.2
OG: SMAD_MH1.HG1.0:SMAD6/SMAD7
PFAM: MH1/MH2
motif: ARCH803_Smad4
TF family: SMAD_MH1
archetype family: SMAD_MH1
CisBP assigned: FALSE
rank: 31



Nvec_vc1.1_XM_032380735.2
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH328_/E2f4_E2f6
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: TRUE
rank: 1132



Nvec_vc1.1_XM_032380735.2
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH343_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 457



Nvec_vc1.1_XM_032380829.2
OG: zf−C4_Nuclear_receptors.HG1.2:NR2C1/
PFAM: zf−C4/Hormone_recep
motif: ARCH982_Nr2c1/Nr2c2
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 617





Nvec_vc1.1_XM_032380975.2
OG: Ets.HG1.5:ERF/ERFL/ERG/ETV3/ETV3L/
PFAM: SAM_PNT/Ets
motif: ARCH426_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 134



Nvec_vc1.1_XM_032381020.2
OG: zf−C2H2.HG4.7:like:ZIC1/ZIC2/ZIC3/ZIC4
PFAM: zf_ZIC/zf−C2H2/zf−C2H2
motif: ARCH396_M08281_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 154



Nvec_vc1.1_XM_032381044.2
OG: zf−C4_Nuclear_receptors.HG1.3:like:AR/E
PFAM: zf−C4/Hormone_recep
motif: ARCH965_Nr2f1/Nr2f2/Nr2f6
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 1123



Nvec_vc1.1_XM_032381044.2
OG: zf−C4_Nuclear_receptors.HG1.3:like:AR/E
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 218



Nvec_vc1.1_XM_032381049.2
OG: HLH.HG1.39:like:USF1/USF2
PFAM: HLH
motif: ARCH54_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 85



Nvec_vc1.1_XM_032381049.2
OG: HLH.HG1.39:like:USF1/USF2
PFAM: HLH
motif: ARCH133_M04019_2.00__bHLH34
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 56



Nvec_vc1.1_XM_032381059.2
OG: Homeodomains.HG3.2:CERS2/CERS3/C
PFAM: Homeodomain/TRAM_LAG1_CLN8
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 7



Nvec_vc1.1_XM_032381099.2
OG: Homeodomains.HG1.27:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH625_Alx3/Alx4/Alx1_Emx1...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 58



Nvec_vc1.1_XM_032381270.2
OG: zf−C2H2.HG7.4:SCRT1/SCRT2
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 292



Nvec_vc1.1_XM_032381270.2
OG: zf−C2H2.HG7.4:SCRT1/SCRT2
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 15



Nvec_vc1.1_XM_032381562.2
OG: zf−C2H2.HG2.18:like:KLF5/KLF6/KLF7
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH208_Klf5_Klf7_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 412



Nvec_vc1.1_XM_032381562.2
OG: zf−C2H2.HG2.18:like:KLF5/KLF6/KLF7
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 24



Nvec_vc1.1_XM_032381586.2
OG: zf−C2H2.HG2.21:KLF5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH235_Klf5_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 504



Nvec_vc1.1_XM_032381586.2
OG: zf−C2H2.HG2.21:KLF5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 155



Nvec_vc1.1_XM_032381587.2
OG: HMGbox_Sox.HG1.51:like:SMARCE1
PFAM: HMG_box
motif: ARCH740_M07267_2.00
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 19



Nvec_vc1.1_XM_032381719.2
OG: zf−C2H2.HG1.122:ZNF367
PFAM: zf−C2H2_6/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 106



Nvec_vc1.1_XM_032381869.2
OG: HLH.HG1.64:like:ASCL1/ASCL2/ASCL3/A
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 39



Nvec_vc1.1_XM_032382002.2
OG: zf−C2H2.HG8.0:ZNF576/ZNF683/ZNF891
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 41





Nvec_vc1.1_XM_032382158.2
OG: HLH.HG1.45:TCF3/TCF4/TCF12
PFAM: HLH
motif: ARCH45_Tfap4
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032382185.2
OG: Myb.HG1.7:like:TERB1/TERF2
PFAM: Myb_DNA−binding/Myb_DNA−binding/
motif: ARCH1192_M06394_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 169



Nvec_vc1.1_XM_032382208.2
OG: zf−C2H2.HG94.0:NA
PFAM: zf−C2H2/zf−C2H2_4/zf−C2H2/zf−C2H2
motif: ARCH197_Klf15
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 65



Nvec_vc1.1_XM_032382395.2
OG: Homeodomains.HG3.34:TGIF1
PFAM: Homeobox_KN
motif: ARCH842_M06438_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032382466.2
OG: bZIP.HG2.5:CEBPA/CEBPB/CEBPD/CEB
PFAM: bZIP_2
motif: ARCH125_Atf4/Atf5
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032382493.2
OG: bZIP.HG2.10:DBP/HLF/TEF
PFAM: bZIP_2
motif: ARCH1146_Atf4/Atf5
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 44



Nvec_vc1.1_XM_032382520.2
OG: Doublesex_DM.HG1.8:like:DMRT1/DMRT
PFAM: DM/DMA
motif: ARCH353_Dmrtc2_Irx6
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: TRUE
rank: 695



Nvec_vc1.1_XM_032382520.2
OG: Doublesex_DM.HG1.8:like:DMRT1/DMRT
PFAM: DM/DMA
motif: ARCH1274_PRDM14
TF family: Doublesex_DM
archetype family: Doublesex_DM
CisBP assigned: FALSE
rank: 249



Nvec_vc1.1_XM_032382712.2
OG: RFX.HG1.1:RFX5/RFX7
PFAM: RFX5_N/RFX_DNA_binding
motif: ARCH1046_/Rfx5
TF family: RFX
archetype family: RFX
CisBP assigned: TRUE
rank: 438



Nvec_vc1.1_XM_032382719.2
OG: P53.HG1.5:like:TP53/TP63/TP73
PFAM: P53/P53_tetramer
motif: ARCH850_NFIL3
TF family: P53
archetype family:
CisBP assigned: FALSE
rank: 498





Nvec_vc1.1_XM_032383547.2
OG: zf−C2H2.HG1.10:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−H2C2_2/zf−C2H2/zf−C2H2
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032383560.2
OG: Homeodomains.HG2.69:OTP
PFAM: Homeodomain/OAR
motif: ARCH647_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032383641.2
OG: zf−C4_Nuclear_receptors.HG1.9:like:ESR
PFAM: zf−C4/Hormone_recep
motif: ARCH965_Nr2f1/Nr2f2/Nr2f6
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 1144



Nvec_vc1.1_XM_032383641.2
OG: zf−C4_Nuclear_receptors.HG1.9:like:ESR
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 207



Nvec_vc1.1_XM_032383663.2
OG: Homeodomains.HG1.27:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH253_Nkx2−2/Nkx2−9
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 66



Nvec_vc1.1_XM_032383677.2
OG: Homeodomains.HG1.70:HOXA2/HOXB2/P
PFAM: Homeodomain
motif: ARCH656_M10787_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 701



Nvec_vc1.1_XM_032383677.2
OG: Homeodomains.HG1.70:HOXA2/HOXB2/P
PFAM: Homeodomain
motif: ARCH766_Six1/_Six4/Six5
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 2





Nvec_vc1.1_XM_032383681.2
OG: Homeodomains.HG1.51:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH719_M03783_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 219



Nvec_vc1.1_XM_032383693.2
OG: Homeodomains.HG1.53:MNX1
PFAM: Homeodomain
motif: ARCH650_M03221_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 346



Nvec_vc1.1_XM_032383693.2
OG: Homeodomains.HG1.53:MNX1
PFAM: Homeodomain
motif: ARCH741_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 31



Nvec_vc1.1_XM_032383695.2
OG: Homeodomains.HG1.52:EVX1/EVX2
PFAM: Homeodomain
motif: ARCH738_Hoxa1/Hoxb1/Hoxd1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 59



Nvec_vc1.1_XM_032383717.2
OG: bZIP.HG2.0:like:CEBPA/CEBPB/CEBPD/(
PFAM: bZIP_2
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 24



Nvec_vc1.1_XM_032383907.2
OG: bZIP.HG1.4:ATF2/ATF7/ATF7−NPFF/CRE
PFAM: bZIP_1
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 36



Nvec_vc1.1_XM_032383925.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH100_Meis3/Meis2/Meis1_P...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 3





Nvec_vc1.1_XM_032383948.2
OG: Homeodomains.HG1.57:GBX1/GBX2
PFAM: Homeodomain
motif: ARCH758_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032383979.2
OG: P53.HG1.4:TP53/TP63/TP73
PFAM: P53
motif: ARCH324_p53
TF family: P53
archetype family: P53
CisBP assigned: FALSE
rank: 202



Nvec_vc1.1_XM_032384126.2
OG: Forkhead.HG1.17:like:FOXI1/FOXI2/FOXI
PFAM: Forkhead
motif: ARCH507_Foxc2/Foxc1_Foxg1/G...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_032384134.2
OG: zf−C2H2.HG3.3:ZNF641
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032384172.2
OG: zf−C2H2.HG1.40:GZF1/ZBTB24
PFAM: zf−C2H2_6/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 104



Nvec_vc1.1_XM_032384228.2
OG: HMGbox_Sox.HG1.26:like:SOX8/SOX9/S
PFAM: HMG_box
motif: ARCH1093_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032384300.2
OG: bZIP.HG3.0:MAFF/MAFG/MAFK
PFAM: bZIP_Maf
motif: ARCH183_Atf3/Jdp2
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 134



Nvec_vc1.1_XM_032384433.2
OG: HLH.HG1.86:TWIST1/TWIST2
PFAM: HLH
motif: ARCH83_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 1



Nvec_vc1.1_XM_032384447.2
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH191_Sp7/Sp8/Sp9
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 577



Nvec_vc1.1_XM_032384447.2
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 20



Nvec_vc1.1_XM_032384450.2
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH190_Sp6/Sp5_Sp7/Sp8/Sp9
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 737



Nvec_vc1.1_XM_032384450.2
OG: zf−C2H2.HG2.14:SP1/SP2/SP3/SP4/SP5
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 40



Nvec_vc1.1_XM_032384474.2
OG: HLH.HG1.85:SCX/TCF15
PFAM: HLH
motif: ARCH83_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032384492.2
OG: HLH.HG1.93:like:SCX/TCF15
PFAM: HLH
motif: ARCH65_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 31



Nvec_vc1.1_XM_032384768.2
OG: zf−C2H2.HG3.0:like:AC002310.4/BCL6/H
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032384789.2
OG: Ndt80_PhoG.HG1.0:MYRF/MYRFL
PFAM: NDT80_PhoG/Peptidase_S74/MRF_C1
motif: ARCH917_Hnf4g/Hnf4a_Nr2c1/N...
TF family: Ndt80_PhoG
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032384912.2
OG: zf−C2H2.HG1.78:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH213_Klf5_Klf7_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 20



Nvec_vc1.1_XM_032384949.2
OG: Homeodomains.HG2.8:LHX2/LHX9
PFAM: LIM/LIM/Homeodomain
motif: ARCH659_Emx1/Emx2_Hmx1/Hmx3...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1





Nvec_vc1.1_XM_032385045.2
OG: Homeodomains.HG1.21:BARX1/BARX2/B
PFAM: Homeodomain
motif: ARCH817_lrx6
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 11



Nvec_vc1.1_XM_032385089.2
OG: Ets.HG1.7:GABPA
PFAM: Ets
motif: ARCH416_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 54



Nvec_vc1.1_XM_032385169.2
OG: Homeodomains.HG1.71:like:NOTO
PFAM: Homeodomain
motif: ARCH556_M03948_2.00
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 30



Nvec_vc1.1_XM_032385373.2
OG: zf−C2H2.HG13.5:GLI4/ZFP90/ZNF7/ZNF
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH235_Klf5_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 36



Nvec_vc1.1_XM_032385411.2
OG: HMGbox_Sox.HG1.17:PINX1/SOX7/SOX1
PFAM: HMG_box
motif: ARCH528_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 245





Nvec_vc1.1_XM_032385556.2
OG: Homeodomains.HG4.9:like:POU3F1/POU
PFAM: Pou/Homeodomain
motif: ARCH298_UGA3
TF family: Pou/Homeodomain
archetype family:
CisBP assigned: FALSE
rank: 6



Nvec_vc1.1_XM_032385569.2
OG: HLH.HG1.0:AC019117.4/AHR/AHRR/ARN
PFAM: HLH/PAS/PAS_11
motif: ARCH54_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 85



Nvec_vc1.1_XM_032385577.2
OG: Homeodomains.HG3.2:CERS2/CERS3/C
PFAM: Homeodomain/TRAM_LAG1_CLN8
motif: ARCH839_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 41



Nvec_vc1.1_XM_032385715.2
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH378_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: TRUE
rank: 973



Nvec_vc1.1_XM_032385715.2
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH386_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 283



Nvec_vc1.1_XM_032385746.2
OG: Myb.HG1.2:DMTF1/TTF1
PFAM: Myb_DNA−binding/Myb_DNA−binding
motif: ARCH10_gsb
TF family: Myb
archetype family:
CisBP assigned: FALSE
rank: 975



Nvec_vc1.1_XM_032385905.2
OG: zf−C2H2.HG1.3:ZBTB3
PFAM: zf−C2H2
motif: ARCH150_M09942_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 801



Nvec_vc1.1_XM_032385905.2
OG: zf−C2H2.HG1.3:ZBTB3
PFAM: zf−C2H2
motif: ARCH247_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_032385963.2
OG: zf−C2H2.HG8.0:ZNF576/ZNF683/ZNF891
PFAM: zf−C2H2/zf−C2H2
motif: ARCH1131_M07602_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 279



Nvec_vc1.1_XM_032385963.2
OG: zf−C2H2.HG8.0:ZNF576/ZNF683/ZNF891
PFAM: zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 515



Nvec_vc1.1_XM_032386296.2
OG: HMGbox_Sox.HG1.18:like:SOX1/SOX2/S
PFAM: HMG_box
motif: ARCH1079_/Sox4/Sox11_Sox13/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 8





Nvec_vc1.1_XM_032386356.2
OG: HLH.HG1.25:SREBF1/SREBF2
PFAM: HLH
motif: ARCH885_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 171



Nvec_vc1.1_XM_032386357.2
OG: HLH.HG1.25:SREBF1/SREBF2
PFAM: HLH
motif: ARCH1202_Srebf2/Srebf1
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 120



Nvec_vc1.1_XM_032386464.2
OG: HLH.HG1.51:ID1/ID2/ID3/ID4
PFAM: HLH
motif: ARCH834_bHLH157
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 208



Nvec_vc1.1_XM_032386968.2
OG: zf−C2H2.HG1.116:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2_4
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_032386992.2
OG: Homeodomains.HG3.13:ONECUT1/ONEC
PFAM: CUT/Homeodomain
motif: ARCH641_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 36



Nvec_vc1.1_XM_032387218.2
OG: zf−C2H2.HG57.1:like:ZBTB48
PFAM: zf−C2H2_6/zf−C2H2_6/zf−met/zf−C2H
motif: ARCH305_Zfp760/Zfp770
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 76



Nvec_vc1.1_XM_032387281.2
OG: zf−C2H2.HG15.1:OVOL1/OVOL2/OVOL3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH213_Klf5_Klf7_Klf8
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 5



Nvec_vc1.1_XM_032387318.2
OG: HLH.HG1.15:like:TFAP4
PFAM: HLH
motif: ARCH93_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 67



Nvec_vc1.1_XM_048719424.1
OG: zf−C2H2.HG1.36:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2
motif: ARCH321_Egr3/Egr1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048719714.1
OG: zf−C2H2.HG116.1:NA
PFAM: zf−C2H2/zf−C2H2
motif: ARCH196_/E2f4_E2f6_Sp6/Sp5_...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 122



Nvec_vc1.1_XM_048720215.1
OG: zf−C2H2.HG116.0:NA
PFAM: zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 220





Nvec_vc1.1_XM_048720219.1
OG: zf−C2H2.HG1.36:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2
motif: ARCH150_M09942_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 17



Nvec_vc1.1_XM_048720635.1
OG: THAP_finger.HG1.0:AC073612.1/THAP1/
PFAM: THAP
motif: ARCH248_M08020_2.00
TF family: THAP_finger
archetype family: THAP_finger
CisBP assigned: FALSE
rank: 188





Nvec_vc1.1_XM_048721183.1
OG: HLH.HG1.24:MAX
PFAM: HLH/TPR_8/PPP5/Metallophos
motif: ARCH92_Max/Ppp5c
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 215



Nvec_vc1.1_XM_048721183.1
OG: HLH.HG1.24:MAX
PFAM: HLH/TPR_8/PPP5/Metallophos
motif: ARCH47_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 71



Nvec_vc1.1_XM_048721315.1
OG: HLH.HG1.31:like:ASCL1/ASCL2/ASCL3/A
PFAM: HLH
motif: ARCH70_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 232



Nvec_vc1.1_XM_048721411.1
OG: zf−C2H2.HG66.0:ZNF8
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 40



Nvec_vc1.1_XM_048721414.1
OG: zf−C2H2.HG1.7:PRDM13
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048721452.1
OG: HMGbox_Sox.HG1.62:like:NSD2
PFAM: WD40/WD40/Mcl1_mid/HMG_box
motif: ARCH528_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 709





Nvec_vc1.1_XM_048721609.1
OG: Myb.HG3.0:like:HSPA14/MSANTD1/MSAI
PFAM: Myb_DNA−bind_4
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 154



Nvec_vc1.1_XM_048721905.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH255_Zfp7/Gm21060
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 667



Nvec_vc1.1_XM_048721905.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH396_M08281_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 104



Nvec_vc1.1_XM_048721909.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 103



Nvec_vc1.1_XM_048722428.1
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH343_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 173



Nvec_vc1.1_XM_048722594.1
OG: ARID_BRIGHT.HG1.3:ARID2
PFAM: ARID/RFX_DNA_binding
motif: ARCH17_Arid5b/Arid5a
TF family: ARID_BRIGHT
archetype family: ARID_BRIGHT
CisBP assigned: FALSE
rank: 179



Nvec_vc1.1_XM_048722680.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 125



Nvec_vc1.1_XM_048722754.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2_11/zf−C2H2/zf−C2H
motif: ARCH277_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048722777.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048722810.1
OG: Myb.HG1.5:like:DNAJC1/DNAJC2
PFAM: Myb_DNA−bind_4
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 65



Nvec_vc1.1_XM_048722812.1
OG: Tub.HG1.2:TUB/TULP3
PFAM: Tub
motif: ARCH1099_/Sox4/Sox11_Sox13/...
TF family: Tub
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048723038.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2_11/zf−C2H
motif: ARCH194_Egr3/Egr1_Sp6/Sp5_S...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_048723046.1
OG: bZIP.HG1.14:like:CREB3/CREB3L1/CRE
PFAM: bZIP_1
motif: ARCH72_Creb3l2/Creb3l1
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 167



Nvec_vc1.1_XM_048723108.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 63



Nvec_vc1.1_XM_048723109.1
OG: zf−C2H2.HG10.1:ZFP3/ZNF319/ZNF449/
PFAM: zf−C2H2_11/zf−C2H2/zf−C2H2/zf−C2H
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048723292.1
OG: zf−C4_Nuclear_receptors.HG1.34:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH915_M02394_2.00
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 1212



Nvec_vc1.1_XM_048723292.1
OG: zf−C4_Nuclear_receptors.HG1.34:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH24_Nr2c1/Nr2c2_Nr2f1/Nr...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 128



Nvec_vc1.1_XM_048723364.1
OG: bZIP.HG2.0:like:CEBPA/CEBPB/CEBPD/C
PFAM: bZIP_2
motif: ARCH119_Fos/Fosb/Fosl1/Fosl2
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 32



Nvec_vc1.1_XM_048723524.1
OG: NFX1_ZF.HG1.1:NFX1
PFAM: zf−NF−X1/zf−NF−X1/zf−NF−X1/zf−NF−
motif: ARCH331_NFY
TF family: NFX1_ZF
archetype family:
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048723770.1
OG: HMGbox_Sox.HG1.49:SMARCE1
PFAM: HMG_box
motif: ARCH626_Mael_Tox3/Tox/Tox2/...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 56



Nvec_vc1.1_XM_048723945.1
OG: Forkhead.HG1.16:FOXN2/FOXN3
PFAM: Forkhead
motif: ARCH547_Foxa3/Foxa1/Foxa2_F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 2





Nvec_vc1.1_XM_048724012.1
OG: zf−C2H2.HG4.10:GLI1/GLI2/GLI3
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 149





Nvec_vc1.1_XM_048724319.1
OG: Forkhead.HG1.1:FOXA1/FOXA2/FOXA3/F
PFAM: Forkhead
motif: ARCH507_Foxc2/Foxc1_Foxg1/G...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 157



Nvec_vc1.1_XM_048724372.1
OG: HLH.HG1.79:MESP1/MESP2/MSGN1
PFAM: HLH
motif: ARCH89_PL0012.1_hlh−2::hlh−8
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 332



Nvec_vc1.1_XM_048724387.1
OG: HLH.HG1.21:MLX
PFAM: HLH
motif: ARCH63_Mlx_Srebf2/Srebf1_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: TRUE
rank: 624



Nvec_vc1.1_XM_048724387.1
OG: HLH.HG1.21:MLX
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 31



Nvec_vc1.1_XM_048724605.1
OG: Myb.HG6.0:BDP1
PFAM: Myb_DNA−bind_7
motif: ARCH1192_M06394_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 95



Nvec_vc1.1_XM_048724711.1
OG: RHD_Rel.HG1.3:NFKB1/NFKB2
PFAM: RHD_DNA_bind/RHD_dimer
motif: ARCH334_Nfya_Pbx4/Pbx2/Pbx1
TF family: RHD_Rel
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048724756.1
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH763_Pax5/Pax8/Pax2
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: TRUE
rank: 421



Nvec_vc1.1_XM_048724756.1
OG: Homeodomains.HG1.23:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 66



Nvec_vc1.1_XM_048724796.1
OG: HLH.HG1.107:like:HES5/HES7
PFAM: HLH
motif: ARCH792_BHLH112
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 67



Nvec_vc1.1_XM_048724840.1
OG: Homeodomains.HG1.11:like:AC004080.3/
PFAM: Homeodomain
motif: ARCH757_Dmbx1_Gsc2/Gsc//Obo...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048725325.1
OG: zf−C2H2.HG1.1:like:AC008758.1/AC0087
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH305_Zfp760/Zfp770
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 13



Nvec_vc1.1_XM_048725461.1
OG: zf−C2H2.HG1.72:like:AC008758.1/AC008
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_048725593.1
OG: Myb.HG1.3:MYB/MYBL1/MYBL2
PFAM: Myb_DNA−binding/Myb_DNA−bind_6/C
motif: ARCH783_Mybl2/Myb/Mybl1
TF family: Myb
archetype family: Myb
CisBP assigned: TRUE
rank: 701



Nvec_vc1.1_XM_048725593.1
OG: Myb.HG1.3:MYB/MYBL1/MYBL2
PFAM: Myb_DNA−binding/Myb_DNA−bind_6/C
motif: ARCH1192_M06394_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 472



Nvec_vc1.1_XM_048725617.1
OG: HMGbox_Sox.HG1.57:like:HMG20A/HMG
PFAM: HMG_box/zf−met
motif: ARCH1119_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 38



Nvec_vc1.1_XM_048725765.1
OG: Homeodomains.HG2.21:like:LEUTX
PFAM: CUTL/Homeodomain
motif: ARCH712_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 3



Nvec_vc1.1_XM_048726087.1
OG: Myb.HG2.5:NA
PFAM: MADF_DNA_bdg/BESS
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_048726174.1
OG: zf−C2H2.HG6.2:MYT1/MYT1L/ST18
PFAM: zf−C2HC/zf−C2HC/zf−C2HC/zf−C2HC/
motif: ARCH219_Snai2
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 14



Nvec_vc1.1_XM_048726224.1
OG: Myb.HG1.22:TADA2A
PFAM: Myb_DNA−binding
motif: ARCH10_gsb
TF family: Myb
archetype family:
CisBP assigned: FALSE
rank: 794



Nvec_vc1.1_XM_048726734.1
OG: zf−C2H2.HG1.234:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2/zf−H2C2_2/zf−C2H2
motif: ARCH936_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 537





Nvec_vc1.1_XM_048726881.1
OG: zf−C2H2.HG1.3:ZBTB3
PFAM: zf−C2H2
motif: ARCH305_Zfp760/Zfp770
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 621



Nvec_vc1.1_XM_048726881.1
OG: zf−C2H2.HG1.3:ZBTB3
PFAM: zf−C2H2
motif: ARCH245_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 390



Nvec_vc1.1_XM_048727075.1
OG: Homeodomains.HG2.12:ESX1
PFAM: Homeodomain
motif: ARCH334_Nfya_Pbx4/Pbx2/Pbx1
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_048727123.1
OG: Myb.HG1.9:NCOR1/NCOR2
PFAM: GPS2_interact/Myb_DNA−binding
motif: ARCH1061_Msantd4/Mypop_Terf2ip
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 685



Nvec_vc1.1_XM_048727456.1
OG: zf−C4_Nuclear_receptors.HG1.30:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH965_Nr2f1/Nr2f2/Nr2f6
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: TRUE
rank: 795



Nvec_vc1.1_XM_048727456.1
OG: zf−C4_Nuclear_receptors.HG1.30:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH932_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 470



Nvec_vc1.1_XM_048727543.1
OG: Homeodomains.HG2.17:like:RHOXF1
PFAM: PAX/Homeodomain
motif: ARCH344_Pax5/Pax8/Pax2
TF family: Pax/Homeodomain
archetype family: Pax/Homeodomain
CisBP assigned: FALSE
rank: 28



Nvec_vc1.1_XM_048727600.1
OG: Myb.HG2.3:NA
PFAM: MADF_DNA_bdg
motif: ARCH1061_Msantd4/Mypop_Terf2ip
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 16



Nvec_vc1.1_XM_048728051.1
OG: Forkhead.HG1.1:FOXA1/FOXA2/FOXA3/F
PFAM: Forkhead
motif: ARCH553_Foxc2/Foxc1_Foxd2/F...
TF family: Forkhead
archetype family: Forkhead
CisBP assigned: FALSE
rank: 632



Nvec_vc1.1_XM_048728399.1
OG: bZIP.HG2.5:CEBPA/CEBPB/CEBPD/CEB
PFAM: bZIP_2
motif: ARCH37_Cebpd/Cebpe/Cebpa/Cebpb
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 584



Nvec_vc1.1_XM_048728399.1
OG: bZIP.HG2.5:CEBPA/CEBPB/CEBPD/CEB
PFAM: bZIP_2
motif: ARCH122_Atf7/Gm28047/Creb5/...
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 181



Nvec_vc1.1_XM_048728853.1
OG: Homeodomains.HG1.24:like:HHEX/LBX1/
PFAM: Homeodomain
motif: ARCH633_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_048728967.1
OG: HLH.HG1.29:MYC/MYCL/MYCN
PFAM: HLH/HLH
motif: ARCH98_Ptf1a
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 14



Nvec_vc1.1_XM_048729186.1
OG: Ets.HG1.9:AC020909.1/SPI1/SPIB/SPIC
PFAM: Ets
motif: ARCH418_Spdef
TF family: Ets
archetype family: Ets
CisBP assigned: TRUE
rank: 31



Nvec_vc1.1_XM_048729186.1
OG: Ets.HG1.9:AC020909.1/SPI1/SPIB/SPIC
PFAM: Ets
motif: ARCH406_Elf3/Ehf/Elf5_Erg/F...
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_048729481.1
OG: zf−C2H2.HG4.3:like:ZIC1/ZIC2/ZIC3/ZIC4
PFAM: zf_ZIC/zf−C2H2/zf−C2H2
motif: ARCH285_M06063_2.00
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 8



Nvec_vc1.1_XM_048729481.1
OG: zf−C2H2.HG4.3:like:ZIC1/ZIC2/ZIC3/ZIC4
PFAM: zf_ZIC/zf−C2H2/zf−C2H2
motif: ARCH236_M03668_2.00__M05861...
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 4



Nvec_vc1.1_XM_048729727.1
OG: THAP_finger.HG1.0:AC073612.1/THAP1/
PFAM: THAP
motif: ARCH329_THAP1
TF family: THAP_finger
archetype family: THAP_finger
CisBP assigned: FALSE
rank: 100



Nvec_vc1.1_XM_048729815.1
OG: zf−C2H2.HG3.36:YY1/YY2/ZFP42
PFAM: zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH215_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: TRUE
rank: 2



Nvec_vc1.1_XM_048730021.1
OG: zf−C2H2.HG2.4:MTF1/ZNF76/ZNF143
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH241_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 2



Nvec_vc1.1_XM_048730025.1
OG: THAP_finger.HG1.0:AC073612.1/THAP1/
PFAM: THAP
motif: ARCH329_THAP1
TF family: THAP_finger
archetype family: THAP_finger
CisBP assigned: FALSE
rank: 59



Nvec_vc1.1_XM_048730169.1
OG: Myb.HG1.11:MIS18BP1
PFAM: SANTA/Myb_DNA−binding
motif: ARCH1192_M06394_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 696



Nvec_vc1.1_XM_048730283.1
OG: bZIP.HG1.17:ATF3/JDP2
PFAM: bZIP_1
motif: ARCH183_Atf3/Jdp2
TF family: bZIP
archetype family: bZIP
CisBP assigned: TRUE
rank: 594



Nvec_vc1.1_XM_048730283.1
OG: bZIP.HG1.17:ATF3/JDP2
PFAM: bZIP_1
motif: ARCH132_Creb3l2/Creb3l1
TF family: bZIP
archetype family: bZIP
CisBP assigned: FALSE
rank: 9



Nvec_vc1.1_XM_048730757.1
OG: zf−C4_Nuclear_receptors.HG1.26:like:NR
PFAM: zf−C4/Hormone_recep
motif: ARCH930_Nr2c1/Nr2c2_Nr2f1/N...
TF family: zf−C4_Nuclear_receptors
archetype family: zf−C4_Nuclear_receptors
CisBP assigned: FALSE
rank: 22



Nvec_vc1.1_XM_048731064.1
OG: zf−C2H2.HG87.0:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 8



Nvec_vc1.1_XM_048731081.1
OG: Myb.HG1.21:like:MIER1/MIER2/MIER3/M
PFAM: Myb_DNA−binding
motif: ARCH1169_M03912_2.00
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 193



Nvec_vc1.1_XM_048731196.1
OG: HMGbox_Sox.HG1.4:like:HBP1
PFAM: HLH/HMG_box/zf−CW
motif: ARCH740_M07267_2.00
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 45



Nvec_vc1.1_XM_048731339.1
OG: AP−2.HG1.3:like:TFAP2A/TFAP2B/TFAP2
PFAM: TF_AP−2
motif: ARCH398_TFAP2E
TF family: AP2
archetype family: AP2
CisBP assigned: FALSE
rank: 2





Nvec_vc1.1_XM_048731647.1
OG: zf−C2H2.HG36.2:ZNF425
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 35



Nvec_vc1.1_XM_048731942.1
OG: HLH.HG1.87:LYL1/NHLH1/NHLH2/TAL1/T
PFAM: HLH
motif: ARCH65_Twist2/Twist1
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 16



Nvec_vc1.1_XM_048731950.1
OG: HMGbox_Sox.HG1.39:HMGXB4
PFAM: HMG_box
motif: ARCH107_Cic_Hbp1_Sox13/Sox5...
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 30



Nvec_vc1.1_XM_048732398.1
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP
motif: ARCH690_Alx3/Alx4/Alx1_Barx...
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: FALSE
rank: 553





Nvec_vc1.1_XM_048732532.1
OG: Ets.HG1.8:ETS1/ETS2
PFAM: Ets
motif: ARCH469_Elf3/Ehf/Elf5
TF family: Ets
archetype family: Ets
CisBP assigned: FALSE
rank: 186



Nvec_vc1.1_XM_048732776.1
OG: HMGbox_Sox.HG1.22:MAEL
PFAM: HMG_box_2/Maelstrom
motif: ARCH1119_/Lef1/Tcf7l1/Tcf7
TF family: HMGbox_Sox
archetype family: HMGbox_Sox
CisBP assigned: FALSE
rank: 14



Nvec_vc1.1_XM_048733199.1
OG: NFX1_ZF.HG1.0:NFXL1
PFAM: zf−NF−X1/zf−NF−X1/zf−NF−X1/zf−NF-
motif: ARCH1071_NF1
TF family: NFX1_ZF
archetype family:
CisBP assigned: FALSE
rank: 868



Nvec_vc1.1_XM_048733302.1
OG: HLH.HG1.33:MITF/TFE3/TFEB/TFEC
PFAM: MITF_TFEB_C_3_N/HLH
motif: ARCH63_Mlx_Srebf2/Srebf1_Usf3
TF family: HLH
archetype family: HLH
CisBP assigned: FALSE
rank: 79



Nvec_vc1.1_XM_048733498.1
OG: Myb.HG3.0:like:HSPA14/MSANTD1/MSAI
PFAM: Myb_DNA−bind_4/Myb_DNA−bind_4/M
motif: ARCH384_Msantd2_Rcor1/Rcor2...
TF family: Myb
archetype family: Myb
CisBP assigned: FALSE
rank: 425



Nvec_vc1.1_XM_048733519.1
OG: Homeodomains.HG2.73:like:DMBX1
PFAM: Homeodomain
motif: ARCH483_Alx3/Alx4/Alx1_Barx...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 30



Nvec_vc1.1_XM_048733551.1
OG: Homeodomains.HG1.5:like:AC004080.3/A
PFAM: Homeodomain
motif: ARCH685_Barx2/Barx1_Dlx4/Dl...
TF family: Homeodomains
archetype family: Homeodomains
CisBP assigned: FALSE
rank: 899



Nvec_vc1.1_XM_048733736.1
OG: RHD_Rel.HG1.0:like:NFAT5/NFATC1/NFA
PFAM: RHD_DNA_bind/RHD_dimer
motif: ARCH308_Gfi1b/Gfi1
TF family: RHD_Rel
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 1



Nvec_vc1.1_XM_048733866.1
OG: AF−4.HG1.0:AFF1/AFF2/AFF3/AFF4
PFAM: AF−4/AF−4_C
motif: ARCH1102_Brn2
TF family: AF−4
archetype family:
CisBP assigned: FALSE
rank: 12



Nvec_vc1.1_XM_048734004.1
OG: zf−C2H2.HG99.0:NA
PFAM: zf−C2H2/zf−C2H2/zf−C2H2/zf−C2H2/z
motif: ARCH279_Yy1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 26



Nvec_vc1.1_XM_048734435.1
OG: E2F_TDP.HG1.4:E2F1/E2F2/E2F3/E2F6
PFAM: E2F_TDP/E2F_CC−MB
motif: ARCH374_/E2f4_E2f6_E2f8/E2f7
TF family: E2F_TDP
archetype family: E2F_TDP
CisBP assigned: TRUE
rank: 15



Nvec_vc1.1_XM_048734482.1
OG: zf−C2H2.HG1.142:like:AC008758.1/AC00
PFAM: zf−C2H2/zf−C2H2_6/zf−C2H2/zf−C2H2
motif: ARCH308_Gfi1b/Gfi1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 127



Nvec_vc1.1_XM_048734570.1
OG: zf−C2H2.HG1.35:FEZF1/FEZF2/GFI1/GF
PFAM: zf−C2H2_6/zf−C2H2/zf−C2H2/zf−C2H2
motif: ARCH239_Scrt2/Scrt1
TF family: zf−C2H2
archetype family: zf−C2H2
CisBP assigned: FALSE
rank: 9