

BOOTCAMP: TRANSFORMACIÓN DIGITAL PARA LA DOCENCIA TÉCNICA

Nombre del participante:

Ana María Martinz Vasquez

Institución:

Instituto Nacional de Osicala.

Tema:

Primer API REST con Express.js


Link del Entregable:

<https://github.com/anamariavasquez/APY/blob/main/README.md>


Viernes 26 de junio de 2023

Probar que el servidor reste corriendo	3
GET - Todos los estudiantes	3
3. GET - Estudiante por ID.....	4
4. GET - Error 404.....	4
5. POST - Crear estudiante.....	5
6 POST - Error 400 (validación)	5
7. PUT - Actualizar estudiante	6
8. PUT - Error 404	6
9. DELETE - Eliminar estudiante.....	7
10 DELETE - Error 404	7


1 probar que el servidor reste corriendo



2 GET - Todos los estudiantes



3. GET - Estudiante por ID




The screenshot shows a REST client interface with the following details:

- URL: `http://localhost:3000/api/estudiantes/1`
- Method: `GET`
- Response: `200 OK (6 headers)`
- Response Body (JSON):

```
{  "data": {    "id": 1,    "firstName": "Ana",    "lastName": "Maria",    "email": "ana.maria@email.com",    "phone": "+503 7004 0004",    "address": {      "country": "El Salvador",      "city": "San Salvador"    },    "isActive": true,    "courses": [      "Matemáticas",      "Programación",      "Base de Datos"    ]  }}
```
- Response Size: 450B, 56ms, now

4. GET - Error 404




The screenshot shows a REST client interface with the following details:

- URL: `http://localhost:3000/api/estudiantes/15`
- Method: `GET`
- Response: `404 Not Found (6 headers)`
- Response Body (JSON):

```
{  "error": "Estudiante no encontrado",  "message": "No existe un estudiante con el ID 15"}
```
- Response Size: 299B, 29ms, now

5. POST - Crear estudiante




The screenshot shows a REST client interface with a POST request to `http://localhost:3000/api/estudiantes`. The request body is a JSON object representing a student. The response is a 201 status code with a JSON body indicating successful creation.

```
POST http://localhost:3000/api/estudiantes
```

```
{
  "firstName": "Jorge",
  "lastName": "Mendoza",
  "email": "jorge.mendoza@email.com",
  "phone": "+503 7999 9999",
  "address": {
    "country": "El Salvador",
    "city": "La Paz"
  },
  "isActive": true,
  "courses": ["Seguridad", "Redes"]
}
```

```
{
  "message": "Estudiante creado exitosamente",
  "data": {
    "id": 4,
    "firstName": "Jorge",
    "lastName": "Mendoza",
    "email": "jorge.mendoza@email.com",
    "phone": "+503 7999 9999",
    "address": {
      "country": "El Salvador",
      "city": "La Paz"
    },
    "isActive": true,
    "courses": [
      "Seguridad",
      "Redes"
    ]
  }
}
```

6 POST - Error 400 (validación)



The screenshot shows a REST client interface with a POST request to `http://localhost:3000/api/estudiantes`. The request body is a JSON object with only the `firstName` field. The response is a 400 status code with a JSON body indicating an error due to incomplete data.

```
POST http://localhost:3000/api/estudiantes
```

```
{
  "firstName": "Elena"
}
```

```
{
  "error": "Datos incompletos",
  "message": "Los campos firstName, lastName y email son obligatorios"
}
```

7. PUT - Actualizar estudiante

The screenshot shows a REST client interface with a PUT request to `http://localhost:3000/api/estudiantes/2`. The request body is a JSON object with `firstName`, `phone`, and an `address` object. The response is a 200 OK status with a JSON body containing a success message and the updated student data.

```
PUT http://localhost:3000/api/estudiantes/2

{
  "firstName": "Dora Patricia",
  "phone": "+503 7000 1111"
}
```

```
HTTP/1.1 200 OK (6 headers)

{
  "message": "Estudiante actualizado exitosamente",
  "data": {
    "id": 2,
    "firstName": "Dora Patricia",
    "lastName": "Flores",
    "email": "diego.flores@email.com",
    "phone": "+503 7000 1111",
    "address": {
      "country": "El Salvador",
      "city": "La Paz"
    },
    "isActive": true,
    "courses": [
      "Programación",
      "Redes",
      "Seguridad"
    ]
  }
}
```

8. PUT - Error 404

The screenshot shows a REST client interface with a PUT request to `http://localhost:3000/api/estudiantes/6`. The request body is a JSON object with `firstName` set to "Pedro". The response is a 404 Not Found status with a JSON body containing an error message.


```
PUT http://localhost:3000/api/estudiantes/6

{
  "firstName": "Pedro"
}
```

```
HTTP/1.1 404 Not Found (6 headers)

{
  "error": "Estudiante no encontrado",
  "message": "No existe un estudiante con el ID 6"
}
```

9. DELETE - Eliminar estudiante



10 DELETE - Error 404

