

BOOTCAMP: TRANSFORMACIÓN DIGITAL PARA LA DOCENCIA TÉCNICA

Nombre del participante:

Ana María Vázquez Martines

Institución:

Instituto Nacional de Osicala.

Tema: Consultas SQL Avanzadas


Link del Entregable:

<https://github.com/anamariavasquez/base-de-datos/blob/main/README.md>


Domingo 31 de mayo de 2026

Esquema de la base de datos	3
Consulta 1: Descripción: Utiliza LIMIT para restringir el resultado a los primeros 5 registros de la tabla guests.	4
Consulta 2: Descripción: Muestra las habitaciones junto al nombre de la acomodación a la que pertenecen.	5
Consulta 3 : Encontrar el guest mas antiguo (primera reserva mas lejana).....	6
Consulta 4: Calcular tasa de cancelación por accommodation	7
Consulta 5:	8
Consulta 6: Contar reservas por estado	9
Consulta 7: Ver los 5 primeros guests de la tabla.....	10
Consulta 8: Ver los guests que se llaman 'Fredy'	11
Consulta 9: Ver los guests cuyo apellido es 'Lee'	12
Consulta 10: Ver los guests que tienen teléfono registrado (no NULL).....	13
Consulta 11: Bookings con nombre del guest (JOIN guests)	14
Consulta 12: Bookings con nombre del estado (JOIN booking_statuses)	15
Consulta 13: Rooms con nombre de la accommodation (JOIN accommodations)	16
Consulta 14: Accommodations con nombre del owner (JOIN owners)	17
Consulta 15: Payments con nombre del guest (JOIN bookings + guests)	18
Consulta 16: Reviews con nombre del guest y accommodation (JOIN triple)	19
Consulta 17: <i>Booking_guests con nombre del guest principal (JOIN bookings + guests)</i>	20
Consulta 18: <i>istar huéspedes adicionales por reserva (booking_guests)</i>	21
Consulta 19: Contar cuantas rooms tiene cada accommodation (GROUP BY)	22
Consulta 20: <i>Huéspedes con más reservas (TOP 10)</i>	23

Esquema de la base de datos



Consulta 1: Descripción: Utiliza LIMIT para restringir el resultado a los primeros 5 registros de la tabla guests.



The screenshot shows a PostgreSQL IDE interface. The top toolbar includes icons for file operations, query execution, and settings. The left sidebar shows a tree view of servers, with 'PostgreSQL 17' and 'PostgreSQL 18' listed. The main window displays the 'accommodation_database.db/postgres@PostgreSQL 18' connection. The query editor shows the following SQL code:

```
742 INNER JOIN bookings b ON g.guest_id = b.guest_id
743 GROUP BY g.guest_id, g.first_name, g.last_name
744 ORDER BY primera_reserva ASC
745 LIMIT 1;
746
747
748
749
750
751 --1 Descripción: Utiliza LIMIT para restringir el resultado a los primeros 5 registros de la tabla guests.
752 SELECT * FROM guests LIMIT 5;
```

Below the query editor, the 'Data Output' tab is active, showing the results of the query. The results are displayed in a table with 9 columns: guest_id, first_name, last_name, email, phone, date_of_birth, nationality, and passport_number. The table shows the first 5 records of the 'guests' table, ordered by 'primera_reserva' (first reservation).

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport_number character varying (50)
1	1	Fredy	Montalbán	lluna@example.com	08794 70551	1985-01-01	Uruguay	[null]
2	2	Ashley	Lee	astrid26@example.net	(897)028-3857x865	1976-07-24	Italian	to54973348
3	3	María Teresa	López	stephanie15@example.co...	+34977338484	1952-09-18	Slowenien	[null]
4	4	Igor	Arteaga	fatimaheintze@example...	(657)212-0826x77345	1989-09-02	Französisch-Polynesien	[null]
5	5	Clementina	Döring	walter88@example.com	743-152-7420x5493	1986-11-10	Territoires français du s...	up85161227

Consulta 2: Descripcion: Muestra las habitaciones junto al nombre de la acomodacion a la que pertenecen.

The screenshot shows a PostgreSQL IDE interface. The left sidebar displays a tree view with 'Servers (2)' containing 'PostgreSQL 17' and 'PostgreSQL 18'. The main window has a tab for 'accommodation_database.db/postgres@PostgreSQL 18'. Below the tab is a toolbar with icons for file operations and a 'Query' button. The 'Query' tab is active, showing a SQL query with two parts: a comment about using LIMIT and a query to select room information joined with accommodation names. The 'Data Output' tab is also active, showing a table with 5 rows of guest data. The table has columns: guest_id, first_name, last_name, email, phone, date_of_birth, nationality, and passport_number. The first row shows a guest named Fredy Montalbán from Uruguay. The second row shows Ashley Lee from Italy. The third row shows María Teresa López from Slovenia. The fourth row shows Igor Arteaga from French Polynesia. The fifth row shows Clementina Döring from French Territories.

```
--1 Descripcion: Utiliza LIMIT para restringir el resultado a los primeros 5 registros de la tabla guests.
SELECT * FROM guests LIMIT 5;

--2 Descripcion: Muestra las habitaciones junto al nombre de la acomodacion a la que pertenecen.
SELECT r.room_name, r.room_code, a.name AS accommodation_name
FROM rooms r
INNER JOIN accommodations a ON r.accommodation_id = a.accommodation_id;
```

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport_number character varying (100)
1	1	Fredy	Montalbán	lluna@example.com	08794 70551	1985-01-01	Uruguay	[null]
2	2	Ashley	Lee	astrid26@example.net	(897)028-3857x865	1976-07-24	Italian	to54973348
3	3	María Teresa	López	stephanie15@example.co...	+34977338484	1952-09-18	Slowenien	[null]
4	4	Igor	Arteaga	fatimaheintze@example....	(657)212-0826x77345	1989-09-02	Französisch-Polynesien	[null]
5	5	Clementina	Döring	walter88@example.com	743-152-7420x5493	1986-11-10	Territoires français du s...	up85161227

Consulta 3 : Encontrar el guest mas antiguo (primera reserva mas lejana)

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

accommodation_database.db/postgres@PostgreSQL 18

No limit

Query Query History

```
735 GROUP BY a.accommodation_id, a.name;
736
737 -- 3 Encontrar el guest mas antiguo (primera reserva mas lejana)
738 SELECT
739     g.first_name || ' ' || g.last_name AS guest_name,
740     MIN(b.check_in_date) AS primera_reserva
741 FROM guests g
742 INNER JOIN bookings b ON g.guest_id = b.guest_id
743 GROUP BY g.guest_id, g.first_name, g.last_name
744 ORDER BY primera_reserva ASC
745 LIMIT 1;
746
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	guest_name text	primera_reserva date
1	Kathleen Morv...	2025-04-15

Total rows: 1 Query complete 00:00:00.511 CRLF Ln 738, Col 1

Consulta 4: Calcular tasa de cancelacion por accommodation

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)

- PostgreSQL 17
- PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

Query Query History

```
725 );  
726  
727 -- 4. Calcular tasa de cancelacion por accommodation  
728 SELECT  
729     a.name,  
730     COUNT(*) FILTER (WHERE b.booking_status_id = 5) AS canceladas,  
731     COUNT(*) AS total_reservas,  
732     ROUND(COUNT(*) FILTER (WHERE b.booking_status_id = 5) * 100.0 / NULLIF(COUNT(*), 0), 2) AS tasa_cancelacion  
733 FROM accommodations a  
734 LEFT JOIN bookings b ON a.accommodation_id = b.accommodation_id  
735 GROUP BY a.accommodation_id, a.name;
```

Data Output Messages Notifications

Showing rows: 1 to 20 Page No: 1 of 1

	name character varying (150)	canceladas bigint	total_reservas bigint	tasa_cancelacion numeric
1	Boutique Stay Ville	2	6	33.33
2	Cozy Lodge Ville	2	5	40.00
3	Boutique Suite los bajos	0	5	0.00
4	Modern Escape Ville	1	5	20.00
5	Luxury Escape de la Montaña	1	4	25.00
6	Boutique Retreat Ville	0	5	0.00
7	Luxury Getaway los altos	2	5	40.00

Total rows: 20 Query complete 00:00:00.333 CRLF Ln 728, Col 1

Consulta 5:

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)

- PostgreSQL 17
- PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

No limit

Query Query History

```
693 -- 5. JSON_BUILD_OBJECT: exportar datos de guest como JSON
694 SELECT
695     guest_id,
696     JSON_BUILD_OBJECT(
697         'nombre', first_name || ' ' || last_name,
698         'email', email,
699         'telefono', phone,
700         'nacionalidad', nationality
701     ) AS datos_json
702 FROM guests
703 LIMIT 5;
```


Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	guest_id [PK] bigint	datos_json json
1	1	{\"nombre\": \"Fredy Montalbán\", \"email\": \"lluna@example.com\", \"telefono\": \"08794 70551\", \"nacionalidad\": \"Uruguay\"}
2	2	{\"nombre\": \"Ashley Lee\", \"email\": \"astrid26@example.net\", \"telefono\": \"(897)028-3857x865\", \"nacionalidad\": \"Italiaen\"}
3	3	{\"nombre\": \"María Teresa López\", \"email\": \"stephanie15@example.com\", \"telefono\": \"+34977338484\", \"nacionalidad\": \"Slowenien\"}
4	4	{\"nombre\": \"Igor Arteaga\", \"email\": \"fatimaheintze@example.org\", \"telefono\": \"(657)212-0826x77345\", \"nacionalidad\": \"Französisch-Polynesi...\"}
5	5	{\"nombre\": \"Clementina Döring\", \"email\": \"walter88@example.com\", \"telefono\": \"743-152-7420x5493\", \"nacionalidad\": \"Territoires français du...\"}

Total rows: 5 Query complete 00:00:00.470 CRLF Ln 693, Col 4

Consulta 6: Contar reservas por estado



The screenshot displays a database management interface. On the left, a sidebar shows a tree view of database objects: Procedures, Sequences, and Tables (14). The 'Tables' folder is expanded, listing tables such as accommodation_amer, accommodation_types, accommodations, amenities, booking_guests, booking_statuses, bookings, guests, locations, owners, payments, reviews, rooms, and staff_users. The main area shows a SQL query for counting reservations by status. Below the query editor, the 'Data Output' tab is active, showing a table with 6 rows. The table has two columns: 'status_name' (character varying (50)) and 'total_reservas' (bigint). The rows show the following data: 1 Confirmed 24, 2 Pending 20, 3 CheckedIn 16, 4 NoShow 14, 5 Cancelled 14. The bottom status bar indicates 'Total rows: 6' and 'Query complete 00:00:00.349'.

```
78 -- 6. Contar reservas por estado
79 -- =====
80 SELECT
81     bs.status_name,
82     COUNT(b.booking_id) AS total_reservas
83 FROM bookings b
84 INNER JOIN booking_statuses bs ON b.booking_status_id = bs.booking_status_id
85 GROUP BY bs.status_name
86 ORDER BY total_reservas DESC;
87
88
```

	status_name character varying (50)	total_reservas bigint
1	Confirmed	24
2	Pending	20
3	CheckedIn	16
4	NoShow	14
5	Cancelled	14

Total rows: 6 Query complete 00:00:00.349

Consulta 7: Ver los 5 primeros guests de la tabla

The screenshot shows a database management interface with a sidebar on the left containing a tree view of database objects. The main area displays a SQL query and its results.

Query:

```
336 -- Ver los 5 primeros guests de la tabla
337 SELECT * FROM guests LIMIT 5;
338
339 -- 6. Ver las nacionalidades sin repetir (DISTINCT)
```

Data Output:

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport_number character varying (50)
1	1	Fredy	Montalbán	lluna@example.com	08794 70551	1985-01-01	Uruguay	[null]
2	2	Ashley	Lee	astrid26@example.net	(897)028-3857x865	1976-07-24	Italien	to54973348
3	3	María Teresa	López	stephanie15@example.co...	+34977338484	1952-09-18	Slowenien	[null]
4	4	Igor	Arteaga	fatimaheintze@example....	(657)212-0826x77345	1989-09-02	Französisch-Polynesien	[null]
5	5	Clementina	Döring	walter88@example.com	743-152-7420x5493	1986-11-10	Territoires français du s...	up85161227

Consulta 8: Ver los guests que se llaman 'Fredy'

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x esquema de la bas... x Untitled* x

accommodation_database.db/postgres@PostgreSQL 18

No limit

Query Query History

```
-- 8. Ver los guests que se llaman 'Fredy'
SELECT * FROM guests WHERE first_name = 'Fredy';
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport_number character varying (50)
1	1	Fredy	Montalbán	lluna@example.com	08794 70551	1985-01-01	Uruguay	[null]

Consulta 9: Ver los guests cuyo apellido es 'Lee'

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x esquema de la bas... x Untitled* x

accommodation_database.db/postgres@PostgreSQL 18

No limit

Query Query History

```
-- 9. Ver los guests cuyo apellido es 'Lee'  
SELECT * FROM guests WHERE last_name = 'Lee';
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport_number character varying (50)
1	2	Ashley	Lee	astrid26@example.net	(897)028-3857x865	1976-07-24	Italian	to54973348

Consulta 10: Ver los guests que tienen telefono registrado (no NULL)

The screenshot shows a database management interface with a sidebar on the left containing a tree view of database objects: FTS Parsers, FTS Templates, Foreign Tables, Functions, Materialized Views, Operators, Procedures, Sequences, Tables (14), accommodation_amenities, accommodation_types, accommodations, amenities, booking_guests, booking_statuses, bookings, guests, locations, owners, payments, reviews, rooms, staff_users, Trigger Functions, and Types.

The main window displays a SQL query in the 'Query' tab:

```
-- 10. Ver los guests que tienen telefono registrado (no NULL)
SELECT * FROM guests WHERE phone IS NOT NULL;

-- 11. Ver todos los tipos de acomodacion
```

The 'Data Output' tab shows the results of the query as a table with 12 rows and 8 columns. The columns are: guest_id [PK] bigint, first_name character varying (100), last_name character varying (100), email character varying (150), phone character varying (30), date_of_birth date, and nationality character varying (100). The rows contain guest information, including names, emails, phone numbers, birth dates, and nationalities.

At the bottom right, a green status bar indicates: "Successfully run. Total query runtime: 301 msec. 102 rows affected."

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)
1	1	Fredy	Montalbán	lluna@example.com	08794 70551	1985-01-01	Uruguay
2	2	Ashley	Lee	astrid26@example.net	(897)028-3857x865	1976-07-24	Italien
3	3	María Teresa	López	stephanie15@example.com	+34977338484	1952-09-18	Slowenien
4	4	Igor	Arteaga	fatimaheintze@example.org	(657)212-0826x77345	1989-09-02	Französisch-Polynesien
5	5	Clementina	Döring	walter88@example.com	743-152-7420x5493	1986-11-10	Territoires français du sud
6	6	Steven	Palomino	helen14@example.com	+49(0) 327279568	1996-10-27	Swasiland
7	7	Nancy	Robin	dblumel@example.org	0790874064	1996-01-14	República Federal Democrática de Nep
8	8	Diego	Terrazas	nathaliehubert@example.org	378-268-6337x5243	1987-02-16	Dominican Republic
9	9	Daniel	Wheeler	moulinnicole@example.org	03 73 83 02 84	2000-10-18	Irak
10	10	Marcel	Lejeune	blanca28@example.com	427.086.6882	1961-10-23	Eritrea
11	11	Marc	Mateo	sharonhayden@example.org	+33 3 58 63 85 46	1981-08-06	India
12	12	Benjamin	Hartung	ibarramaria-luisa@example.ne			

Consulta 11: Bookings con nombre del guest (JOIN guests)

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)

- PostgreSQL 17
- PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

Query Query History

```
157
158
159 -- 11. Bookings con nombre del guest (JOIN guests)
160 SELECT b.booking_id, g.first_name || ' ' || g.last_name AS guest_name, b.check_in_date
161 FROM bookings b
162 INNER JOIN guests g ON b.guest_id = g.guest_id;
163
```

Data Output Messages Notifications

Showing rows: 1 to 100 Page No: 1 of 1

	booking_id [PK] bigint	guest_name text	check_in_date date
1	1	Ian Giner	2025-06-11
2	2	Karl-Josef Louis	2025-06-08
3	3	Irmtraut Hettner	2025-06-11
4	4	Henri Schmidtke	2025-05-27
5	6	Thomas Gutiérrez	2026-04-08
6	7	Tiburcio Acuña	2026-05-16
7	8	Isaac Cotto	2025-11-02
8	9	Orhan Boutin	2025-12-05
9	10	Marcela Figueroa	2026-01-07
10	11	Claude Miller	2025-07-01

Total rows: 100 Query complete 00:00:00.358

Successfully run. Total query runtime: 358 msec. 100 rows affected.

CRLF Ln 160, Col 1

Consulta 12: Bookings con nombre del estado (JOIN booking_statuses)

The screenshot shows a PostgreSQL query editor interface. The query editor displays the following SQL query:

```
162 INNER JOIN guests g ON b.guest_id = g.guest_id;
163
164
165 -- 12. Bookings con nombre del estado (JOIN booking_statuses)
166 SELECT b.booking_id, bs.status_name, b.check_in_date
167 FROM bookings b
168 INNER JOIN booking_statuses bs ON b.booking_status_id = bs.booking_status_id;
169
```

The query results are displayed in a table with the following columns: booking_id, status_name, and check_in_date. The results show 10 rows of data.

booking_id	status_name	check_in_date
1	Pending	2025-06-11
2	Cancelled	2025-06-08
3	NoShow	2025-06-11
4	CheckedIn	2025-05-27
5	Confirmed	2026-04-08
6	CheckedIn	2026-05-16
7	Pending	2025-11-02
8	Pending	2025-12-05
9	Confirmed	2026-01-07
10	Confirmed	2025-07-01

A green notification box at the bottom right indicates: "Successfully run. Total query runtime: 354 msec. 100 rows affected."

The status bar at the bottom shows: "Total rows: 100", "Query complete 00:00:00.354", and "CRLF Ln 166, Col 1".

Consulta 13: Rooms con nombre de la accommodation (JOIN accommodations)

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)

- PostgreSQL 17
- PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

Query Query History

```
167 FROM bookings b
168 INNER JOIN booking_statuses bs ON b.booking_status_id = bs.booking_status_id;
169
170 -- 13. Rooms con nombre de la accommodation (JOIN accommodations)
171 SELECT r.room_name, r.room_code, a.name AS accommodation_name
172 FROM rooms r
173 INNER JOIN accommodations a ON r.accommodation_id = a.accommodation_id;
```

Data Output Messages Notifications

Showing rows: 1 to 77 Page No: 1 of 1

	room_name character varying (100)	room_code character varying (50)	accommodation_name character varying (150)
1	Family 1	1-001	Rustic Lodge Ville
2	Standard 2	1-002	Rustic Lodge Ville
3	Family 3	1-003	Rustic Lodge Ville
4	Family 1	2-001	Rustic Hideaway Ville
5	Family 2	2-002	Rustic Hideaway Ville
6	Standard 3	2-003	Rustic Hideaway Ville
7	Double 1	3-001	Boutique Retreat Ville
8	Deluxe 2	3-002	Boutique Retreat Ville
9	Single 3	3-003	Boutique Retreat Ville
10	Family 1	4-001	Modern Escape Ville

Total rows: 77 Query complete 00:00:00.421 CRLF Ln 171, Col 1

Consulta 14: Accommodations con nombre del owner (JOIN owners)

The screenshot shows a PostgreSQL query editor interface. The left sidebar displays a tree view with 'Servers (2)' containing 'PostgreSQL 17' and 'PostgreSQL 18'. The main editor area shows a query window titled 'accommodation_database.db/postgres@PostgreSQL 18'. The query is as follows:

```
180
181 -- 15. Accommodations con nombre del owner (JOIN owners)
182 SELECT a.name, o.first_name || ' ' || o.last_name AS owner_name
183 FROM accommodations a
184 INNER JOIN owners o ON a.owner_id = o.owner_id;
185
186 -- 47. Payments con nombre del guest (JOIN bookings + guests)
187 SELECT p.payment_id, g.first_name || ' ' || g.last_name AS guest_name, p.amount
```

Below the query editor, the 'Data Output' tab is active, showing the results of the query. The results are displayed in a table with 2 columns: 'name' (character varying (150)) and 'owner_name' (text). The table contains 10 rows of data.

	name	owner_name
1	Rustic Lodge Ville	Anunciación Real
2	Rustic Hideaway Ville	Ismael Jacquot
3	Boutique Retreat Ville	Ignacio Stafford
4	Modern Escape Ville	Ignacio Stafford
5	Panoramic Stay Ville	Ignacio Stafford
6	Rustic Getaway de la Monta...	Zacharie Hethur
7	Panoramic Getaway dan	Miguel Ángel Hod...
8	Cozy Lodge Ville	Hugo Bellido
9	Boutique Nest boeuf	Cynthia Benavidez
10	Rustic Lodge boeuf	Hugo Bellido

At the bottom of the interface, a status bar indicates 'Total rows: 20' and 'Query complete 00:00:00.396'. A green notification box on the right states: '✓ Successfully run. Total query runtime: 396 msec. 20 rows affected. ✕'. The bottom right corner shows 'CRLF Ln 182, Col 1'.

Consulta 15: Payments con nombre del guest (JOIN bookings + guests)

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)

- PostgreSQL 17
- PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

Query Query History

```
185
186 -- 15 Payments con nombre del guest (JOIN bookings + guests)
187 SELECT p.payment_id, g.first_name || ' ' || g.last_name AS guest_name, p.amount
188 FROM payments p
189 INNER JOIN bookings b ON p.booking_id = b.booking_id
190 INNER JOIN guests g ON b.guest_id = g.guest_id;
191
```

Data Output Messages Notifications

Showing rows: 1 to 90 Page No: 1 of 1

	payment_id [PK] bigint	guest_name text	amount numeric (10,2)
1	1	Ian Giner	2447.60
2	2	Karl-Josef Louis	2437.43
3	3	Irmtraut Hettner	199.38
4	4	Henri Schmidtke	136.97
5	5	Claude Miller	602.10
6	6	Tiburcio Acuña	775.07
7	7	Isaac Cotto	229.89
8	8	Orhan Boutin	2659.72
9	10	Claude Miller	1064.90
10	11	Benjamin Hartung	990.69

✓ Successfully run. Total query runtime: 179 msec. 90 rows affected. ✕

Consulta 16: Reviews con nombre del guest y accommodation (JOIN triple)

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)
PostgreSQL 17
PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

No limit

Query Query History

```
191  
192 -- 16. Reviews con nombre del guest y accommodation (JOIN triple)  
193 SELECT g.first_name, a.name, r.rating, r.review_title  
194 FROM reviews r  
195 INNER JOIN guests g ON r.guest_id = g.guest_id  
196 INNER JOIN accommodations a ON r.accommodation_id = a.accommodation_id;  
197
```

Data Output Messages Notifications

Showing rows: 1 to 60 Page No: 1 of 1

	first_name character varying (100)	name character varying (150)	rating integer	review_title character varying (150)
1	Olena	Rustic Hideaway Ville	1	Great location
2	Steven	Rustic Lodge boeuf	3	Very comfortable
3	Henri	Modern Escape Ville	1	Amazing stay!
4	Ashley	Panoramic Stay Ville	2	Very comfortable
5	Claudio	Luxury Nest Ville	5	Excellent service
6	Marcela	Boutique Retreat Ville	3	Very comfortable
7	Kathleen	Modern Escape Ville	4	Not as described
8	Oda	Boutique Nest boeuf	4	Hidden gem
9	Richard	Rustic Getaway de la Monta...	1	Great location
10	Débora	Rustic Hideaway Ville	2	Would visit again

Total rows: 60 Query complete 00:00:00.168 CRLF Ln 193, Col 1

Consulta 17: *Booking_guests con nombre del guest principal (JOIN bookings + guests)*

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

accommodation_database.db/postgres@PostgreSQL 18

No limit

Query Query History

```
197
198 -- 17 Booking_guests con nombre del guest principal (JOIN bookings + guests)
199 SELECT bg.first_name AS guest_extra, b.booking_id, g.first_name AS guest_principal
200 FROM booking_guests bg
201 INNER JOIN bookings b ON bg.booking_id = b.booking_id
202 INNER JOIN guests g ON b.guest_id = g.guest_id;
203
204 -- 50. Accommodation_amenities con nombres (JOIN triple)
```

Data Output Messages Notifications

Showing rows: 1 to 103 Page No: 1 of 1

	guest_extra character varying (100)	booking_id bigint	guest_principal character varying (100)
1	Kathleen	46	Jacqueline
2	Berit	46	Jacqueline
3	Vicki	46	Jacqueline
4	Aurore	28	Orhan
5	Claire	28	Orhan
6	Ana Belén	74	Melissa
7	Andrey	35	Graciano
8	Dora	35	Graciano
9	Misty	24	Kayla
10	Amanda	24	Kayla

Total rows: 103 Query complete 00:00:00.312 CRLF Ln 198, Col 7

Consulta 18: *istar huéspedes adicionales por reserva (booking_guests)*

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

accommodation_database.db/postgres@PostgreSQL 18

Query Query History

```
203
204 -- 18 Accommodation_amenities con nombres (JOIN triple)
205 SELECT a.name, am.amenity_name
206 FROM accommodation_amenities aa
207 INNER JOIN accommodations a ON aa.accommodation_id = a.accommodation_id
208 INNER JOIN amenities am ON aa.amenity_id = am.amenity_id;
209
```

Data Output Messages Notifications

Showing rows: 1 to 124 Page No: 1 of 1

	name character varying (150)	amenity_name character varying (100)
1	Rustic Retreat Ville	AirConditioning
2	Modern Escape Ville	Spa
3	Panoramic Stay Ville	WiFi
4	Panoramic Stay Ville	BeachAccess
5	Cozy Lodge Ville	Spa
6	Rustic Lodge boeuf	Breakfast
7	Rustic Hideaway Ville	Pool
8	Panoramic Getaway dan	WiFi
9	Charming Stay los bajos	WiFi
10	Panoramic Getaway dan	BeachAccess

Total rows: 124 Query complete 00:00:00.234 CRLF Ln 204, Col 1

Consulta 19: Contar cuantas rooms tiene cada accommodation (GROUP BY)

File Object Tools Edit View Window Help

accommodation_database.db/postgres@PostgreSQL 18* x Untitled* x Untitled* x Untitled* x

Servers (2)
PostgreSQL 17
PostgreSQL 18

accommodation_database.db/postgres@PostgreSQL 18

Query Query History

```
215  
216 -- 19 Contar cuantas rooms tiene cada accommodation (GROUP BY)  
217 SELECT a.name, COUNT(r.room_id) AS total_rooms  
218 FROM accommodations a  
219 LEFT JOIN rooms r ON a.accommodation_id = r.accommodation_id  
220 GROUP BY a.accommodation_id, a.name;  
221  
222 -- 53 Contar cuantas reviews tiene cada accommodation (GROUP BY)
```

Data Output Messages Notifications

Showing rows: 1 to 20 Page No: 1 of 1

	name character varying (150)	total_rooms bigint
1	Boutique Stay Ville	2
2	Cozy Lodge Ville	6
3	Boutique Suite los bajos	2
4	Modern Escape Ville	4
5	Luxury Escape de la Montaña	4
6	Boutique Retreat Ville	4
7	Luxury Getaway los altos	3
8	Rustic Retreat furt	6
9	Panoramic Suite Ville	5
10	Rustic Lodge boeuf	5

Total rows: 20 Query complete 00:00:00.204 CRLF Ln 217, Col 1

33°C 20:50

Consulta 20: Huéspedes con más reservas (TOP 10)

The screenshot shows a PostgreSQL query editor interface. The query is a SQL statement that counts the number of reviews for each accommodation, ordered by the total number of reviews in descending order, limited to the top 10 results.

```
221
222 -- 20Contar cuantas reviews tiene cada accommodation (GROUP BY)
223 SELECT a.name, COUNT(r.review_id) AS total_reviews
224 FROM accommodations a
225 LEFT JOIN reviews r ON a.accommodation_id = r.accommodation_id
226 GROUP BY a.accommodation_id, a.name;
227
228 -- 21 Sum total de reservas por hotel (GROUP BY)
```

The results are displayed in a table with the following columns: **name** (character varying (150)) and **total_reviews** (bigint). The table shows the top 10 accommodations with the most reviews.

	name	total_reviews
1	Cozy Lodge Ville	4
2	Boutique Stay Ville	4
3	Boutique Suite los bajos	3
4	Modern Escape Ville	3
5	Luxury Escape de la Montaña	3
6	Boutique Retreat Ville	3
7	Luxury Getaway los altos	1
8	Rustic Retreat furt	4
9	Panoramic Getaway dan	1
10	Panoramic Suite Ville	3

At the bottom of the interface, a status bar indicates: "Total rows: 20 Query complete 00:00:00.249". A green notification box on the right states: "✓ Successfully run. Total query runtime: 249 msec. 20 rows affected. ✕".