

# Permit to Work (PTW) Comprehensive Report

Generated: 10/12/2025, 3:55:06 pm  
Total Permits: 3

**BASIC INFORMATION**

Permit Type:	General,Hot_Work,Height
Status:	Initiated
Site:	Amazon BLR7 Fulfillment Center
Work Location:	bghbdfghbsfhb
Work Description:	dthdgnhshaeg
Issue Department:	RME

**TIME DETAILS**

Start Time:	17/12/2025, 3:57:00 pm
End Time:	18/12/2025, 6:57:00 pm
Created At:	10/12/2025, 3:10:04 pm
Updated At:	10/12/2025, 3:10:04 pm

**PERSONNEL**

Permit Initiator:	Mahesh
Initiator Contact:	Mahesh@amazon.com
Receiver Name:	fghfgnjdght
Receiver Contact:	56745624
Created By:	Mahesh

**TEAM MEMBERS**

Total Team Size:	1
Team Details:	1. Meena Rao - Worker (Badge: worker2)

**IDENTIFIED HAZARDS**

Total Hazards:	1
Hazard List:	1. Fire/Explosion Risk
Other Hazards:	N/A

**CONTROL MEASURES**

Control Measures:	N/A
-------------------	-----

**PPE REQUIREMENTS**

Total PPE Items:	1
PPE List:	1. Safety Harness

**SWMS (Safe Work Method Statement)**

SWMS File:	No file attached
SWMS Text:	sdcfssgfrgtsetfsedfd

## APPROVALS

Area Manager:	Arvind
AM Status:	Pending
AM Approved At:	N/A
Safety Officer:	Ram
SO Status:	Pending
SO Approved At:	N/A
Site Leader:	Shami
SL Status:	Pending
SL Approved At:	N/A

## SIGNATURES

Issuer Signature:	Not signed
Receiver Signature:	Not signed

## ADDITIONAL INFORMATION

Permit ID:	54
Permit Serial:	PTW-0037
Comments:	None
Rejection Reason:	N/A

## PTW #PTW-0034

### BASIC INFORMATION

Permit Type:	General
Status:	Approved
Site:	Amazon BLR7 Fulfillment Center
Work Location:	fvfdbfdhg
Work Description:	fgdghyfjy
Issue Department:	SLP

### TIME DETAILS

Start Time:	6/12/2025, 10:59:00 pm
End Time:	18/12/2025, 11:13:00 pm
Created At:	6/12/2025, 10:15:48 pm
Updated At:	6/12/2025, 10:45:08 pm

### PERSONNEL

Permit Initiator:	Mahesh
Initiator Contact:	Mahesh@amazon.com
Receiver Name:	fgdnhj
Receiver Contact:	546767675
Created By:	Mahesh

### TEAM MEMBERS

Total Team Size:	1
Team Details:	1. Meena Rao - Worker (Badge: worker2)

### IDENTIFIED HAZARDS

Total Hazards:	1
Hazard List:	1. Falling Objects
Other Hazards:	N/A

### CONTROL MEASURES

Control Measures:	N/A
-------------------	-----

### PPE REQUIREMENTS

Total PPE Items:	1
PPE List:	1. Safety Harness

### CHECKLIST RESPONSES

Total Questions:	52
Responses:	<div>1. Area Barricade: Yes</div> <div>2. LOTO: Yes</div> <div>3. Personnel trained for the task: Yes</div> <div>4. Medical fitness: Yes</div> <div>5. Competent supervisor: Yes</div> <div>6. Crane operations (if applicable): Yes</div> <div>7. Fire watch available: N/A</div> <div>8. Area Barricade: N/A</div> <div>9. Hot work risk assessment: N/A</div> <div>10. Fire extinguisher/sand buckets/water availability: N/A</div> <div>11. Combustible material removed: N/A</div> <div>12. Flammable atmosphere check: N/A</div>

## SWMS (Safe Work Method Statement)

**SWMS File:** No file attached  
**SWMS Text:** sgfhdfhfmjhfgnfdthyutykmhggrhjkjhfdsfsgfd

## APPROVALS

**Area Manager:** Arvind  
**AM Status:** Approved  
**AM Approved At:** 6/12/2025, 10:17:02 pm  
**Safety Officer:** Not assigned  
**SO Status:** Pending  
**SO Approved At:** N/A  
**Site Leader:** Not assigned  
**SL Status:** Pending  
**SL Approved At:** N/A

## SIGNATURES

**Issuer Signature:** Not signed  
**Receiver Signature:** Not signed

## ADDITIONAL INFORMATION

**Permit ID:** 51  
**Permit Serial:** PTW-0034  
**Comments:** None  
**Rejection Reason:** N/A

# PTW #PTW-0033

## BASIC INFORMATION

Permit Type:	General
Status:	Approved
Site:	Amazon BLR7 Fulfillment Center
Work Location:	ffjyrhrtjh
Work Description:	fgnhjhfyjy
Issue Department:	RME

## TIME DETAILS

Start Time:	6/12/2025, 10:30:00 pm
End Time:	19/12/2025, 12:53:00 am
Created At:	6/12/2025, 9:56:28 pm
Updated At:	6/12/2025, 10:45:08 pm

## PERSONNEL

Permit Initiator:	Mahesh
Initiator Contact:	Mahesh@amazon.com
Receiver Name:	cghghdefsf
Receiver Contact:	345354254
Created By:	Mahesh

## TEAM MEMBERS

Total Team Size:	1
Team Details:	1. Meena Rao - Worker (Badge: worker2)

## IDENTIFIED HAZARDS

Total Hazards:	1
Hazard List:	1. Electric Shock
Other Hazards:	N/A

## CONTROL MEASURES

Control Measures:	N/A
-------------------	-----

## PPE REQUIREMENTS

Total PPE Items:	1
PPE List:	1. Safety Helmet

## CHECKLIST RESPONSES

Total Questions:	52
Responses:	<div>1. Area Barricade: Yes</div> <div>2. LOTO: Yes</div> <div>3. Personnel trained for the task: Yes</div> <div>4. Medical fitness: Yes</div> <div>5. Competent supervisor: Yes</div> <div>6. Crane operations (if applicable): Yes</div> <div>7. Fire watch available: N/A</div> <div>8. Area Barricade: N/A</div> <div>9. Hot work risk assessment: N/A</div> <div>10. Fire extinguisher/sand buckets/water availability: N/A</div> <div>11. Combustible material removed: N/A</div> <div>12. Flammable atmosphere check: N/A</div>

### SWMS (Safe Work Method Statement)

**SWMS File:** No file attached  
**SWMS Text:** ssgsfgsxfbfdbdfhdbfxbhxfbfgsrgwe

### APPROVALS

**Area Manager:** Arvind  
**AM Status:** Approved  
**AM Approved At:** 6/12/2025, 10:02:25 pm  
**Safety Officer:** Not assigned  
**SO Status:** Pending  
**SO Approved At:** N/A  
**Site Leader:** Not assigned  
**SL Status:** Pending  
**SL Approved At:** N/A

### SIGNATURES

**Issuer Signature:** Not signed  
**Receiver Signature:** Not signed

### ADDITIONAL INFORMATION

**Permit ID:** 50  
**Permit Serial:** PTW-0033  
**Comments:** None  
**Rejection Reason:** N/A