

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- bloodbankdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- librarydb
- sakila
- startersql
- sys
- world

Administration Schemas

Information

No object selected

Object Info Session

SQL File 21*

```
1 CREATE TABLE students (  
2     student_id INT PRIMARY KEY AUTO_INCREMENT,  
3     student_name VARCHAR(100) NOT NULL,  
4     email VARCHAR(100) NOT NULL UNIQUE,  
5     phone VARCHAR(15) UNIQUE  
6 )
```

SQL Additions:

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	20:54:17	CREATE DATABASE smart_campus_canteen	1 row(s) affected	0.016 sec
2	20:54:17	USE smart_campus_canteen	0 row(s) affected	0.000 sec
3	20:55:11	CREATE TABLE students (student_id INT PRIMARY KEY AUTO_INCREMENT, student_name VARCHAR(100) NOT NULL, email VARCHAR(100) NOT NULL UNIQUE, phone VARCHAR(15) UNIQUE)	0 row(s) affected	0.094 sec

Query Completed

27°C Mostly cloudy

Search

ENG IN 90% 20:56 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

rowing records Display total number of registers SQL File 24 SQL File 25 creatingadatabase creatingtablestudents SQL File 22

SCHEMAS

Filter objects

bloodbankdb

Tables

Views

Stored Procedures

Functions

librarydb

sakila

startersql

sys

world

Administration Schemas

Information

No object selected

1 CREATE TABLE categories (
2 category_id INT PRIMARY KEY AUTO_INCREMENT,
3 category_name VARCHAR(50) NOT NULL UNIQUE
4)

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	20:54:17	CREATE DATABASE smart_campus_canteen	1 row(s) affected	0.016 sec
✓ 2	20:54:17	USE smart_campus_canteen	0 row(s) affected	0.000 sec
✓ 3	20:55:11	CREATE TABLE students (student_id INT PRIMARY KEY AUTO_INCREMENT, student_name VARCHAR...	0 row(s) affected	0.094 sec
✓ 4	20:56:34	CREATE TABLE categories (category_id INT PRIMARY KEY AUTO_INCREMENT, category_name VARC...	0 row(s) affected	0.047 sec

Object Info Session

SQL script saved to 'C:\Users\Anamika Yadav\OneDrive\Documents\imp\creatingtablestudents.sql'

27°C Mostly cloudy

Search

ENG IN 89% 20:57 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: y total number of registers... SQL File 24* SQL File 25 creatingadatabase creatingatablestudents creatingatablecategories* SQL File 23*

SCHEMAS

Filter objects

- bloodbankdb
 - Tables
 - Views
 - Stored Procedures
- librarydb
- sakila
- startersql
- sys
- world

Administration Schemas

Information

No object selected

SQL Editor

```
1 CREATE TABLE menu_items (  
2     menu_item_id INT PRIMARY KEY AUTO_INCREMENT,  
3     item_name VARCHAR(100) NOT NULL,  
4     category_id INT NOT NULL,  
5     price DECIMAL(10,2) NOT NULL,  
6     is_available BOOLEAN NOT NULL DEFAULT TRUE,  
7  
8     FOREIGN KEY (category_id)  
9         REFERENCES categories(category_id)  
10 );
```

SQL Additions:

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	20:54:17	CREATE DATABASE smart_campus_canteen	1 row(s) affected	0.016 sec
2	20:54:17	USE smart_campus_canteen	0 row(s) affected	0.000 sec
3	20:55:11	CREATE TABLE students (student_id INT PRIMARY KEY AUTO_INCREMENT, student_name VARCHAR(100) NOT NULL, student_email VARCHAR(100) NOT NULL, student_password VARCHAR(100) NOT NULL, student_gender VARCHAR(10) NOT NULL, student_age INT NOT NULL, student_phone VARCHAR(10) NOT NULL, student_address VARCHAR(100) NOT NULL, student_city VARCHAR(10) NOT NULL, student_state VARCHAR(10) NOT NULL, student_zip VARCHAR(10) NOT NULL, student_created_at DATETIME NOT NULL);	0 row(s) affected	0.094 sec
4	20:56:34	CREATE TABLE categories (category_id INT PRIMARY KEY AUTO_INCREMENT, category_name VARCHAR(100) NOT NULL, category_description VARCHAR(100) NOT NULL, category_created_at DATETIME NOT NULL);	0 row(s) affected	0.047 sec
5	21:02:17	CREATE TABLE menu_items (menu_item_id INT PRIMARY KEY AUTO_INCREMENT, item_name VARCHAR(100) NOT NULL, category_id INT NOT NULL, price DECIMAL(10,2) NOT NULL, is_available BOOLEAN NOT NULL DEFAULT TRUE, item_created_at DATETIME NOT NULL);	0 row(s) affected	0.093 sec

Object Info Session

Query Completed

25°C Clear

Search

ENG IN

83%

21:02 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: 4* SQL File 25 creatingadatabase creatingtablestudents creatingtablecategories* creatingtablemenus SQL File 24* SQL File 25

SCHEMAS

Filter objects

- bloodbankdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- librarydb
- sakila
- startersql
- sys
- world

Administration Schemas

Information

No object selected

SQL File 25

```
1 CREATE TABLE orders (  
2     order_id INT PRIMARY KEY AUTO_INCREMENT,  
3     student_id INT NOT NULL,  
4     order_date DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,  
5     status VARCHAR(20) NOT NULL DEFAULT 'Placed',  
6  
7     FOREIGN KEY (student_id)  
8         REFERENCES students(student_id)  
9 )
```

SQL Additions:

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	20:54:17	CREATE DATABASE smart_campus_canteen	1 row(s) affected	0.016 sec
2	20:54:17	USE smart_campus_canteen	0 row(s) affected	0.000 sec
3	20:55:11	CREATE TABLE students (student_id INT PRIMARY KEY AUTO_INCREMENT, student_name VARCHAR(50) NOT NULL, student_email VARCHAR(50) NOT NULL, student_password VARCHAR(50) NOT NULL, student_gender VARCHAR(10) NOT NULL, student_age INT NOT NULL, student_phone VARCHAR(20) NOT NULL, student_address VARCHAR(100) NOT NULL, student_city VARCHAR(20) NOT NULL, student_state VARCHAR(20) NOT NULL, student_zip VARCHAR(10) NOT NULL, student_created_at DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP)	0 row(s) affected	0.094 sec
4	20:56:34	CREATE TABLE categories (category_id INT PRIMARY KEY AUTO_INCREMENT, category_name VARCHAR(50) NOT NULL, category_description VARCHAR(100) NOT NULL, category_created_at DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP)	0 row(s) affected	0.047 sec
5	21:02:17	CREATE TABLE menu_items (menu_item_id INT PRIMARY KEY AUTO_INCREMENT, item_name VARCHAR(50) NOT NULL, item_description VARCHAR(100) NOT NULL, item_price DECIMAL(10,2) NOT NULL, item_created_at DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP)	0 row(s) affected	0.093 sec
6	21:03:16	CREATE TABLE orders (order_id INT PRIMARY KEY AUTO_INCREMENT, student_id INT NOT NULL, order_date DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP, status VARCHAR(20) NOT NULL DEFAULT 'Placed', FOREIGN KEY (student_id) REFERENCES students(student_id))	0 row(s) affected	0.094 sec

Query Completed

25°C Clear

Search

21:03 01-09-2026

ENG IN 81%

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- bloodbankdb
 - Tables
 - Views
 - Stored Procedures
 - Functions
- librarydb
- sakila
- startersql
- sys
- world

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

25°C Clear

Search

21:03 01-09-2026

21:03 01-09-2026

80%

ENG IN

SQL File 25

```
1 CREATE TABLE order_items (  
2     order_item_id INT PRIMARY KEY AUTO_INCREMENT,  
3     order_id INT NOT NULL,  
4     menu_item_id INT NOT NULL,  
5     quantity INT NOT NULL,  
6  
7     FOREIGN KEY (order_id)  
8         REFERENCES orders(order_id),  
9  
10    FOREIGN KEY (menu_item_id)  
11        REFERENCES menu_items(menu_item_id)  
12 )
```

SQL Additions:

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output:

Action Output

#	Time	Action	Message	Duration / Fetch
2	20:54:17	USE smart_campus_canteen	0 row(s) affected	0.000 sec
3	20:55:11	CREATE TABLE students (student_id INT PRIMARY KEY AUTO_INCREMENT, student_name VARCHA...	0 row(s) affected	0.094 sec
4	20:56:54	CREATE TABLE categories (category_id INT PRIMARY KEY AUTO_INCREMENT, category_name VAR...	0 row(s) affected	0.047 sec
5	21:02:17	CREATE TABLE menu_items (menu_item_id INT PRIMARY KEY AUTO_INCREMENT, item_name VARC...	0 row(s) affected	0.093 sec
6	21:03:16	CREATE TABLE orders (order_id INT PRIMARY KEY AUTO_INCREMENT, student_id INT NOT NULL, ...	0 row(s) affected	0.094 sec
7	21:03:51	CREATE TABLE order_items (order_item_id INT PRIMARY KEY AUTO_INCREMENT, order_id INT NOT ...	0 row(s) affected	0.063 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: database creatingtablestudents creatingtablecategories* creayingtablemenus creatingordertable creatingordenitemstables SQL File 26

SCHEMAS

Filter objects

- bloodbankdb
 - Tables
 - Views
 - Stored Procedures
- librarydb
- sakila
- startersql
- sys
- world

Administration Schemas

Information

No object selected

SQL Editor

```
1 CREATE TABLE payments (  
2     payment_id INT PRIMARY KEY AUTO_INCREMENT,  
3     order_id INT NOT NULL UNIQUE,  
4     amount DECIMAL(10,2) NOT NULL,  
5     payment_method VARCHAR(20) NOT NULL,  
6     payment_status VARCHAR(20) NOT NULL DEFAULT 'Pending',  
7  
8     FOREIGN KEY (order_id)  
9         REFERENCES orders(order_id)  
10 )
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	20:55:11	CREATE TABLE students (student_id INT PRIMARY KEY AUTO_INCREMENT, student_name VARCHA...	0 row(s) affected	0.094 sec
4	20:56:54	CREATE TABLE categories (category_id INT PRIMARY KEY AUTO_INCREMENT, category_name VAR...	0 row(s) affected	0.047 sec
5	21:02:17	CREATE TABLE menu_items (menu_item_id INT PRIMARY KEY AUTO_INCREMENT, item_name VARC...	0 row(s) affected	0.093 sec
6	21:03:16	CREATE TABLE orders (order_id INT PRIMARY KEY AUTO_INCREMENT, student_id INT NOT NULL, ...	0 row(s) affected	0.094 sec
7	21:03:51	CREATE TABLE order_items (order_item_id INT PRIMARY KEY AUTO_INCREMENT, order_id INT NOT ...	0 row(s) affected	0.063 sec
8	21:04:42	CREATE TABLE payments (payment_id INT PRIMARY KEY AUTO_INCREMENT, order_id INT NOT NU...	0 row(s) affected	0.094 sec

Query Completed

Object Info Session

25°C Clear

Search

ENG IN

79%

21:04 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: ingatablerecategories* creatingtablemenus creatingordertable creatingordertenstables creatingpaymentstable SQL File 27* SQL File 26*

SCHMAS

Filter objects

- bloodbankdb
- librarydb
- sakila
- smart_campus_canteen
 - Tables
 - Views
 - Stored Procedures
 - Functions
- startersql
- sys
- world

Administration Schemas

Information

No object selected

SQL File 26*

```
1 INSERT INTO students (student_name, email, phone)
2 VALUES
3 ('Anamika Yadav', 'anamika@gmail.com', '9876543218'),
4 ('Aarav Patil', 'aarav@gmail.com', '9876543211'),
5 ('Priya Sharma', 'priya@gmail.com', '9876543212'),
6 ('Rohan Deshmukh', 'rohan@gmail.com', '9876543213'),
7 ('Sneha Kulkarni', 'sneha@gmail.com', '9876543214');
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	21:06:00	CREATE TABLE payments (payment_id INT PRIMARY KEY AUTO_INCREMENT, order_id INT NOT NUL...	Error Code: 1050. Table 'payments' already exists	0.031 sec
2	21:07:02	INSERT INTO categories (category_name) VALUES ('Snacks'), ('Beverages'), ('Main Course'), ('Desserts')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
3	21:07:16	INSERT INTO students (student_name, email, phone) VALUES ('Anamika Yadav', 'anamika@gmail.com', '987654...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

25°C Clear

Search

ENG IN 75% 21:07 01-09-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

bloodbankdb

librarydb

sakila

smart_campus_canteen

Tables

Views

Stored Procedures

Functions

startersql

sys

world

SQL File 32*

creatingpaymentstable

SQL File 27*

SQL File 28*

SQL File 29*

SQL File 30*

SQL File 31*

SQL File 33*

Limit to 1000 rows

SQL

1 SELECT *

2 FROM students;

Result Grid

Filter Rows

Edit

Export/Import

Wrap Cell Contents

Result Grid

Form Editor

Field Types

student_id	student_name	email	phone
1	Anamika Yadav	anamika@gmail.com	9876543210
2	Aarav Patel	aarav@gmail.com	9876543211
3	Priya Sharma	priya@gmail.com	9876543212
4	Rohan Deshmukh	rohan@gmail.com	9876543213
5	Sneha Kulkarni	sneha@gmail.com	9876543214

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration

Schemas

Information

No object selected

students 1 x

Apply

Revert

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	21:07:16	INSERT INTO students (student_name, email, phone) VALUES ('Anamika Yadav', 'anamika@gmail.com', '987...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec
4	21:07:34	INSERT INTO menu_items (item_name, category_id, price, is_available) VALUES ('Samosa', 1, 15.00, TRUE)...	9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0	0.015 sec
5	21:09:13	INSERT INTO orders (student_id, status) VALUES (1, 'Completed'), (2, 'Completed'), (1, 'Preparing'), (3, 'Placed'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
6	21:09:27	INSERT INTO order_items (order_id, menu_item_id, quantity) VALUES (1, 2, 1), (1, 4, 2), (2, 6, 1), (2, 5, 1), (3, ...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
7	21:10:06	INSERT INTO payments (order_id, amount, payment_method, payment_status) VALUES (1, 150.00, 'UPI', 'Pa...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
8	21:21:29	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

25°C Clear

Search

ENG IN

57%

21:21 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bloodbankdb

librarydb

sakila

smart_campus_canteen

Tables

Views

Stored Procedures

Functions

startersql

sys

world

creatingpaymentstable

SQL File 27*

SQL File 28*

SQL File 29*

SQL File 30*

SQL File 31*

displayallstudents

SQL File 34*

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

4 JOIN menu_items m

5 ON oi.menu_item_id = m.menu_item_id

6 GROUP BY m.menu_item_id, m.item_name

7 ORDER BY total_quantity DESC

8 LIMIT 1;

Result Grid

Filter Rows:

Export:

Wrap Cell Contents:

Fetch rows:

Result Grid

Form Editor

Field Types

item_name total_quantity

Veg Cheese Sandwich 3

Administration

Schemas

Information

No object selected

Result 1 x

Read Only

Context Help

Snippets

Output

Action Output

Time Action Message Duration / Fetch

4 21:07:34 INSERT INTO menu_items (item_name, category_id, price, is_available) VALUES ('Samosa', 1, 15.00, TRUE), ... 9 row(s) affected Records: 9 Duplicates: 0 Warnings: 0 0.015 sec

5 21:09:13 INSERT INTO orders (student_id, status) VALUES (1, 'Completed'), (2, 'Completed'), (1, 'Preparing'), (3, 'Placed')... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.031 sec

6 21:09:27 INSERT INTO order_items (order_id, menu_item_id, quantity) VALUES (1, 2, 1), (1, 4, 2), (2, 6, 1), (2, 5, 1), (3, ... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.000 sec

7 21:10:06 INSERT INTO payments (order_id, amount, payment_method, payment_status) VALUES (1, 160.00, 'UPI', 'Pa... 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 0.015 sec

8 21:21:29 SELECT * FROM students LIMIT 0, 1000 5 row(s) returned 0.000 sec / 0.000 sec

9 21:22:24 SELECT m.item_name, SUM(oi.quantity) AS total_quantity FROM order_items oi JOIN menu_items m O... 1 row(s) returned 0.000 sec / 0.000 sec

Object Info

Session

25°C Clear

Search

ENG IN

56%

21:22 01-09-2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL File 27"SQL File 28"SQL File 29"SQL File 30"SQL File 31"displayallstudentsmostorderedmenuitemSQL File 35"

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

ON oi.menu_item_id = m.menu_item_id

ON m.category_id = c.category_id

GROUP BY c.category_id, c.category_name

ORDER BY total_sales DESC

LIMIT 1;

Result Grid

category_name total_sales

Snacks 210.00

AdministrationSchemas

Information

No object selected

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 1 x

Read OnlyContext HelpSnippets

Output

Output

#	Time	Action	Message	Duration / Fetch
5	21:09:13	INSERT INTO orders (student_id, status) VALUES (1, 'Completed'), (2, 'Completed'), (1, 'Preparing'), (3, 'Placed')...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
6	21:09:27	INSERT INTO order_items (order_id, menu_item_id, quantity) VALUES (1, 2, 1), (1, 4, 2), (2, 6, 1), (2, 5, 1), (3, ...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
7	21:10:06	INSERT INTO payments (order_id, amount, payment_method, payment_status) VALUES (1, 160.00, 'UPI', 'Paid'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
8	21:21:29	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
9	21:22:24	SELECT m.item_name, SUM(oi.quantity) AS total_quantity FROM order_items oi JOIN menu_items m ON oi.menu_item_id = m.menu_item_id	1 row(s) returned	0.000 sec / 0.000 sec
10	21:23:05	SELECT c.category_name, SUM(oi.quantity * m.price) AS total_sales FROM order_items oi JOIN menu_items m ON oi.menu_item_id = m.menu_item_id JOIN categories c ON c.category_id = m.category_id	1 row(s) returned	0.000 sec / 0.000 sec

25°C Clear

Search

ENG IN

55%

21:23 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bloodbankdb

librarydb

sakila

smart_campus_canteen

Tables

Views

Stored Procedures

Functions

startersql

sys

world

SQL File 29*

SQL File 30*

SQL File 31*

displayallstudents

mostorderedmenuitem

categorygeneratingthehighestsal...

SQL File 36*

Limit to 1000 rows

Execute the selected portion of the script or everything, if there is no selection

FROM students s

JOIN orders o

ON s.student_id = o.student_id

GROUP BY s.student_id, s.student_name

ORDER BY total_orders DESC;

Result Grid

Filter Rows

Export

Wrap Cell Contents

Result Grid

Form Editor

Field Types

student_name	total_orders
Anamika Yadav	2
Aarav Patel	1
Priya Sharma	1
Rohan Deshmukh	1

Administration

Schemas

Information

No object selected

Result 1 x

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	21:09:27	INSERT INTO order_items (order_id, menu_item_id, quantity) VALUES (1, 2, 1), (1, 4, 2), (2, 6, 1), (2, 5, 1), (3, ...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
7	21:10:06	INSERT INTO payments (order_id, amount, payment_method, payment_status) VALUES (1, 150.00, 'UPI', 'Pai...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
8	21:21:29	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
9	21:22:24	SELECT m.item_name, SUM(o.quantity) AS total_quantity FROM order_items oi JOIN menu_items m O...	1 row(s) returned	0.000 sec / 0.000 sec
10	21:23:05	SELECT c.category_name, SUM(o.quantity * m.price) AS total_sales FROM order_items oi JOIN menu_it...	1 row(s) returned	0.000 sec / 0.000 sec
11	21:24:21	SELECT s.student_name, COUNT(o.order_id) AS total_orders FROM students s JOIN orders o ON s.st...	4 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

25°C Clear

Search

ENG IN

54%

21:24 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

- bloodbankdb
- librarydb
- sakila
- smart_campus_canteen
 - Tables
 - Views
 - Stored Procedures
 - Functions
- startersql
- sys
- world

Administration Schemas

Information

No object selected

SQL File 31*

```
1 SELECT
2   m.item_name
3 FROM menu_items m
4 LEFT JOIN order_items oi
5   ON m.menu_item_id = oi.menu_item_id
6 WHERE oi.menu_item_id IS NULL;
```

Limit to 1000 rows

Result Grid

item_name
Veg Puff

SQL File 37*

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	21:10:06	INSERT INTO payments (order_id, amount, payment_method, payment_status) VALUES (1, 150.00, 'UPI', 'Paid')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
8	21:21:29	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
9	21:22:24	SELECT m.item_name, SUM(oi.quantity) AS total_quantity FROM order_items oi JOIN menu_items m ON m.menu_item_id = oi.menu_item_id	1 row(s) returned	0.000 sec / 0.000 sec
10	21:23:05	SELECT c.category_name, SUM(oi.quantity * m.price) AS total_sales FROM order_items oi JOIN menu_items m ON m.menu_item_id = oi.menu_item_id	1 row(s) returned	0.000 sec / 0.000 sec
11	21:24:21	SELECT s.student_name, COUNT(o.order_id) AS total_orders FROM students s JOIN orders o ON s.student_id = o.student_id	4 row(s) returned	0.000 sec / 0.000 sec
12	21:25:01	SELECT m.item_name FROM menu_items m LEFT JOIN order_items oi ON m.menu_item_id = oi.menu_item_id	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

Search

ENG IN

53%

21:25 01-09-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

- bloodbankdb
- librarydb
- sakila
- smart_campus_canteen
 - Tables
 - Views
 - Stored Procedures
 - Functions
- startersql
- sys
- world

Limit to 1000 rows

```
1 * Execute the selected portion of the script or everything, if there is no selection
2 SUM(amount) AS total_revenue
3 FROM payments
4 WHERE payment_status = 'Paid';
```

Result Grid

total_revenue
410.00

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	21:21:29	SELECT * FROM students LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
9	21:22:24	SELECT m.item_name, SUM(o.quantity) AS total_quantity FROM order_items oi JOIN menu_items m ON oi.menu_item_id = m.item_id	1 row(s) returned	0.000 sec / 0.000 sec
10	21:23:05	SELECT c.category_name, SUM(o.quantity * m.price) AS total_sales FROM order_items oi JOIN menu_items m ON oi.menu_item_id = m.item_id JOIN categories c ON c.category_id = m.category_id	1 row(s) returned	0.000 sec / 0.000 sec
11	21:24:21	SELECT s.student_name, COUNT(o.order_id) AS total_orders FROM students s JOIN orders o ON s.student_id = o.student_id	4 row(s) returned	0.000 sec / 0.000 sec
12	21:25:01	SELECT m.item_name FROM menu_items m LEFT JOIN order_items oi ON m.item_id = oi.menu_item_id	1 row(s) returned	0.000 sec / 0.000 sec
13	21:25:38	SELECT SUM(amount) AS total_revenue FROM payments WHERE payment_status = 'Paid' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

Search

ENG IN

52%

21:25 01-09-2026