Azure data factory

- Microsoft data factory is used to transform and moves data from different sources to various destinations.
- it is used to building pipelines that can[automate -convert (a process or facility) to be operated by largely automatic equipment:]
- Integrate and transform-summing up the parts to find the whole that means summing up the data to make useful insights or useful data which can be used in any machine learning models .
- It provide powerful transformation capabilities of data and services like azure data bricks, azure synapse analytics,HDInsights.

Use case of azure data factory-

- data migration
- ETL/ELT workflows
- data lake management
- real time analytics and streaming
- business intelligence

Components of data factory-

- pipelines
- datasets
- activities
- linked services
- triggers

Pricing depends on -

- Pipeline Orchestration and Execution
- Data Movement
- Data Transformation
- Trigger Runs

Home > Data factories >

Create Data Factory ...

Changes on this step may reset later selections you have made. Review all options prior to deployment.

Basics | Git configuration | Networking | Advanced | Tags | Review + create

One-click to create data factory with sample pipeline and datasets. Try it

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * : VSE Subscription – MPN (ETPL POC)

Resource group * : (New) fact_test

Create new

Instance details

Name * : facti

Region * : Central India

Version * : V2

Create Data Factory ...

Basics | **Git configuration** | Networking | Advanced | Tags | Review + create

Azure Data Factory allows you to configure a Git repository with either Azure DevOps or GitHub. Git is a version control system that allows for easier change tracking and collaboration.
Learn more about Git integration in Azure Data Factory

Configure Git later: [x]

Create Data Factory ...

Basics | Git configuration | **Networking** | Advanced | Tags | Review + create

Managed virtual network

Choose whether you want the default AutoResolveIntegrationRuntime to be provisioned on demand inside an ADF-managed virtual network. If this setting is disabled, after the data factory is created, you can still choose whether to provision explicitly created Azure integration runtime inside an ADF-managed virtual network.
Learn more

Enable Managed Virtual Network on the default AutoResolveIntegrationRuntime ☐

Self-hosted integration runtime inbound connectivity to Azure Data Factory service

Choose whether to connect your self-hosted integration runtime to Azure Data Factory via public endpoint or private endpoint. This applies to self-hosted integration runtime running either on premises or inside customer managed Azure virtual network
Learn more

Connect via * ⓘ

- ◉ Public endpoint
- ○ Private endpoint

ⓘ You can change this or configure another connectivity method after this resource is created. Learn more

Home > Data factories >

Create Data Factory ...

Basics | Git configuration | Networking | **Advanced** | Tags | Review + create

Datafactory Encryption

By default, data is encrypted with Microsoft-managed keys. For additional control over encryption keys, you can supply customer-managed keys to use for encryption of blob and file data. Customer-managed keys must be stored in an Azure Key Vault. You can either create your own keys and store them in a key vault, or you can use the Azure Key Vault APIs to generate keys. The storage account and the key vault must be in the same region, but they can be in different subscriptions.

Enable encryption using a Customer Managed Key ⓘ ☐

Home > Data factories >

Create Data Factory ...

Basics   Git configuration   Networking   Advanced   **Tags**   Review + create

Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups. Learn more about tags

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name ⓘ		Value ⓘ	Resource
	:		2 selected

Home > Data factories >

Create Data Factory ...

Basics   Git configuration   Networking   Advanced   Tags   **Review + create**

View automation template

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See the Azure Marketplace Terms for additional details.

Basics

Subscription	VSE Subscription – MPN (ETPL POC)
Resource group	fact_test
Name	facti
Region	Central India
Version	V2

Networking



create storage account




Home > Storage accounts >
Create a storage account ...
Basics
Advanced
Networking
Data protection
Encryption
Tags
Review + create
Security
Configure security settings that impact your storage account.
Require secure transfer for REST API operations
Allow enabling anonymous access on individual containers
Enable storage account key access
Default to Microsoft Entra authorization in the Azure portal
Minimum TLS version
Version 1.2
Permitted scope for copy operations (preview)
From any storage account
Hierarchical Namespace
Hierarchical namespace, complemented by Data Lake Storage Gen2 endpoint, enables file and directory semantics, accelerates big data analytics workloads, and enables access control lists (ACLs) Learn more
Enable hierarchical namespace


Home > Storage accounts >
Create a storage account ...
Basics
Advanced
Networking
Data protection
Encryption
Tags
Review + create
Network connectivity
You can connect to your storage account either publicly, via public IP addresses or service endpoints, or privately, using a private endpoint.
Network access *
Enable public access from all networks
Enable public access from selected virtual networks and IP addresses
Disable public access and use private access
Enabling public access from all networks might make this resource available publicly. Unless public access is required, we recommend using a more restricted access type. Learn more
Private endpoint
Create a private endpoint to allow a private connection to this resource. Additional private endpoint connections can be created within the storage account or private link center.
+ Add private endpoint
Name
Subscription
Resource g...
Region
Target sub-...
Subnet
Private DN...


Create a storage account
Basics
Advanced
Networking
Data protection
Encryption
Tags
Review + create
Recovery
Protect your data from accidental or erroneous deletion or modification.
Enable point-in-time restore for containers
Use point-in-time restore to restore one or more containers to an earlier state. If point-in-time restore is enabled, then versioning, change feed, and blob soft delete must also be enabled. Learn more
Enable soft delete for blobs
Soft delete enables you to recover blobs that were previously marked for deletion, including blobs that were overwritten. Learn more
Days to retain deleted blobs
7
Enable soft delete for containers
Soft delete enables you to recover containers that were previously marked for deletion. Learn more
Days to retain deleted containers
7
Enable soft delete for file shares
Soft delete enables you to recover file shares that were previously marked for deletion. Learn more
Days to retain deleted file shares
7
Previous
Next
Review + create


Create a storage account
Basics
Advanced
Networking
Data protection
Encryption
Tags
Review + create
Encryption type *
Microsoft-managed keys (MMK)
Customer-managed keys (CMK)
Enable support for customer-managed keys
Blobs and files only
All service types (blobs, files, tables, and queues)
This option cannot be changed after this storage account is created.
Enable infrastructure encryption

Create a storage account ···

Basics | Advanced | Networking | Data protection | Encryption | **Tags** | Review + create

Name		Value	Resource
	:		All resources selected

Home > Storage accounts >

Create a storage account ···

Basics | Advanced | Networking | Data protection | Encryption | Tags | **Review + create**

View automation template

Basics

Subscription	VSE Subscription – MPN (ETPL POC)
Resource group	fact_test
Location	Central India
Storage account name	stori
Primary service	Azure Blob Storage or Azure Data Lake Storage Gen 2
Performance	Standard
Replication	Read-access geo-redundant storage (RA-GRS)

Advanced

Enable hierarchical namespace	Disabled
Enable SFTP	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Disabled
Access tier	Hot
Enable large file shares	Enabled





triggers

In Azure Data Factory, **triggers** are mechanisms that allow you to automatically execute pipelines based on specific conditions, events, or schedules.

- schedule
- tumbling window
- event based


Microsoft Azure
Data Factory
facti
Search factory and documentation
Data Factory
Validate all
Publish all
Factory Resources
Filter resources by name
Pipelines 1
Change Data Capture (preview) 0
Datasets 2
Data flows 1
dataflow1
Power Query 0
dataflow1
Validate
Data flow debug
source1
source2
join1
Add Source
Parameters
Settings
New