

Demo Flow — Slack + Agentforce via Custom MCP

Click-by-click runbook with talk tracks · ~8–10 minutes

Audience: Business + IT leaders, Thursday

Persona: Jennifer Hynes, Senior AE, 9 minutes before her 11 am renewal call with Omega, Inc.

Each step has three parts: **SHOW** what to click/type · **SAY** talk track · **POINT** where to physically point.

Before you walk in — the setup check

Window	State
Slack	DM with Slackbot open, empty message box, workspace sidebar visible
Salesforce	Omega, Inc. Account record loaded (second tab in Setup → Agents, backgrounded)
Terminal 1	MCP server running, log line <code>[agentforce-mcp] ready on :3000</code>
Terminal 2	Claude Code open, cursor ready
Projection	Slack is the active window

Smoke-test both paths against **Acme Partners** 10 minutes before. If anything fails, see Section 9 of `demo-script.md`.

Step 1 — Open on Jennifer's reality

SHOW Nothing — stand up, look at the room.

SAY *"Meet Jennifer. Senior AE. In nine minutes she has a renewal call with Omega, Inc. The last conversation was six weeks ago. There was a budget thread, a case her CSM filed, a new contact. All of it is in Salesforce. **None of it is in her head.** She's in Slack. Watch what she does."*

Step 2 — Show Slack as her workspace

SHOW Slack is already projected. Make the Slackbot DM the active pane.

SAY *"This is Slack. This is where Jennifer already lives. She isn't going to open Salesforce. She isn't opening a new tool. She's doing what she already does — asking a question."*

Step 3 — Jennifer types her Slack prompt

SHOW Click the Slackbot message box. Type **slowly** so the room can read along:

Give me a snapshot of the Omega, Inc. account — opportunities, cases, contacts.

Press **Enter**.

SAY (while typing) *"She's not asking in any special syntax. No SQL. No field names. The way a human would ask."*

Step 4 — Slackbot answers — the "today" win

SHOW Slackbot's response fills the thread. Wait for it fully.

POINT The reply content.

SAY *"Three seconds. Salesforce data, in the channel she already lives in. **No training. No new tool. No tab-flipping.** For a sales team of 200 reps saving five minutes a day, that's two full headcount back on productive work."*

Step 5 — Reveal how it's wired (the admin page)

SHOW Switch Slack to the **workspace admin** view. Navigate to **Salesforce MCP Servers**.

POINT The row showing `subject-all` with status **Connected**.

SAY *"This is the entire configuration. **One row.** One Salesforce MCP server, called `subject-all`, registered by our workspace admin. From that moment on, Slackbot knew how to call Salesforce. Zero per-user setup. That's the pattern we're going to build on."*

Step 6 — Frame the gap

SHOW Keep the admin page visible.

SAY *"`subject-all` is Salesforce's generic SObject bridge. Great for raw record access. But watch — it does **not** apply Trust Layer masking. It does **not** retrieve free-text custom fields like Call Notes through a governed action. It does **not** produce a consistent, curated markdown format you can design once and ship everywhere. For simple lookups, perfect. For the **governed experience** we need, we add one more thing to this page."*

Step 7 — Switch to Claude Code to preview the governed path

SHOW Switch projection to **Terminal 2 (Claude Code)**.

SAY *"Our Salesforce team already built an Agentforce agent called **AccountSummaryAgent**. I'm about to call it — not from Slack yet, from a developer tool called Claude Code — because that's the fastest way to show you what the governed Slack experience will look like once we add the second MCP server to that admin page."*

Step 8 — Type the Claude Code prompt

SHOW In the Claude Code prompt, type:

```
Summarize the Omega, Inc. account using Agentforce.
```

Press **Enter**.

SAY (while it runs) *"Same account Jennifer just asked about in Slack. Same question, different wording. Watch the output."*

Step 9 — The governed response arrives — moment one

SHOW The markdown brief fills the terminal. Scroll to the **Call Notes** section.

POINT The blockquote with the \$3M money market / 50bps / 11-year relationship passage.

SAY *"**This block.** Her CSM typed this in Salesforce three weeks ago. Jennifer has never seen it. The agent didn't make it up — it called a custom Apex action that reads a custom field called `Call_Notes__c`, and formatted the passage as a markdown blockquote. Now she's walking into a renewal call knowing there's a pricing exception pending for a 50bps competitor offer."*

Step 10 — The governed response — moment two

SHOW Scroll up to the **Company Info** section.

POINT The `Website: URL_Redacted` line.

SAY *"**This.** Salesforce's Trust Layer just masked a URL field on the way out. **We didn't configure Claude Code to do that. We didn't configure the MCP server to do that.** The policy lives inside Salesforce. **Every channel that reaches this agent inherits it automatically.** Change the policy once, every AI tool obeys."*

Step 11 — Confirm the agent actually ran

SHOW Switch to **Terminal 1 (MCP server)**.

POINT The `[agentforce-mcp] session started {"sessionId":"019d..."}` log line.

SAY *"That's the MCP server logging the Agent API session it just started on Jennifer's behalf. OAuth login, session open, prompt sent, response received, session closed. **Two hundred fifty lines of Node code.** That's the entire translator."*

Step 12 — Ground truth check in Salesforce

SHOW Switch to the **Salesforce browser tab** on **Omega, Inc.**'s Account record. Scroll to the **Call Notes** field.

POINT The exact text matching what Claude Code just showed — the money-market passage.

SAY *"The agent didn't invent that. **This is the record.** The agent's job is to read it, apply policy, format it, hand it back. Fix the record here — the next Slack message gets the fix. **No stale copies. No separate data store. One source of truth.**"*

Step 13 — Walk back to Slack admin — make the ask concrete

SHOW Switch back to Slack → **Salesforce MCP Servers** admin page.

POINT The current `subject-all` row. Then point at the empty space below it.

SAY *"Here's the ask, made simple. **We register our custom MCP server on this page.** Same shape as the `subject-all` row. Name, HTTPS URL, description, bearer token for auth. From that moment on, Jennifer's **same prompt in Slack** — unchanged — gets the governed Agentforce response you just saw in Claude Code. **Call Notes, Trust Layer masking, consistent format — in Slack.**"*

Step 14 — Show what adding it looks like (optional, 30 seconds)

SHOW Click **Add Server**. Walk the form fields *without submitting*:

- Name: `agentforce-account-summary`
- URL: `https://<slug>.trycloudflare.com/mcp`
- Description: *Returns a governed markdown Account summary via the Account Summary Agentforce agent.*
- Organization: same as `subject-all`
- Who can use: Everyone

Click **Cancel**.

SAY *"Four fields. Two minutes once we have a stable public URL. We use Cloudflare's tunnel — a one-command public HTTPS front door to our MCP server. **The technical scope of this change is small.** The scope of what it unlocks is not."*

Step 15 — Where this goes (Agent Studio brief view)

SHOW Switch to Setup → Agents → **Account Summary Agent**. Show **Topics** and **Actions**.

POINT The list of actions.

SAY *"This is where the agent lives. Topics are what it can talk about. Actions are what it can do. **Every new agent your Agentforce team ships here becomes a new capability** — for Jennifer in Slack, for your developers in Claude Code, for whatever AI tool the business picks up next. Add an action, change `SF_AGENT_ID`, done."*

Step 16 — The close

SHOW Back to the Slack admin page.

SAY (slowly, do not rush) *"Jennifer's story is every seller's story. Every CSM's story. Every service rep's story. Every one of them lives in Slack, Teams, Outlook, a browser, a Zoom — not in Salesforce. **Agentforce is a great agent runtime. MCP is how every other AI tool in the business reaches it, with governance intact.**"*

Pause.

*"The ask: fund the custom MCP server as a shared product — one instance per environment. Add it to the admin page where `subject-all` already lives. From that moment forward, every new agent your Agentforce team ships becomes a new capability — in Slack, in Claude Code, in Bedrock, on day one. **Zero per-tool integration work.**"*

Stop. Let it land.

Quick-reference card

#	Pane	Action	One line to say
1	—	Stand up	"Meet Jennifer. 9 minutes before a renewal call."
2	Slack	Make it the active window	"This is where she lives."
3	Slack DM	Type the snapshot prompt	"She asks like a human."
4	Slack reply	Wait, point at it	"Three seconds. No tab-flipping."
5	Slack admin	Open MCP Servers page	"One row. One admin action."
6	Same page	Point at the gap	"No Trust Layer. No Call Notes. No consistent format."
7	Claude Code	Switch	"Fastest way to show you the governed version."
8	Claude Code	Type Agentforce prompt	"Same account. Same question."
9	Response	Point Call Notes	"Her CSM typed this. She's never seen it."
10	Response	Point URL_Redacted	"Trust Layer, applied automatically."
11	Terminal 1	Point session log	"Agent ran. 250 lines of Node."
12	Salesforce	Point Call Notes field	"This is the record. One source of truth."
13	Slack admin	Point empty row below subject-all	"Add our MCP here. Same shape."
14	Add Server form	Walk fields; cancel	"Four fields. Two minutes."
15	Agent Studio	Show agent	"Every new agent becomes a new Slack capability."
16	Slack admin	Close	"Fund the universal remote."

If someone interrupts mid-flow

Interruption	How to recover (≤15 seconds)
"Can we see this in Slack now?"	"Not yet — need to put the custom MCP on that admin page first. Give me the green light; demo in Slack within a week."
"Why not use subject-all for everything?"	"Great for raw data. For governed answers across every AI tool, you want the agent in the loop. The two coexist — one isn't replacing the other."
"Is this secure?"	Three layers: Slack → MCP via bearer token. MCP → Salesforce via OAuth client-credentials. Agent runs as a configured Run-As user with FLS/sharing applied. All standard Salesforce security.
"How much does this cost to run?"	Two cost centers — client-side LLM tokens (our path is 3–8x more efficient than raw SOQL) and Salesforce Einstein Request credits (bundled with Agentforce licensing).

Interruption	How to recover (≤15 seconds)
<i>"How long did this take to build?"</i>	250 lines of Node. Half a day. The scope of the ask is operational funding, not engineering effort.

Then say *"Happy to go deeper after"* and return to the next step.