

INTERNSHIP REPORT

Evaluation of Approaches for Identification of Dynamic Clusters



**DRDO - Centre for Artificial Intelligence & Robotics
(CAIR)**

Submitted By

Ananya BM

CB.SC.U4CSE23708

Under the Guidance of

Smt. Shyni Thomas

Scientist 'G'

CAIR, DRDO

Amrita Vishwa Vidyapeetham

2026

DECLARATION

I hereby declare that the project report entitled “**Evaluation of Approaches for Identification of Dynamic Clusters**” is a record of original work carried out by me under the supervision and guidance of **Smt. Shyni Thomas, Scientist ‘G’, CAIR, DRDO**. The matter embodied in this report is original and has not been submitted for the award of any other degree or diploma.

To the best of my knowledge and belief, this work contains no material previously published or written by another person, except where due acknowledgement has been made in the text. I hereby certify that this submission is my own work and that all the results and conclusions presented are a true and accurate reflection of my efforts during the internship period.

Ananya BM

CB.SC.U4CSE23708

Amrita Vishwa Vidyapeetham

ACKNOWLEDGEMENT

I wish to express my sincere gratitude and heartfelt thanks to my guide, **Smt. Shyni Thomas, Scientist 'G', CAIR - DRDO**, for her valuable guidance, continuous encouragement, and support throughout the internship period. Her insights and suggestions greatly contributed to the successful completion of this project and helped me gain a deeper understanding of research and development in real-time data analysis systems.

I would also like to thank the Director and the entire team at **CAIR, DRDO** for providing me with the opportunity to work in such a prestigious research environment and for offering constant support during the course of this internship.

I extend my sincere thanks to the faculty members of **Amrita Vishwa Vidyapeetham** for their encouragement and academic support.

Finally, I would like to thank my family and friends for their constant motivation and encouragement throughout this journey.

ABSTRACT

Real-time clustering of continuously arriving 3D data is a major challenge in modern intelligent systems, especially in applications involving dynamic environments, surveillance systems, IoT devices, anomaly detection, autonomous systems, and spatial monitoring. Traditional clustering algorithms are generally designed for static datasets and often struggle to efficiently adapt to evolving data distributions, handle noise effectively, and maintain computational efficiency in real-time scenarios.

This project presents a dynamic 3D stream clustering framework that evaluates multiple clustering approaches for identifying evolving clusters in continuously arriving spatial data. The system focuses on the implementation and comparative analysis of clustering algorithms such as DBSCAN, ACSC (Ant Colony Stream Clustering), and concepts inspired by DenStream for handling dynamic streaming data.

The implemented ACSC-based framework utilizes micro-clustering techniques inspired by ant colony behavior, where incoming points are incrementally assigned to clusters based on Euclidean distance and cluster density properties. Each micro-cluster maintains compact statistical summaries including Linear Sum (LS), Squared Sum (SS), centroid, and radius, allowing efficient updates without storing the complete historical dataset.

The project also explores stream clustering concepts such as fading functions, outlier micro-clusters, promotion of dense clusters, and pruning of weak clusters to improve adaptability in dynamic environments. Timestamp-based processing is incorporated to monitor cluster evolution over time and analyze changes in cluster assignments across multiple iterations.

An interactive visualization interface was developed to display evolving 3D clusters, outliers, and clustering statistics in real time. The framework additionally records execution performance and clustering behavior to support comparative analysis between different clustering approaches.

The proposed system demonstrates an effective and scalable solution for dynamic 3D stream clustering and provides a strong foundation for future research in adaptive clustering, real-time analytics, and intelligent monitoring systems.

Contents

1	INTRODUCTION	5
1.1	Background and Motivation	5
1.2	Problem Statement	6
1.3	Project Objectives	6
1.4	Research and Strategy	7
1.5	Summary	8

Chapter 1

INTRODUCTION

1.1 Background and Motivation

The rapid growth of modern intelligent systems has led to the continuous generation of large volumes of streaming data from sources such as IoT devices, surveillance systems, autonomous vehicles, sensor networks, and real-time monitoring platforms. Unlike traditional static datasets, streaming data arrives continuously and evolves over time, making real-time analysis significantly more challenging.

One of the most important tasks in data analysis is clustering, which involves grouping similar data points together based on their characteristics. Clustering plays a critical role in various applications including anomaly detection, traffic monitoring, object tracking, behavioral analysis, environmental monitoring, and intelligent surveillance systems. However, conventional clustering algorithms are primarily designed for static datasets and are often unable to efficiently adapt to continuously changing data streams.

Dynamic clustering introduces additional challenges because clusters may appear, disappear, merge, split, or evolve over time. In streaming environments, algorithms must process incoming data incrementally without repeatedly scanning the entire dataset. They must also efficiently handle noisy data and outliers while maintaining computational efficiency and memory scalability.

Density-based clustering approaches such as DBSCAN have demonstrated strong capabilities in identifying arbitrarily shaped clusters and handling noise. However, DBSCAN is not inherently designed for evolving streaming data. To address these limitations, stream clustering algorithms such as ACSC (Ant Colony Stream Clustering) and

DenStream introduce concepts like micro-clustering, incremental updates, fading mechanisms, and adaptive cluster maintenance.

This project focuses on studying and evaluating different approaches for identifying dynamic clusters in continuously arriving 3D spatial data. The work aims to analyze how different clustering techniques behave in streaming environments and how effectively they can detect dense regions, adapt to changing data distributions, and identify outliers in real time.

1.2 Problem Statement

The project addresses the challenge of clustering continuously arriving 3D spatial data in dynamic environments. Traditional clustering approaches often struggle to efficiently process streaming data because they are designed for static datasets and require repeated processing of the complete dataset whenever new data arrives.

In real-time systems, clusters are not fixed. They continuously evolve as new points are added, old patterns disappear, and noise levels change over time. The clustering system must therefore be capable of incrementally updating clusters while maintaining accuracy and computational efficiency.

The major challenges addressed in this project include:

- Identifying dense regions in continuously arriving 3D data streams.
- Detecting and handling noise and outlier points effectively.
- Adapting to cluster evolution over multiple timestamps.
- Maintaining efficient memory usage and computational performance.
- Comparing the behavior of different clustering approaches in dynamic environments.

1.3 Project Objectives

- To study the fundamentals of dynamic stream clustering and density-based clustering techniques.
- To implement DBSCAN as a baseline clustering algorithm for comparison.

- To design and implement an ACSC-based dynamic clustering framework for streaming 3D data.
- To explore DenStream concepts such as micro-clusters, fading, pruning, and outlier handling.
- To analyze cluster evolution across multiple timestamps.
- To perform comparative analysis of clustering approaches based on cluster formation, outlier detection, adaptability, and execution performance.
- To develop an interactive visualization interface for monitoring evolving 3D clusters in real time.
- To build a scalable framework for future research in adaptive stream clustering systems.

1.4 Research and Strategy

The development of this project was carried out in multiple stages combining theoretical study, algorithm implementation, and practical experimentation.

In the initial phase, the study focused on understanding the fundamentals of clustering algorithms, particularly density-based clustering methods and stream clustering concepts. Research was conducted on DBSCAN, ACSC, and DenStream to understand their working principles, advantages, and limitations in dynamic environments.

The second phase involved the implementation of clustering algorithms and the development of a modular clustering framework. DBSCAN was implemented as a baseline approach, while ACSC was implemented using micro-clustering concepts where incoming points are incrementally assigned to clusters based on Euclidean distance and cluster density properties.

The next phase explored advanced stream clustering concepts inspired by DenStream, including fading functions, outlier micro-clusters, promotion of dense clusters, and pruning of weak clusters. These concepts were studied to improve the adaptability of the system to continuously evolving data streams.

Finally, comparative evaluation and visualization were performed to analyze clustering behavior across multiple timestamps. Metrics such as cluster formation, outlier detection, cluster stability, and execution time were studied to evaluate the effectiveness of each approach.

1.5 Summary

This chapter introduced the concept of dynamic stream clustering and discussed the growing importance of real-time clustering systems in modern intelligent applications. The motivation behind the project, the problem statement, project objectives, and research methodology were presented in detail.

The chapter also highlighted the limitations of traditional clustering approaches in handling continuously evolving data streams and introduced density-based stream clustering techniques such as ACSC and DenStream as potential solutions.

The following chapters will discuss the theoretical concepts, system architecture, implementation details, and comparative analysis of the clustering approaches developed during this project.