

Cucumber Report

02-Aug-2023, 1:25:36 pm

Start : Aug 02, 1:25:34.523 pm

End : Aug 02, 1:25:34.585 pm

Duration : 0.062 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As a admin , user is able to login</u>	0.062 s	1	0	1	0	3	0	0	3

#	Feature Name	Scenario Name
1	<u>As a admin , user is able to login</u>	<u>Admin can login with credentials</u>





#	Feature Name	T	P	F	S	Duration
1	<u>As a admin , user is able to login</u>	1	0	1	0	0.062 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As a admin , user is able to login</u>	<u>Admin can login with credentials</u>	3	0	0	3	0.056 s

As a admin , user is able to login

FAILED	DURATION - 0.062 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:25:34.523 pm // 1:25:34.585 pm /					

Admin can login with credentials

FAILED	DURATION - 0.056 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:25:34.529 pm // 1:25:34.585 pm /				
As a admin , user is able to login				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.hook.setup() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "browserName" is null at pageFactory.BrowserFactory.startBrowser(BrowserFactory.java:26) at hooks.hook.setup(hook.java:19)	FAILED	0.026 s
1	Given user is able to load the application	SKIPPED	0.002 s
2	And user enters the application with username as "admin@email.com" and password as "admmmin123" and submit .	SKIPPED	0.001 s
3	Then verify user is able to login.	SKIPPED	0.001 s
	AFTER - hooks.hook.teardown() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.hook.teardown(hook.java:25)	FAILED	0.001 s