PocketMate CM5 carrier v0.1 — see hardware/block-diagram.md for block diagram, power tree and power states

CM5

File: cm5.kicad_sch

DisplayCamera

File: display_camera.kicad_sch

Audio

File: audio.kicad_sch

PowerInput

File: power_input.kicad_sch

Regulators

File: regulators.kicad_sch

MCU

File: mcu.kicad_sch

Sensors

File: sensors_haptics.kicad_sch


PocketMate


Sheet: /
File: PocketMate.kicad_sch

Title: PocketMate CM5 carrier — top level

Size: A3	Date: 2026-10-21	**Rev: 0.1**
KiCad E.D.A. 9.0.2		Id: 1/8

CM5 module B2B connectors. Connections are by net label at pin endpoints; global labels cross sheets.















PocketMate		
Sheet: /CM5/		
File: cm5.kicad_sch		
Title: PocketMate – CM5 module B2B connectors		
Size: A1	Date: 2026-10-21	**Rev: 0.1**
KiCad E.D.A. 9.0.2		Id: 2/8

DSI display (Waveshare 4.3in) and CSI camera (IMX708 / Camera Module 3). Connections are by net label at pin endpoints; global labels cross sheets.




PocketMate	
Sheets: /DisplayCamera/	
File: display_camera.kicad_sch	
Title: PocketMate — DSI display (Waveshare 4.3in) and CSI camera (IMX708 /	
Size: A1	Date: 2026-10-21
KiCad E.D.A. 9.0.2	Id: 3/8

Mics (2x SPH0645LM4H), hardware mic mute, MAX98357A amp. Connections are by net label at pin endpoints; global labels cross sheets.



PocketMate	
Sheet: /Audio/	
File: audio.kicad_sch	
Title: PocketMate — Mics (2x SPH0645LM4H), hardware mic mute, MAX98357	
Size: A1	Date: 2026-10-21
KiCad E.D.A. 9.0.2	Id: 4/8

USB-C, STUSB4500 PD sink, BQ25895 charger, MAX17055 gauge, battery. Connections are by net label at pin endpoints; global labels cross sheets.




PocketMate
Sheet: /PowerInput/
File: power_input.kicad_sch

Title: PocketMate — USB-C, STUSB4500 PD sink, BQ25895 charger, MAX17055 gauge, battery

Size: A1	Date: 2026-10-21	Rev: 0.1
KiCad E.D.A. 9.0.2		Id: 5/8

Always-on LDO, TPS61088 5V boost, CM5 5V load switch. Connections are by net label at pin endpoints; global labels cross sheets.



PocketMate


Sheet: /Regulators/


File: regulators.kicad_sch


Title: PocketMate — Always-on LDO, TPS61088 5V boost, CM5 5V load switch

Size: A1	Date: 2026-10-21	**Rev: 0.1**
KiCad E.D.A. 9.0.2		Id: 6/8

STM32U031 always-on supervisor, buttons, CM5 power control. Connections are by net label at pin endpoints; global labels cross sheets.





























PocketMate
Sheet: /MCU/
File: mcu.kicad_sch
Title: PocketMate — STM32U031 always-on supervisor, buttons, CM5 power c
Size: A1 | Date: 2026-10-21 | Rev: 0.1
KiCad E.D.A. 9.0.2 | Id: 7/8

VEML7700 ALS, DRV2605L haptic (DNP). Connections are by net label at pin endpoints; global labels cross sheets.



PocketMate
Sheet: /Sensors/
File: sensors_haptics.kicad_sch
Title: PocketMate — VEML7700 ALS, DRV2605L haptic (DNP)
Size: A1 | Date: 2026-10-21 | Rev: 0.1
KiCad E.D.A. 9.0.2 | Id: 8/8