

05 — Exotel Professional Services Engagement Brief

To: Exotel ECC Professional Services (PS) Team **From:** Support Ops + Sales Engineering (internal Exotel initiative) **Date:** 2026-04-15 **Priority:** P2 (target kickoff within 4 weeks)

1. Request Summary

We want to **embed Salesforce Account revenue context into the ECC support workflow** so that:

- Inbound support calls are routed to tier-appropriate queues based on live Salesforce lookup of the caller's Account tier (HYPERCARE / STRATEGIC / PREMIUM / STANDARD)
- Support agents see revenue context (tier, CSM name, RAG, last 12M revenue) in the CTI softphone during the call and on the Case record after pickup
- Hypercare and Strategic accounts get priority treatment in queue routing

This is an internal Exotel initiative for our own Ameyo Care support team. It will also serve as a reference architecture for customers asking the same question.

2. What We Need from PS

2.1 — Capability Confirmation (Documentation Review)

Please confirm, citing docs.exotel.com, which of the following are supported on our deployment (4x and/or 6x):

#	Capability	4x?	6x?	Doc Reference
Q1	HTTP GET action node in IVR nodeflow that calls external URL	?	?	
Q2	Timeout + fallback branch on HTTP action (e.g., 2-second timeout → default branch)	?	?	
Q3	Parse JSON response and extract fields into IVR variables	?	?	
Q4	Variable-based branching (if/else decision nodes)	?	?	
Q5	Pass variables as call context payload to agent CTI softphone	?	?	
Q6	Max payload size / field count for call context	?	?	
Q7	Queue overflow rules (if tier queue empty → fall to next queue)	?	?	
Q8	Static bearer token auth on HTTP action headers	?	?	
Q9	OAuth 2.0 client credentials flow support in IVR	?	?	
Q10	Versioning and rollback of nodeflow changes	?	?	

2.2 — Implementation Scope

If capabilities Q1–Q7 are confirmed, please scope the following PS tasks:

1. **New IVR nodeflow** for the inbound support DID(s) including:

- HTTP action node → middleware endpoint
- Response parsing into variables
- 5-way branch on `support_tier` variable
- Queue assignment per tier
- Overflow rules per tier

2. **New Queues in ECC:**

- Hypercare Support Queue
- Strategic Support Queue
- Premium Support Queue
- (FLR and existing queues stay for STANDARD and UNKNOWN)

3. **Queue agent assignment:**

- Senior agents → Hypercare + Strategic
- Experienced L2 → Premium
- Existing assignment for Standard

4. **CTI softphone layout update** to display tier badge, account name, RAG, CSM name from call context payload during ringing / active call.

5. **Testing support** for our UAT scenarios (see [06](#)).

2.3 — Questions on Platform Limits

- Our current inbound support call volume: [TO FILL IN — Support Ops to confirm]
- Peak BHCA on inbound support DID: [TO FILL IN]
- Concurrent agents handling support: [TO FILL IN from roster]
- Do we need channel allocation review for the new tier queues? Or do they share the existing support pool?


3. What We Are Building (No PS Help Needed)

For context, here's what's being built in parallel by the Salesforce + Data teams:


Component	Owner	Status
Salesforce Account.Support_Tier__c formula field	SF Admin	Week 1
Salesforce Connected App for middleware auth	SF Admin + Security	Week 1–2
Middleware service (Node.js) exposing <code>/api/v1/account-tier?phone=</code>	Internal engineering	Week 2–3
Salesforce Case Before-Save Flow (stamps tier on tickets)	SF Admin	Week 2
Case compact layout, page layout, conditional banners	SF Admin	Week 2
Phone number data quality audit + cleanup	Data team	Week 1–2

The middleware exposes a simple REST endpoint. PS involvement is only for the ECC-side IVR nodeflow + queue + softphone layout changes.

4. Proposed Integration — Sequence Diagram



5. Reference Architecture Diagram



6. Middleware API Contract (for PS reference)

PS doesn't build this — but needs to know the contract for configuring the HTTP action node.

```
GET https://support-router.internal.exotel.com/api/v1/account-tier?phone={{normalized_phone}}
```

Headers:

```
Authorization: Bearer <shared-secret>
X-Request-Id:  {{call_sid}}
Accept:        application/json
```

Timeout: 2s

Response (200 OK, matched):

```
{
  "matched": true,
  "account_id": "001XXXXXXXXXXXXX",
  "account_name": "Acme Corp",
  "support_tier": "STRATEGIC",
  "rag_status": "GREEN",
  "csm_name": "Priya Sharma",
  "csm_email": "priya@exotel.com",
  "support_group": "Normal Support",
  "is_hypercure": false,
  "lookup_source": "cache"
}
```

Response (200 OK, no match):

```
{
  "matched": false,
  "phone_queried": "+919876543210"
}
```

Response (5xx or timeout):

IVR treats this as tier=STANDARD and continues routing.

Full spec: [03 — IVR Nodeflow Design](#).

7. Testing Scope PS Should Cover

Before UAT, PS should validate the nodeflow handles:

#	Test	Expected
PS-T1	Caller number matches Strategic Account	Routed to Strategic Queue
PS-T2	Caller number matches Hypercare Account	Routed to Hypercare Queue
PS-T3	Caller number has no match in Salesforce	Routed to UNKNOWN / Helpdesk
PS-T4	Middleware times out (inject 3s delay)	Routed to STANDARD; no call drop

PS-T5	Middleware returns 500 error	Routed to STANDARD; no call drop
PS-T6	Middleware returns malformed JSON	Routed to STANDARD; IVR logs error
PS-T7	Strategic queue has no available agents	Overflow to next tier queue per config
PS-T8	Call context payload arrives at agent CTI	Tier + Account Name + CSM visible in softphone

We will provide test phone numbers and configure a test middleware endpoint for PS to call during build.

8. Timeline

Week	PS Activity
Week 0	Kickoff call — walk through this brief, confirm capabilities, agree scope
Week 1	PS provides written capability confirmation (Q1–Q10) + scope estimate
Week 2	SF Connected App + middleware ready; we share test endpoint URL with PS
Week 3	PS builds nodeflow + queues in ECC sandbox/staging
Week 4	PS executes PS-T1 through PS-T8 in sandbox; we join UAT
Week 5	Internal UAT (our Support Ops team) on sandbox
Week 6	Production rollout (staged — starts with 10% of inbound calls via A/B DID routing)

9. Rollback Plan

PS to confirm how to execute each rollback:

Scenario	Rollback Action	Executable in
Middleware down	Disable HTTP action node → fallback to current routing	< 5 min
Wrong tier routing detected	Revert nodeflow to previous published version	< 10 min
Queue overflow causing agent overload	Adjust queue capacity / fall-through rules	< 15 min
Complete initiative rollback	Remove HTTP action node entirely, restore original routing	< 30 min

10. Success Criteria

PS work is considered done when:

- ☐ Written confirmation of Q1–Q10 capability questions received from PS
- ☐ Sandbox nodeflow passes all PS-T1 through PS-T8 tests
- ☐ CTI softphone displays tier, account name, CSM in ringing state for matched calls
- ☐ Rollback plan documented and tested
- ☐ PS provides a runbook for ops team to make minor config changes (queue membership, overflow rules) without re-engaging PS

11. Open Commercial Question

Is this work covered under our existing ECC support contract, or does it require a separate SOW?

If SOW — please provide scope + effort estimate per week 1.

12. Contacts

Role	Name	Email
Project Sponsor	[TBD — Head of Support Ops]	
Technical Owner (SF side)	[TBD — SF Admin Lead]	
Technical Owner (ECC side)	[TBD — ECC Admin]	
Middleware Owner	[TBD — Platform Eng]	
PS Engagement Lead	[To be assigned by PS]	

13. Attachments / References

Full design package:

- [README.md](#) — Initiative overview
- [01 — Field Definitions & Phone Audit](#)
- [02 — Case Flow Specification](#)
- [03 — IVR Nodeflow Design](#) ← this is the doc PS cares about most
- [04 — Screen Pop & Layouts](#)
- [06 — Test & Rollout](#)

Please reply with:

1. Capability confirmations (Q1–Q10)
2. Scope estimate + timeline
3. Any constraints or concerns we haven't addressed
4. Commercial treatment (existing contract / new SOW)