

06 — Test Plan, Rollout Runbook & Operational SOQL

Audience: QA, Support Ops, SF Admin, ECC Admin **Purpose:** Validate the solution end-to-end and operate it post-launch.

Part A — UAT Test Plan

A.1 — Test Environment Requirements

Requirement	Value
Salesforce Sandbox	Full-copy sandbox with recent refresh (last 30 days)
Test Accounts	At least 1 per tier: Hypercare, Strategic, Premium, Standard
Test Phone Numbers	Routed to IVR test DID; phones registered to test Accounts
ECC Environment	Sandbox/staging with nodeflow deployed
Middleware	Test instance pointing to SF sandbox
Test Agents	2+ agents logged in to each tier queue
Test Tools	SoftPhone, Salesforce Developer Console, Postman (for middleware)

A.2 — Test Data Setup

Before UAT Starts

Run this setup script in the sandbox to create canonical test accounts:

```
// UAT test data setup – run in Developer Console (Execute Anonymous)

// Create test CSM user first (if not exists)
User csm = [SELECT Id FROM User WHERE Email = 'uat-csm@exotel.com' LIMIT 1];
// if not found, create per user setup conventions

List<Account> testAccounts = new List<Account>{
    new Account(
        Name = 'UAT Hypercare Active',
        Phone = '+919000000001',
        Hypercare_active__c = 'Active',
        Hypercare_End_Date__c = DateTime.now().addDays(30),
        Account_CSM__c = csm.Id,
        RAG__c = 'RED'
    ),
    new Account(
        Name = 'UAT Hypercare Expired',
        Phone = '+919000000002',
        Hypercare_active__c = 'Active',
        Hypercare_End_Date__c = DateTime.now().addDays(-5),
```

```

        Account_CSM__c = csm.Id,
        RAG__c = 'AMBER'
    ),
    new Account(
        Name = 'UAT Strategic Top',
        Phone = '+919000000003',
        Top_Customer__c = true,
        Account_CSM__c = csm.Id,
        RAG__c = 'GREEN'
    ),
    new Account(
        Name = 'UAT Strategic SAAS Premium',
        Phone = '+919000000004',
        Is_SAAS_Premium_Account__c = true,
        Account_CSM__c = csm.Id,
        RAG__c = 'AMBER'
    ),
    new Account(
        Name = 'UAT Premium',
        Phone = '+919000000005',
        SAAS_Enterprise_Account__c = true,
        Account_CSM__c = csm.Id,
        RAG__c = 'GREEN'
    ),
    new Account(
        Name = 'UAT Premium RED (should fall to Standard)',
        Phone = '+919000000006',
        SAAS_Enterprise_Account__c = true,
        Account_CSM__c = csm.Id,
        RAG__c = 'RED'
    ),
    new Account(
        Name = 'UAT Standard',
        Phone = '+919000000007',
        Account_CSM__c = csm.Id
    )
};
insert testAccounts;
System.debug('Inserted ' + testAccounts.size() + ' UAT accounts');

```

A.3 — UAT Test Matrix

A.3.1 — Salesforce Flow Tests (Ticket Channel)

#	Scenario	Setup	Action	Expected
UAT-01	Hypercare active tier stamping	Hypercare Active account	Create Case manually with AccountId set	Account_Revenue_Tier__c = HYPERCARE, Priority = Critical, OwnerId = Hypercare Queue, CSM name stamped

UAT-02	Hypercare expired falls back	Hypercare Expired account	Create Case	Tier = STANDARD or whatever base tier applies — NOT HYPERCARE
UAT-03	Top Customer → Strategic	Strategic Top account	Create Case	Tier = STRATEGIC, OwnerId = Strategic Queue
UAT-04	SAAS Premium → Strategic	Strategic SAAS Premium account	Create Case	Tier = STRATEGIC
UAT-05	SAAS Enterprise + GREEN → Premium	Premium account	Create Case	Tier = PREMIUM, OwnerId unchanged (assignment rules take over)
UAT-06	SAAS Enterprise + RED → STANDARD	Premium RED account	Create Case	Tier = STANDARD (RED excluded from Premium criteria)
UAT-07	Regular account → Standard	Standard account	Create Case	Tier = STANDARD
UAT-08	Case without Account	No AccountId	Create Case	Tier = UNKNOWN, no queue change
UAT-09	Priority override	Hypercare + Priority=Minor	Create Case with Priority=Minor	Priority upgraded to Critical
UAT-10	Priority preservation	Strategic + Priority=Critical	Create Case	Priority stays Critical
UAT-11	Email-to-Case	Send email to case@ameyo.com from test address	Case auto-created	Tier stamped correctly via Account resolution
UAT-12	Bulk insert 200 cases	Apex bulk insert	Execute	All 200 cases have tier stamped, no governor limit errors

A.3.2 — IVR Call Tests (Call Channel)

#	Scenario	Setup	Action	Expected
UAT-20	Strategic inbound call	Phone = +919000000003	Call DID from test phone	Routed to Strategic Queue; softphone shows STRATEGIC tier + CSM
UAT-21	Hypercare inbound call	+919000000001	Call DID	Hypercare Queue; softphone shows HYPERCARE

UAT-22	Hypercare expired inbound call	+919000000002	Call DID	NOT Hypercare; base tier queue
UAT-23	Premium inbound call	+919000000005	Call DID	Premium Queue; softphone shows PREMIUM
UAT-24	Standard inbound call	+919000000007	Call DID	FLR Queue; softphone shows STANDARD
UAT-25	Unknown inbound call	Phone not in SF	Call DID	Unknown/Helpdesk Queue; softphone has no tier info
UAT-26	Private CLI	Block caller ID	Call DID	Unknown Queue
UAT-27	Middleware timeout	Inject 3s delay in middleware	Call DID	Standard Queue; call completes without drop
UAT-28	Middleware 500 error	Toggle middleware to error mode	Call DID	Standard Queue; call completes
UAT-29	Salesforce down	Stop SF responding	Call DID	Middleware returns cached result if available; else Standard Queue
UAT-30	Agent screen pop matches call	Strategic call answered	Agent picks up	Softphone context retained; Case pre-fills with AccountId + Priority=Major
UAT-31	Concurrent calls (stress)	5 calls in 10 seconds	Various tier phones	All routed correctly; no middleware errors

A.3.3 — Agent Experience Tests (Layout & Screen Pop)

#	Scenario	Setup	Action	Expected
UAT-40	Hypercare banner visible	Hypercare Case	Agent opens Case	Red Hypercare banner visible at top
UAT-41	Strategic banner visible	Strategic Case	Agent opens Case	Yellow Strategic banner visible
UAT-42	Compact layout shows tier	Any Case	Agent opens Case	Tier badge visible in highlights
UAT-43	CSM name in highlights	Strategic Case with CSM	Agent opens Case	CSM name visible without needing to click Account
UAT-44	Quick action: Notify CSM	Strategic Case	Agent clicks Notify CSM	Chatter post created mentioning CSM

UAT-45	Quick action: Escalate to L3	Strategic Case	Agent clicks Escalate	OwnerId = L3 Escalation Queue, Escalation_Level__c = 1
UAT-46	"My Hypercare Tickets" list view	Agent owns 2 Hypercare cases	Open list view	Both cases visible
UAT-47	Emoji rendering	Any Case with tier	View in Chrome, Safari, Firefox	Emoji renders in all browsers
UAT-48	Dashboard — Tier Distribution	Navigate to Support Dashboard	View widget	Shows counts per tier

A.3.4 — Rollback Tests

#	Scenario	Action	Expected
UAT-50	Deactivate Case Flow	Turn off Case_RevenueTier_BeforeSave in Setup	New Cases have no tier stamp; existing Cases unaffected
UAT-51	Disable middleware	Stop middleware service	Calls still route; middleware-dependent tier routing falls to STANDARD
UAT-52	Revert IVR nodeflow	Rollback to previous version	Calls route per old logic
UAT-53	Revert everything	All three rollbacks	System returns to pre-launch state within 30 min

A.4 — Sign-off Criteria

UAT is signed off when:

- ☐ All UAT-01 through UAT-12 pass (Salesforce Flow — ticket channel)
- ☐ All UAT-20 through UAT-31 pass (IVR — call channel)
- ☐ All UAT-40 through UAT-48 pass (agent UX)
- ☐ All UAT-50 through UAT-53 pass (rollback)
- ☐ 5+ agents have done at least 2 test calls each and reported no issues
- ☐ Support Ops team lead signs off

Part B — Rollout Runbook

B.1 — Pre-Launch Checklist

Salesforce Side (T-1 week)

- ☐ All fields from [01](#) deployed to production
- ☐ `Support_Tier__c` formula returns expected values on spot-checked accounts (run §C.1 below)
- ☐ `Case_RevenueTier_BeforeSave` Flow active in production
- ☐ Apex test class `Case_RevenueTier_FlowTest` at > 90% coverage
- ☐ `Queue_Config__mdt` records deployed
- ☐ 4 Salesforce Queues created with agent membership
- ☐ Compact layout assigned to support profiles
- ☐ Conditional banners deployed on Case Lightning Record Page
- ☐ Case assignment rules updated to skip HYPERCARE/STRATEGIC
- ☐ Phone number audit complete; Strategic+Hypercare at 100% phone coverage
- ☐ Phone normalization batch completed

ECC Side (T-1 week)

- ☐ Exotel PS has delivered validated nodeflow in staging
- ☐ 4 new queues created in ECC with agent assignment
- ☐ CTI softphone layout updated
- ☐ Middleware deployed to production with monitoring
- ☐ Middleware → Salesforce connectivity verified
- ☐ Rollback plan tested in staging

Training (T-3 days)

- ☐ Agent one-pager published in Chatter Support group
- ☐ All-hands training: 30-min session with screen share
- ☐ L1, L2, L3 leads briefed
- ☐ CSM team briefed on what agents will now see

B.2 — Launch Day Sequence

Option A — Big Bang (simple, higher risk)

Monday 9 AM:

1. Activate Flow (T+0)
2. Enable middleware (T+5 min)
3. Deploy IVR nodeflow change (T+15 min)
4. Update CTI softphone layout (T+30 min)
5. Monitor dashboards for 2 hours (T+30 min to T+2:30)
6. All-clear notification to ops team (T+3 hours)

Option B — Staged Rollout (recommended)

Day 1 — Tickets only (no IVR changes)

- Activate Salesforce Flow
- Deploy compact layout + banners + quick actions
- Agents see tier on all new tickets; no call routing change
- Monitor for 3 days
- If stable, proceed to Day 4

Day 4 — Add IVR routing for 10% of DIDs (A/B test)

- Route specific test DIDs through new nodeflow
- Monitor tier lookup success rate, queue performance, agent feedback
- Tune thresholds / queue sizes if needed
- Run for 1 week

Day 11 — Full IVR rollout

- Switch all inbound support DIDs to new nodeflow
- Monitor daily for 2 weeks
- Retrospective after 30 days

B.3 — Monitoring During Launch

For the first 48 hours post-launch, monitor in real-time:

Salesforce

- Cases created per hour vs baseline
- Case tier distribution (should match historical Account tier distribution)
- Flow errors / debug logs (Setup → Flows → Paused and Waiting Interviews)
- Apex CPU time trending

Middleware

- Request rate
- Cache hit rate
- Error rate (> 1% → investigate)
- p99 latency (< 500ms → healthy)

ECC

- Queue wait times per tier
- Abandonment rate per tier
- Agent utilization per queue

Agent Experience

- Slack/Chatter channel for agent feedback
- Watch for: "I can't see tier", "wrong customer info", "banner showing for wrong tier"

B.4 — Rollback Triggers

Halt rollout and rollback if:

- Case creation success rate drops > 2% vs baseline
- Tier lookup error rate > 5% for > 30 min
- Agent reports of wrong tier > 3 in first hour
- Middleware p99 latency > 2 seconds sustained
- SF API daily quota consumption > 90%

Rollback procedure — see [03 §9](#) and [02 §5](#).

B.5 — Communication Plan

When	Audience	Message
T-7 days	Support + CSM teams	"Revenue-aware support launches in 1 week — training session Tuesday"
T-1 day	All-hands Chatter	Reminder + link to agent one-pager
T+0	#support-ops Slack	"Launch started — monitoring underway"
T+3 hours	All-hands	Status update
T+48 hours	All-hands	48-hr retrospective
T+30 days	Leadership	30-day impact report with metrics

Part C — Operational SOQL Queries

Ongoing monitoring queries the Support Ops and Analytics teams should run periodically.

C.1 — Tier Distribution (Post-Formula Deployment)

Run AFTER deploying `Support_Tier__c` to validate the formula returns sensible values.

```
SELECT Support_Tier__c, COUNT(Id) AccountCount
FROM Account
WHERE IsDeleted = FALSE
GROUP BY Support_Tier__c
ORDER BY COUNT(Id) DESC
```

Expected output shape:

STANDARD	— ~90% of accounts
PREMIUM	— 5–8%
STRATEGIC	— 2–5%
HYPERCARE	— < 1%

If any tier is over/under-represented, revisit threshold logic with Sales Ops + CS leadership.

C.2 — Tier Distribution (Open Tickets, Last 30 Days)

```
SELECT Account_Revenue_Tier__c, COUNT(Id) CaseCount
FROM Case
WHERE CreatedDate = LAST_N_DAYS:30
AND IsDeleted = FALSE
AND RecordType.DeveloperName IN (
  'Normal_Support', 'Change_Management', 'RCA', 'Release_Upgrade',
  'Philippines_Support', 'Platform_Support', 'CognoAI'
)
```



```
GROUP BY Account_Revenue_Tier__c
ORDER BY COUNT(Id) DESC
```

C.3 — Tickets by Tier × Record Type (Stacked View)

```
SELECT Account_Revenue_Tier__c, RecordType.Name, COUNT(Id) CaseCount
FROM Case
WHERE CreatedDate = LAST_N_DAYS:30
      AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c, RecordType.Name
ORDER BY RecordType.Name, COUNT(Id) DESC
```

C.4 — Average First Response Time by Tier

```
SELECT Account_Revenue_Tier__c,
       COUNT(Id) Cases,
       AVG(First_Response_Time__c) AvgFRT_min
FROM Case
WHERE ClosedDate = LAST_N_DAYS:30
      AND First_Response_Time__c != NULL
      AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c
ORDER BY Account_Revenue_Tier__c
```

Benchmark (post-launch target): Hypercare < 120 min, Strategic < 240 min, Premium < 240 min, Standard < 480 min

C.5 — Average Resolution Time by Tier

```
SELECT Account_Revenue_Tier__c,
       COUNT(Id) Cases,
       AVG(Resolution_Time_Minutes__c) AvgRes_min
FROM Case
WHERE ClosedDate = LAST_N_DAYS:30
      AND Resolution_Time_Minutes__c != NULL
      AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c
ORDER BY Account_Revenue_Tier__c
```

C.6 — SLA Compliance by Tier

```
SELECT Account_Revenue_Tier__c,
       COUNT(Id) TotalCases,
       SUM(CASE WHEN SLA_Violated__c = FALSE THEN 1 ELSE 0 END) SLAMet,
```

```

SUM(CASE WHEN SLA_Violated__c = TRUE THEN 1 ELSE 0 END) SLAViolated
FROM Case
WHERE ClosedDate = LAST_N_DAYS:30
AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c

```

Note: The `SUM(CASE WHEN...)` pattern works in Tableau/BigQuery but SOQL doesn't support it directly. Use two separate queries or compute in Salesforce Reports.

SOQL-compliant alternative:

```

-- Query 1: SLA met
SELECT Account_Revenue_Tier__c, COUNT(Id) SLAMet
FROM Case
WHERE ClosedDate = LAST_N_DAYS:30 AND SLA_Violated__c = FALSE
AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c

-- Query 2: SLA violated
SELECT Account_Revenue_Tier__c, COUNT(Id) SLAViolated
FROM Case
WHERE ClosedDate = LAST_N_DAYS:30 AND SLA_Violated__c = TRUE
AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c

```

C.7 — Hypercare/Strategic Accounts With Open Tickets

```

SELECT Account.Name, Account.Support_Tier__c,
COUNT(Id) OpenCases,
MIN(CreatedDate) OldestCreated
FROM Case
WHERE Account.Support_Tier__c IN ('HYPERCARE','STRATEGIC')
AND Status NOT IN ('Close_successful','Close_unsuccessful','Closed')
AND IsDeleted = FALSE
GROUP BY Account.Name, Account.Support_Tier__c
ORDER BY COUNT(Id) DESC

```

Supervisor daily review.

C.8 — Tier Mismatches (Creation vs Current)

Detect Cases where tier at creation no longer matches Account's current tier (Account was upgraded/downgraded mid-case).

```

SELECT Id, CaseNumber,
Account_Revenue_Tier__c CaseTier,
Account.Support_Tier__c CurrentTier,
Account.Name,

```

```

        CreatedDate
FROM Case
WHERE Status NOT IN ('Close_successful','Close_unsuccessful','Closed')
      AND Account_Revenue_Tier__c != NULL
      AND Account.Support_Tier__c != NULL
      AND Account_Revenue_Tier__c != Account.Support_Tier__c
      AND IsDeleted = FALSE
ORDER BY CreatedDate DESC
LIMIT 100

```

Supervisor action: review weekly — if downgrade, confirm SLA treatment; if upgrade to Hypercare, reassign.

C.9 — Tier-Aware Aging Buckets

Tickets open too long, especially in high tiers.

```

SELECT Account_Revenue_Tier__c,
       COUNT(Id) TotalOpen,
       SUM(CASE WHEN Age_in_min__c > 720 THEN 1 ELSE 0 END) Over_12hr,
       SUM(CASE WHEN Age_in_min__c > 1440 THEN 1 ELSE 0 END) Over_24hr,
       SUM(CASE WHEN Age_in_min__c > 4320 THEN 1 ELSE 0 END) Over_3d
FROM Case
WHERE Status NOT IN ('Close_successful','Close_unsuccessful','Closed')
      AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c

```

Same note on SUM CASE WHEN — split into separate queries or use Reports.

C.10 — CSM Coverage on Strategic+ Tickets

Are CSMs actually named on the high-tier tickets? (CSM lookup field blank = data gap.)

```

SELECT Account_Revenue_Tier__c,
       COUNT(Id) Total,
       COUNT(Account_CSM_Name__c) WithCSM
FROM Case
WHERE Account_Revenue_Tier__c IN ('HYPERCARE','STRATEGIC','PREMIUM')
      AND CreatedDate = LAST_N_DAYS:30
      AND IsDeleted = FALSE
GROUP BY Account_Revenue_Tier__c

```

Expected: WithCSM / Total close to 100% — if < 90%, investigate Account.Account_CSM__c coverage.

C.11 — Revenue Weighted Open Ticket Backlog

How much ARR is currently waiting on an open ticket?

```
SELECT Account_Revenue_Tier__c,  
       COUNT(Id) OpenTickets,  
       SUM(Account_LTM_Revenue__c) BacklogLTMRevenue  
FROM Case  
WHERE Status NOT IN ('Close_successful', 'Close_unsuccessful', 'Closed')  
      AND Account_LTM_Revenue__c != NULL  
      AND IsDeleted = FALSE  
GROUP BY Account_Revenue_Tier__c
```

Powerful metric: "₹12 Cr of revenue is currently waiting on 47 open Strategic tickets."

C.12 — Flow Execution Health (Are Tickets Getting Stamped?)

```
SELECT RecordType.Name, COUNT(Id) Total, COUNT(Account_Revenue_Tier__c) Stamped  
FROM Case  
WHERE CreatedDate = LAST_N_DAYS:7  
      AND IsDeleted = FALSE  
GROUP BY RecordType.Name  
ORDER BY COUNT(Id) DESC
```

If Stamped < Total for in-scope record types → Flow misconfig / Accounts have blank Support_Tier__c.

Part D — Post-Launch Metrics & Success Criteria

Track these at T+30 days and T+90 days vs pre-launch baseline.

Metric	Query	Baseline (pre)	Target (post)
Avg FRT — Strategic tickets	C.4 filtered	Current value	Reduce 50%
Avg Resolution — Strategic	C.5 filtered	Current value	Reduce 30%
Strategic SLA compliance	C.6 filtered	Current value	> 95%
% Strategic tickets mis-routed to L1	Custom query on Case.Queue__c transitions	N/A	< 5%
% Calls with successful tier lookup	Middleware logs	N/A	> 90%
Agent satisfaction with new UX	Survey	N/A	> 8/10
CSM engagement on Strategic tickets	C.10 filtered	Current value	> 95%

Part E — Retrospective Template (T+30 days)

Sections to cover in the T+30 day retrospective:

1. **What worked**
2. **What didn't**
3. **Agent feedback themes**
4. **Data quality issues uncovered**
5. **Metric changes vs baseline**
6. **Tech debt created**
7. **Decisions needed for v2**

Proposed v2 candidates:

- Extend tier logic to include `Revenue_Booked_Amount__c` thresholds (currently not used — tier is purely flag-based)
- Proactive CSM email on Hypercare ticket creation
- Self-service tier override in Case (supervisor action)
- Dashboard push to Slack when Strategic+ ticket unassigned > 30 min
- Extend to outbound calls (agent dials customer — show tier context)
- Feed tier into voice agent (VoiceBot greeting customized by tier)