

Cucumber Report

23-Nov-2023, 3:07:37 pm

Start : Nov 23, 3:06:32.599 pm

End : Nov 23, 3:07:37.326 pm

Duration : 1 m 4.727 s

Features

Scenarios

Steps

PASSED - 3

FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 1

SKIPPED - 0

PASSED - 20


FAILED - 1

SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Find the text in dynamic table</u>	8.277 s	1	1	0	0	3	3	0	0
<u>Verify your account</u>	56.442 s	2	2	0	0	9	9	0	0
<u>Verify text on popup</u>	5.851 s	1	1	0	0	5	5	0	0
<u>Manipulation with Tags</u>	34.312 s	1	0	1	0	5	3	1	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@dynamictable	1	1	0	0	1	1	0	0
@smoke	5	4	1	0	4	3	1	0
@newtab	1	1	0	0	1	1	0	0
@verifyaccount	1	1	0	0	1	1	0	0
@popup	1	1	0	0	1	1	0	0
@TagsInputBox	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Find the text in dynamic table</u>	1	1	0	0	8.277 s
2	<u>Verify your account</u>	2	2	0	0	56.442 s
3	<u>Verify text on popup</u>	1	1	0	0	5.851 s
4	<u>Manipulation with Tags</u>	1	0	1	0	34.312 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Find the text in dynamic table</u>	<u>Find the Spider-Man in a table that changes the order of rows and assert his real name</u>	3	3	0	0	8.271 s
2	<u>Verify your account</u>	<u>Enter valid code by pressing the key-up button or typing number and assert success message</u>	4	4	0	0	11.366 s
3	<u>Verify your account</u>	<u>Verify User is able to enter confirmation code and verify the account</u>	5	5	0	0	4.888 s
4	<u>Verify text on popup</u>	<u>Open pop-up and click on the button in it and assert text on the main window</u>	5	5	0	0	5.851 s
5	<u>Manipulation with Tags</u>	<u>Add and remove tags and assert tag's presence and count</u>	5	3	1	1	34.312 s

Find the text in dynamic table



PASSED	DURATION - 8.277 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:06:32.599 pm // 3:06:40.876 pm /					

Find the Spider-Man in a table that changes the order of rows and assert his real name


PASSED	DURATION - 8.271 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:06:32.605 pm // 3:06:40.876 pm /				
Find the text in dynamic table				
@dynamictable @smoke				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "url"	PASSED	1.995 s
2	When user clicks on "Dynamic Table" icon in main page	PASSED	0.474 s
3	And user gets the name of "Spider-Man"	PASSED	1.367 s

Verify your account


PASSED	DURATION - 56.442 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:06:40.884 pm // 3:07:37.326 pm /					

Enter valid code by pressing the key-up button or typing number and assert success message





#	Step / Hook Details	Status	Duration
1	Given user navigates to "url"	PASSED	9.214 s
2	When user clicks on "New Tab" icon in main page	PASSED	0.417 s
3	And user clicks on the New Tab button	PASSED	0.705 s
4	And user verify the text on the new web page	PASSED	0.043 s

Verify User is able to enter confirmation code and verify the account





#	Step / Hook Details	Status	Duration
1	Given user navigates to "url"	PASSED	2.317 s
2	When user clicks on "Verify Your Account" icon in main page	PASSED	0.452 s
3	And user gets the confirmation code on the screen	PASSED	0.017 s
4	And user enters the confirmation code	PASSED	1.093 s
5	Then user gets the success message	PASSED	0.013 s

Verify text on popup



PASSED	DURATION - 5.851 s	Scenarios		Steps	
/ 3:06:52.257 pm // 3:06:58.108 pm /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Open pop-up and click on the button in it and assert text on the main window

<div>PASSED</div> <div>DURATION - 5.851 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:06:52.257 pm // 3:06:58.108 pm /</div>			
<div>Verify text on popup</div>			
<div>@popup @smoke</div>			

#	Step / Hook Details	Status	Duration
1	Given user navigates to "url"	PASSED	3.360 s
2	When user clicks on "Pop-Up Window" icon in main page	PASSED	0.423 s
3	And user clicks on the open button	PASSED	0.963 s
4	And user clicks button on the popup	PASSED	0.073 s
5	Then user verifies the text on the main page	PASSED	0.034 s

Manipulation with Tags

FAILED	DURATION - 34.312 s	Scenarios		Steps	
/ 3:06:58.112 pm // 3:07:32.424 pm /		Total - 1		Total - 5	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Add and remove tags and assert tag's presence and count

<div>FAILED</div> <div>DURATION - 34.312 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.6</td></tr><tr><td>2</td><td>0.3</td></tr><tr><td>3</td><td>1.0</td></tr><tr><td>4</td><td>30.0</td></tr></tbody></table>	Step	Duration (s)	1	1.6	2	0.3	3	1.0	4	30.0	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
Step	Duration (s)												
1	1.6												
2	0.3												
3	1.0												
4	30.0												
<div>/ 3:06:58.112 pm // 3:07:32.424 pm /</div>													
<div>Manipulation with Tags</div>													
<div>@TagsInputBox @smoke</div>													

#	Step / Hook Details	Status	Duration
1	Given user navigates to "url"	PASSED	1.585 s
2	When user clicks on "Tags Input Box" icon in main page	PASSED	0.338 s
3	And user gets the number of tags needed	PASSED	1.040 s
4	And user enters the number of tags needed <pre> com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. ===== logs ===== waiting for locator("xpath=//div[@class='contet']/input[1]") ===== name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. ===== logs ===== waiting for locator("xpath=//div[@class='contet']/input[1]") ===== at ProgressController.run (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java-5357798884710833721\package\lib\server\progress. js:88:26) at Frame.click (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java-5357798884710833721\package\lib\server\frames. js:995:23) at FrameDispatcher.click (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java- 5357798884710833721\package\lib\server\dispatchers\frameDispatcher.js:154:30) at DispatcherConnection.dispatch (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java-5357798884710833721\package\lib\server\dispatchers\dispatcher.js:346:46) } at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:126) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:252) at com.microsoft.playwright.impl.FrameImpl.lambda\$click\$8(FrameImpl.java:243) at com.microsoft.playwright.impl.LoggingSupport.lambda\$withLogging\$0(LoggingSupport.java:36) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:35) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:243) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:140) at com.microsoft.playwright.Locator.click(Locator.java:2348) at pageobjects.TagsInputBoxPage.enterTags(TagsInputBoxPage.java:37) at stepdefinitions.TagsInputBoxStep.user_enters_the_number_of_tags_needed(TagsInputBoxStep.java:20) at ?.user enters the number of tags needed(file:///D:/workspace/PlaywrightAutomationwithBDD/src/test/resources/features/TagsInputBox. </pre>	FAILED	30.022 s

#	Step / Hook Details	Status	Duration
	<pre> feature:8) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. ===== logs ===== waiting for locator("xpath=//div[@class='contet']/input[1]") ===== name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. ===== logs ===== waiting for locator("xpath=//div[@class='contet']/input[1]") ===== at ProgressController.run (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java-5357798884710833721\package\lib\server\progress. js:88:26) at Frame.click (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java-5357798884710833721\package\lib\server\frames. js:995:23) at FrameDispatcher.click (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java- 5357798884710833721\package\lib\server\dispatchers\frameDispatcher.js:154:30) at DispatcherConnection.dispatch (C:\Users\ANANDB~1.N\AppData\Local\Temp\playwright-java-5357798884710833721\package\lib\server\dispatchers\dispatcher.js:346:46) } at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:224) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:206) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:126) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.clickImpl(FrameImpl.java:252) at com.microsoft.playwright.impl.FrameImpl.lambda\$click\$8(FrameImpl.java:243) at com.microsoft.playwright.impl.LoggingSupport.lambda\$withLogging\$0(LoggingSupport.java:36) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:35) at com.microsoft.playwright.impl.FrameImpl.click(FrameImpl.java:243) at com.microsoft.playwright.impl.LocatorImpl.click(LocatorImpl.java:140) at com.microsoft.playwright.Locator.click(Locator.java:2348) at pageobjects.TagsInputBoxPage.enterTags(TagsInputBoxPage.java:37) at stepdefinitions.TagsInputBoxStep.user_enters_the_number_of_tags_needed(TagsInputBoxStep.java:20) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
5	Then user verifies no tags are needed	SKIPPED	0.002 s
	AFTER - hooks.Hooks.takeScreenshotAndTrace(io.cucumber.java.Scenario)	PASSED	0.319 s
	<u>Add and remove tags and assert tag's presence and count</u>		

#	Step / Hook Details	Status	Duration
			