SprintNXT · Execution report — Demo - parallel

2026-10-15_13-41-13_demo-parallel · 15 Oct 2026, 13:41:13 · Local run

FAILED

Browser **chromium 145.0.7632.6** Environment **UAT** Build **local** Executed by **Office**

Started **15 Oct 2026, 13:41:13** `https://uat.sprintnxt.in/NexGenV4Front`

Pass percentage

50%


5 of 10 executed tests passed · 2 skipped excluded

Total tests	Passed	Failed	Blocked
12	**5**	**3**	**2**
1 retried test	1 flaky (passed on retry)		setup / precondition

Skipped	Duration	Modules
2	**35.7 s**	**3**
	2 workers · test time 53.5 s	Admin, Login, Registration

Result distribution


12 tests in this run



Passed	5	41.7%
Failed	3	25%
Blocked	2	16.7%
Skipped	2	16.7%


Module-wise results

3 modules executed




Failure categories

Failed + blocked tests by root-cause category



Pass-rate trend

Last 2 run(s) · pass rate excludes skipped



Test cases

Showing 12 of 12 matching · 12 total

Login

5 passed · 2 failed · 0 blocked · 0 skipped

DEMO-003 ✕ Failed **Wrong password shows a lockout warning** 10.5 s

Login › Merchant login — `Expected a lockout warning, got:…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)

TEST DATA USED

No test data recorded

EXPECTED RESULT

Message warns about remaining attempts before lockout

ACTUAL RESULT

Not as expected: Expected a lockout warning, got: 'Invalid email or password' assert 'attempts remaining' in 'invalid email or password' + where 'invalid email or password' = <built-in method lower of str object at 0x0000023BA1FA4F80>() + where <built-in method lower of str object at 0x0000023BA1FA4F80> = 'Invalid email or password'.lower

FAILURE REASON ASSERTION FAILURE

```
Expected a lockout warning, got: 'Invalid email or password' assert 'attempts remaining' in 'invalid email or password' + where 'invalid email or password' = <built-in method lower of str object at 0x0000023BA1FA4F80>() + where <built-in method lower of str object at 0x0000023BA1FA4F80> = 'Invalid email or password'.lower
```

EXECUTION

Test case ID	`DEMO-003`
Status	✕ **Failed**
Module	Login
Feature / flow	Merchant login
Type	Negative · Security
Started	15 Oct 2026, 13:41:19
Finished	15 Oct 2026, 13:41:30
Duration	10.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	gw1
Markers	login
Location	`examples\reporting_demo\test_reporting_demo.py:125`
Node ID	`examples/reporting_demo/test_reporting_demo.py::test_wrong_password_warns_about_lockout[chromium]`

STEPS EXECUTED

✓ 1. Open the login page — 209 ms, +7.64 s


→ Navigated to https://demo.sprintnxt.local/login — +7.75 s

✓ 2. Log in as qa.merchant@sprintnxt.in — 676 ms, +7.85 s

`email="qa.merchant@sprintnxt.in", password="Wrong@123456"`

✓ 3. Read the error message — 280 ms, +8.53 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/demo-003_a1_2.webm` Open

Playwright trace traces/demo-003_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_13-41-13_demo-parallel/traces/demo-003_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
demo = <test_reporting_demo.DemoLoginPage object at 0x0000023BA1EA5D30>

    @pytest.mark.login
    @tc("DEMO-003", "Wrong password shows a lockout warning", feature="Merchant login",
        types=["Negative", "Security"], expected="Message warns about remaining attempts before
lockout")
    def test_wrong_password_warns_about_lockout(demo):
        demo.login("qa.merchant@sprintnxt.in", "Wrong@123456")
        message = demo.error()
>       assert "attempts remaining" in message.lower(), f"Expected a lockout warning, got:
{message!r}"
E       AssertionError: Expected a lockout warning, got: 'Invalid email or password'
E       assert 'attempts remaining' in 'invalid email or password'
E        +  where 'invalid email or password' = <built-in method lower of str object at
0x0000023BA1FA4F80>()
E        +    where <built-in method lower of str object at 0x0000023BA1FA4F80> = 'Invalid email
or password'.lower

examples\reporting_demo\test_reporting_demo.py:131: AssertionError
```

API CALLS

POST	401	/api/auth/login	73 ms	+8.64 s

CONSOLE ERRORS

ERROR	+7.83 s	Failed to load resource: the server responded with a status of 404 (Not Found) https://demo.sprintnxt.local/static/analytics.js:0
ERROR	+8.58 s	Failed to load resource: the server responded with a status of 401 (Unauthorized) https://demo.sprintnxt.local/api/auth/login:0
ERROR	+8.64 s	Login failed: 401 Invalid email or password https://demo.sprintnxt.local/login:17

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
GET	404	https://demo.sprintnxt.local/static/analytics.js	script	+7.83 s
POST	401	https://demo.sprintnxt.local/api/auth/login	fetch	+8.58 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   DEMO-003
```

```
examples/reporting_demo/test_reporting_demo.py::test_wrong_password_warns_about_lockout[chromium
]
```

DEMO-004 | ✕ Failed | **Dashboard shows the merchant profile widget** | Login › Dashboard — `TimeoutError: Locator.wait_for: Tim…` | 6.49 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)

TEST DATA USED

No test data recorded

EXPECTED RESULT

Profile widget shows the merchant's business name

ACTUAL RESULT

Not as expected: TimeoutError: Locator.wait_for: Timeout 2500ms exceeded.

FAILURE REASON

ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.wait_for: Timeout 2500ms exceeded.
```

EXECUTION

Test case ID	DEMO-004
Status	✕ Failed
Module	Login
Feature / flow	Dashboard
Type	Functional, UI/UX
Started	15 Oct 2026, 13:41:30
Finished	15 Oct 2026, 13:41:36
Duration	6.49 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	gw1
Markers	login
Location	`examples\reporting_demo\test_reporting_demo.py:135`
Node ID	`examples/reporting_demo/test_reporting_demo.py::test_dashboard_profile_widget[chromium]`

STEPS EXECUTED


✓ 1. Open the login page — 120 ms, +492 ms

→ Navigated to https://demo.sprintnxt.local/login — +552 ms

✓ 2. Log in as qa.merchant@sprintnxt.in — 334 ms, +613 ms
`email="qa.merchant@sprintnxt.in", password="Correct@12345"`

✗ 3. **Wait for the profile widget** — 2.57 s, +947 ms
`TimeoutError: Locator.wait_for: Timeout 2500ms exceeded.`

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/demo-004_a1_2.webm` Open

Playwright trace traces/demo-004_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_13-41-13_demo-parallel/traces/demo-004_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
demo = <test_reporting_demo.DemoLoginPage object at 0x0000023BA1FE5BD0>

    @pytest.mark.login
    @tc("DEMO-004", "Dashboard shows the merchant profile widget", feature="Dashboard",
        types=["Functional", "UI/UX"], expected="Profile widget shows the merchant's business
name")
    def test_dashboard_profile_widget(demo):
        demo.login("qa.merchant@sprintnxt.in", "Correct@12345")
        with step("Wait for the profile widget"):
>           demo.page.locator("#profile .business-name").wait_for(timeout=2500)

examples\reporting_demo\test_reporting_demo.py:141:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:18074: in wait_for
    self._sync(self._impl_obj.wait_for(timeout=timeout, state=state))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:710: in wait_for
    await self._frame.wait_for_selector(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:369:
```

```
in wait_for_selector
    await self._channel.send(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x0000023BA1B42270>
cb = <function Channel.send.<locals>.<lambda> at 0x0000023BA1F02F20>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.wait_for: Timeout 2500ms exceeded.
E           Call log:
E             - waiting for locator("#profile .business-name") to be visible

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/api/auth/login	19 ms	+991 ms
GET	500	/api/profile	57 ms	+1.06 s

CONSOLE ERRORS

ERROR	+600 ms	Failed to load resource: the server responded with a status of 404 (Not Found) https://demo.sprintnxt.local/static/analytics.js:0
ERROR	+1.02 s	Failed to load resource: the server responded with a status of 500 (Internal Server Error) https://demo.sprintnxt.local/api/profile:0
ERROR	+1.02 s	Profile widget failed: HTTP 500 https://demo.sprintnxt.local/login:16

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
GET	404	https://demo.sprintnxt.local/static/analytics.js	script	+599 ms
GET	500	https://demo.sprintnxt.local/api/profile	fetch	+1.02 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   DEMO-004
examples/reporting_demo/test_reporting_demo.py::test_dashboard_profile_widget[chromium]
```

DEMO-001	✓ Passed	**Merchant logs in with valid credentials** Login › Merchant login	9.20 s
DEMO-002[em…	✓ Passed	**Login rejects a malformed email [empty]** Login › Merchant login	3.68 s
DEMO-002[mi…	✓ Passed	**Login rejects a malformed email [missing-domain]** Login › Merchant login	3.44 s
DEMO-002[no…	✓ Passed	**Login rejects a malformed email [no-at]** Login › Merchant login	1.79 s
DEMO-009	✓ Passed	**Session banner appears after login** Login › Session	2.18 s

Registration 0 passed · 1 failed · 1 blocked · 2 skipped

DEMO-005 ✕ Failed **Send OTP for email verification**
Registration › Email OTP — `Locator expected to be visible ...` 6.74 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)

TEST DATA USED

No test data recorded

EXPECTED RESULT

OTP is sent and the OTP dialog opens

ACTUAL RESULT

Not as expected: Locator expected to be visible Actual value: None Error: element(s) not found

FAILURE REASON RATE LIMITED (HTTP 429)

```
Locator expected to be visible Actual value: None Error: element(s) not found
```

EXECUTION

Test case ID	DEMO-005
Status	✕ Failed
Module	Registration
Feature / flow	Email OTP
Type	Functional API
Started	15 Oct 2026, 13:41:30
Finished	15 Oct 2026, 13:41:37
Duration	6.74 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	gw0
Markers	registration
Location	examples\reporting_demo\test_reporting_demo.py:145
Node ID	examples/reporting_demo/test_reporting_demo.py::test_send_otp_rate_limited[chromium]

STEPS EXECUTED


✓ 1. Open the login page — 103 ms, +524 ms

→ Navigated to https://demo.sprintnxt.local/login — +573 ms

✓ 2. Log in as ratelimit.user@sprintnxt.in — 185 ms, +629 ms

`email="ratelimit.user@sprintnxt.in", password="Correct@12345"`

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/demo-005_a1_2.webm` Open

Playwright trace traces/demo-005_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_13-41-13_demo-parallel/traces/demo-005_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
demo = <test_reporting_demo.DemoLoginPage object at 0x000001E06E850E10>

    @pytest.mark.registration
    @tc("DEMO-005", "Send OTP for email verification", module="Registration", feature="Email
OTP",
        types=["Functional", "API"], expected="OTP is sent and the OTP dialog opens")
    def test_send_otp_rate_limited(demo):
        demo.login("ratelimit.user@sprintnxt.in", "Correct@12345")
>       expect(demo.page.locator("#welcome")).to_be_visible(timeout=2500)
E       AssertionError: Locator expected to be visible
E       Actual value: None
E       Error: element(s) not found
E       Call log:
E         - Expect "to_be_visible" with timeout 2500ms
E         - waiting for locator("#welcome")

examples\reporting_demo\test_reporting_demo.py:150: AssertionError
```

API CALLS

POST	429	/api/auth/login	13 ms	+848 ms

CONSOLE ERRORS

ERROR	+591 ms	Failed to load resource: the server responded with a status of 404 (Not Found) https://demo.sprintnxt.local/static/analytics.js:0
ERROR	+839 ms	Failed to load resource: the server responded with a status of 429 (Too Many Requests) https://demo.sprintnxt.local/api/auth/login:0
ERROR	+847 ms	Login failed: 429 Too many attempts from this network. Please try again in 44 minutes. https://demo.sprintnxt.local/login:17

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
GET	404	https://demo.sprintnxt.local/static/analytics.js	script	+590 ms
POST	429	https://demo.sprintnxt.local/api/auth/login	fetch	+839 ms

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   DEMO-005
examples/reporting_demo/test_reporting_demo.py::test_send_otp_rate_limited[chromium]
```

DEMO-008 | Blocked | **Seeded merchant data is available** | 3.11 s

Registration › Test data seeding — `ConnectionError: Seed-dat…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): ConnectionError: Seed-data service unreachable: POST http://seed.local/merchants -> ECONNREFUSED

FAILURE REASON SETUP / PRECONDITION

```
ConnectionError: Seed-data service unreachable: POST http://seed.local/merchants -> ECONNREFUSED
```

EXECUTION

Test case ID	DEMO-008
Status	Blocked
Module	Registration
Feature / flow	Test data seeding
Type	Integration
Started	15 Oct 2026, 13:41:38
Finished	15 Oct 2026, 13:41:42
Duration	3.11 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	gw1
Markers	registration
Location	examples\reporting_demo\test_reporting_demo.py:168
Node ID	examples/reporting_demo/test_reporting_demo.py::test_needs_seed_service[chromium]

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Setup failure screenshot

Video recording `videos/demo-008_a1_2.webm` Open

Playwright trace traces/demo-008_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_13-41-13_demo-parallel/traces/demo-008_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
page = <Page url='about:blank'>

    @pytest.fixture
    def broken_backend(page: Page):
>       raise ConnectionError("Seed-data service unreachable: POST http://seed.local/merchants -
> ECONNREFUSED")
E       ConnectionError: Seed-data service unreachable: POST http://seed.local/merchants ->
ECONNREFUSED

examples\reporting_demo\test_reporting_demo.py:96: ConnectionError
```

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   DEMO-008
examples/reporting_demo/test_reporting_demo.py::test_needs_seed_service[chromium]
```

DEMO-007	Skipped	**Bulk-import merchants from CSV** Registration › Bulk import	1.69 s
DEMO-010	Skipped	**Password longer than 15 characters is rejected** Registration › Password policy	2.50 s

Admin 0 passed · 0 failed · 1 blocked · 0 skipped

DEMO-006 | Blocked | **Admin activates a newly registered merchant** | 2.24 s

Admin › Merchant activation — `Admin URL/credentials not p…`

PRECONDITIONS

1. Admin credentials configured

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Admin URL/credentials not provided (SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS)

FAILURE REASON PRECONDITION NOT MET

```
Admin URL/credentials not provided (SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS)
```

EXECUTION

Test case ID	DEMO-006
Status	Blocked
Module	Admin
Feature / flow	Merchant activation
Type	Functional, Integration
Started	15 Oct 2026, 13:41:36
Finished	15 Oct 2026, 13:41:38
Duration	2.24 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	gw1
Markers	admin
Location	examples\reporting_demo\test_reporting_demo.py:154
Node ID	examples/reporting_demo/test_reporting_demo.py::test_admin_activation[chromium]

STEPS EXECUTED

✓ 1. Open the login page 152 ms
+1.37 s

→ Navigated to https://demo.sprintnxt.local/login
+1.46 s

CONSOLE ERRORS

ERROR +1.51 s `Failed to load resource: the server responded with a status of 404 (Not Found)`
`https://demo.sprintnxt.local/static/analytics.js:0`

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
GET	404	https://demo.sprintnxt.local/static/analytics.js	script	+1.51 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   DEMO-006
examples/reporting_demo/test_reporting_demo.py::test_admin_activation[chromium]
```

Failure summary


5 test(s) need attention: 3 failed, 2 blocked. Most affected modules: **Login** (2), **Registration** (2), **Admin** (1).

Assertion Failure 1

✕ **Failed** DEMO-003

Wrong password shows a lockout warning

Login › Merchant login · 10.5 s



```
Expected a lockout warning, got: 'Invalid email or password' assert 'attempts
remaining' in 'invalid email or password' + where 'invalid email or password' =
<built-in method lower of str object at 0x0000023BA1FA4F80>() + where <built-in
method lower of str object at 0x0000023BA1FA4F80> = 'Invalid email or
password'.lower
```


Element Not Found / Not Actionable 1

✕ Failed DEMO-004

Dashboard shows the merchant profile widget

Login › Dashboard · 6.49 s

```
TimeoutError: Locator.wait_for: Timeout 2500ms exceeded.
```




Rate Limited (HTTP 429) 1

✕ Failed DEMO-005

Send OTP for email verification

Registration › Email OTP · 6.74 s

```
Locator expected to be visible Actual value: None Error: element(s) not found
```



Precondition Not Met 1

⊘ Blocked DEMO-006

Admin activates a newly registered merchant

Admin › Merchant activation · 2.24 s

```
Admin URL/credentials not provided (SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS)
```

Setup / Precondition 1

⊘ Blocked DEMO-008

Seeded merchant data is available

Registration › Test data seeding · 3.11 s

```
ConnectionError: Seed-data service unreachable: POST http://seed.local/merchants
-> ECONNREFUSED
```

Run details

Execution

Run ID	`2026-10-15_13-41-13_demo-parallel`
Run name	Demo - parallel
Started	15 Oct 2026, 13:41:13
Finished	15 Oct 2026, 13:41:49
Duration	35.7 s
Workers	2
pytest exit status	1
Command	`pytest examples/reporting_demo --report-name Demo - parallel -n 2 -p no:cacheprovider -q`
Run folder	`reports/runs/2026-10-15_13-41-13_demo-parallel`

Environment

Environment	UAT
Application URL	https://uat.sprintnxt.in/NexGenV4Front
Browser	chromium 145.0.7632.6
Build / release	local
Executed by	Office
CI	Local
Host	DESKTOP-0EGM1TC
Platform	Windows 10 (AMD64)
Python	3.13.3
pytest	9.0.2
Playwright	1.58.0

Generated 15 Oct 2026, 13:41:49 · pytest 9.0.2 · Playwright 1.58.0 · Python 3.13.3 · Windows 10 (AMD64)