SprintNXT · Execution report — Full suite

2026-10-15_15-04-03_full-suite · 15 Oct 2026, 15:04:03 · Local run

FAILED

Browser **chromium 145.0.7632.6** Environment **UAT** Build **local** Executed by **Office**

Started **15 Oct 2026, 15:04:03** `https://uat.sprintnxt.in/NexGenV4Front`

Pass percentage

2.5%

2 of 80 executed tests passed · 1 skipped excluded

Total tests	Passed	Failed	Blocked
81	2	64	14
0 retried tests			setup / precondition

Skipped	Duration	Modules
1	22m 28s	6
	test time 22m 25s	Admin, Change Password, End-to-End, Forgot Password, Login,...

Result distribution

81 tests in this run



Passed	2	2.5%
Failed	64	79%
Blocked	14	17.3%
Skipped	1	1.2%

Module-wise results

6 modules executed

Passed Failed Blocked Skipped



Failure categories

Failed + blocked tests by root-cause category



Pass-rate trend

Last 4 run(s) · pass rate excludes skipped



Test cases

Showing 81 of 81 matching · 81 total

Forgot Password 1 passed · 11 failed · 0 blocked · 0 skipped

FPW-7AA29[d… ✕ Failed **Forgot invalid email format [double-at]** 18.5 s

Forgot Password › Forgot password — `TimeoutError: Locator…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user@@domain.com
reason	double-at

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[double-at]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:17:31
Finished	15 Oct 2026, 15:17:50
Duration	18.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-double-at]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 975 ms, +196 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +371 ms

✕ 2. **Request a reset link for 'user@@domain.com'** — 15.3 s, +1.17 s

`email="user@@domain.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-double-at_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-double-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-double-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x000001963C22B9B0>
email = 'user@@domain.com', reason = 'double-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639CF8180>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	133 ms	+1.27 s

CONSOLE ERRORS

WARNING	+6.30 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[double-at]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-double-at]
```

FPW-7AA29[e… ✕ Failed **Forgot invalid email format [empty]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 21.5 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	"" (empty)
reason	empty

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[empty]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:25:29
Finished	15 Oct 2026, 15:25:50
Duration	21.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-empty]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 4.78 s, +179 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +368 ms

✕ 2. **Request a reset link for ''** — 15.3 s, +4.96 s

`email=""`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +5.11 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-empty_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x000001963D44D6D0>
email = '', reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C42B380>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
```

```
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	76 ms	+5.05 s

CONSOLE ERRORS

WARNING	+5.91 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[empty]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-empty]
```

FPW-7AA29[i… ✕ Failed **Forgot invalid email format [illegal-chars]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 17.9 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user!#@domain.com
reason	illegal-chars

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[illegal-chars]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:21:50
Finished	15 Oct 2026, 15:22:08
Duration	17.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-illegal-chars]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.09 s (+166 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+348 ms)

✕ 2. **Request a reset link for 'user!#@domain.com'** — 15.3 s (+1.25 s)

`email="user!#@domain.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-illegal-chars_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-illegal-chars_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-illegal-chars_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x000001963B5A6150>
email = 'user!#@domain.com', reason = 'illegal-chars'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CC0CFE0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	106 ms	+1.36 s

CONSOLE ERRORS

WARNING +2.34 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[illegal-chars]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-illegal-chars]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-at]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 21.1 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	missingatsign.com
reason	missing-at

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-at]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:10:00
Finished	15 Oct 2026, 15:10:21
Duration	21.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-at]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.29 s (+1.20 s)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+1.39 s)

✕ 2. **Request a reset link for 'missingatsign.com'** — 15.4 s (+2.49 s)

`email="missingatsign.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-at_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-missing-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000196399F5E00>
email = 'missingatsign.com', reason = 'missing-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639FC28E0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	387 ms	+2.89 s

CONSOLE ERRORS

WARNING +8.45 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[missing-at]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-at]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-domain]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 18.2 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user@
reason	missing-domain

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-domain]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:12:27
Finished	15 Oct 2026, 15:12:46
Duration	18.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-domain]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 871 ms, +310 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +473 ms

✕ 2. **Request a reset link for 'user@'** — 15.3 s, +1.18 s

`email="user@"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-domain_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-missing-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000196398F3410>
email = 'user@', reason = 'missing-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639A90B80>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	83 ms	+1.25 s

CONSOLE ERRORS

WARNING	+2.31 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[missing-domain]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-domain]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-local]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 20.9 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	@nouser.com
reason	missing-local

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-local]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:23:51
Finished	15 Oct 2026, 15:24:12
Duration	20.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-local]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 3.44 s
+244 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+401 ms

✕ 2. **Request a reset link for '@nouser.com'** — 15.3 s
`email="@nouser.com"` +3.68 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+3.86 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-local_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-missing-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x0000019639B8E5D0>
email = '@nouser.com', reason = 'missing-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639D298A0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
```

```
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	83 ms	+3.76 s

CONSOLE ERRORS

WARNING +4.95 s

NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[missing-local]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-local]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-tld]** 18.1 s

Forgot Password › Forgot password — `TimeoutError: Locator…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user@domain
reason	missing-tld

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-tld]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:15:09
Finished	15 Oct 2026, 15:15:27
Duration	18.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-tld]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.22 s (+221 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+585 ms)

✕ 2. **Request a reset link for 'user@domain'** — 15.4 s (+1.44 s)

`email="user@domain"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-tld_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-tld_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-missing-tld_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x0000019639CF68B0>
email = 'user@domain', reason = 'missing-tld'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C652160>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               - waiting for element to be visible, enabled and stable
E               - element is not enabled
E             - retrying click action
E               - waiting for element to be visible, enabled and stable
E               - element is not stable
E             - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	86 ms	+1.52 s

CONSOLE ERRORS

WARNING	+2.52 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[missing-tld]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-tld]
```

FPW-7AA29[n… ✕ Failed **Forgot invalid email format [no-at-or-domain]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 21.2 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	plainaddress
reason	no-at-or-domain

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[no-at-or-domain]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:04:32
Finished	15 Oct 2026, 15:04:53
Duration	21.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-no-at-or-domain]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 2.62 s (+1.74 s)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+2.68 s)

✕ 2. **Request a reset link for 'plainaddress'** — 15.3 s (+4.36 s)

`email="plainaddress"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-no-at-or-domain_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-no-at-or-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-no-at-or-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000196398BCF50>
email = 'plainaddress', reason = 'no-at-or-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639D1F740>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	73 ms	+4.44 s

CONSOLE ERRORS

WARNING	+6.25 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[no-at-or-domain]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-no-at-or-domain]
```

FPW-7AA29[s… ✕ Failed **Forgot invalid email format [space-in-local]** 19.8 s

Forgot Password › Forgot password — `TimeoutError: Locator…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user name@domain.com
reason	space-in-local

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[space-in-local]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 15:19:49
Finished	15 Oct 2026, 15:20:09
Duration	19.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-space-in-local]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.03 s
+287 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+497 ms

✕ 2. **Request a reset link for 'user name@domain.com'** — 16.5 s
`email="user name@domain.com"`
+1.32 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+2.65 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-space-in-local_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-space-in-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-7aa29-space-in-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x000001963B5A4550>
email = 'user name@domain.com', reason = 'space-in-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C444040>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
```

```
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               29 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	1.34 s	+2.65 s

CONSOLE ERRORS

WARNING	+7.68 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-7AA29[space-in-local]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-space-in-local]
```

FPW-46640 | ✕ Failed | **Forgot empty** | Forgot Password › Forgot password — `TimeoutError: Locator...` | 17.8 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	FPW-46640
Status	✕ Failed
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative, Validation
Started	15 Oct 2026, 15:04:53
Finished	15 Oct 2026, 15:05:11
Duration	17.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password, negative
Location	tests\test_forgot_password.py:30
Node ID	tests/test_forgot_password.py::test_forgot_empty[chromium]

STEPS EXECUTED

✓ 1. Open Forgot Password 1.06 s
+186 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+371 ms

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-46640_a1_2.webm` Open

Playwright trace traces/fpw-46640_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-46640_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x000001963652E0D0>

    @pytest.mark.negative
    def test_forgot_empty(fp):
>       fp._submit().click()

tests\test_forgot_password.py:32:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639927920>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	112 ms	+1.37 s

CONSOLE ERRORS

WARNING	+2.67 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-46640
tests/test_forgot_password.py::test_forgot_empty[chromium]
```

FPW-FD211 ✕ Failed **Forgot valid email**
Forgot Password › Forgot password — `assert 'error' not in...` 7.99 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: assert 'error' not in 'error\nthe ...s not valid!' 'error' is contained here: error the provided information is not valid!

FAILURE REASON ASSERTION FAILURE

```
assert 'error' not in 'error\nthe ...s not valid!' 'error' is contained here: error the provided information is not valid!
```

EXECUTION

Test case ID	`FPW-FD211`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Functional
Started	15 Oct 2026, 15:04:24
Finished	15 Oct 2026, 15:04:32
Duration	7.99 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password positive
Location	`tests\test_forgot_password.py:14`
Node ID	`tests/test_forgot_password.py::test_forgot_valid_email[chromium]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.01 s (+337 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+569 ms)

✓ 2. Request a reset link for 'qa.auto+1792056865399553@gmail.com' — 1.69 s (+1.34 s)

`email="qa.auto+1792056865399553@gmail.com"`

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-fd211_a1_2.webm` Open

Playwright trace traces/fpw-fd211_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/fpw-fd211_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x0000019639C2C440>
config = <config.Config object at 0x0000019639442350>

    @pytest.mark.positive
    def test_forgot_valid_email(fp, config):
        email = config.merchant_email or unique_email()
        fp.request_reset(email)
        # expect a success / under-review message, not an error (tune to the real toast text)
>       assert "error" not in fp.result().lower()
E       AssertionError: assert 'error' not in 'error\nthe ...s not valid!'
E
E         'error' is contained here:
E           error
E           the provided information is not valid!

tests\test_forgot_password.py:19: AssertionError
```

API CALLS

POST	200	/usermanagement/site-settings	395 ms	+1.67 s
POST	201	/usermanagement/auth/sendOtp	1.48 s	+4.55 s

CONSOLE ERRORS

WARNING +6.12 s

NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   FPW-FD211
tests/test_forgot_password.py::test_forgot_valid_email[chromium]
```

FPW-0182C ✓ Passed **Reset for an unregistered email must not reveal that the account ...** 2.79 s
Forgot Password › Forgot password

Login

0 passed · 12 failed · 1 blocked · 0 skipped

LOGIN-002 ✕ Failed **Wrong password is rejected** Login › Merchant login — `TimeoutError: Locator.fill: Time…` 23.1 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	LOGIN-002
Status	✕ Failed
Module	Login
Feature / flow	Merchant login
Type	Negative, Security
Started	15 Oct 2026, 15:05:18
Finished	15 Oct 2026, 15:05:41
Duration	23.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, negative
Location	tests\test_login.py:32
Node ID	tests/test_login.py::test_login_wrong_password[chromium]

STEPS EXECUTED

✓ 1. Open the login page — 6.47 s (+437 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+943 ms)

✗ 2. **Log in as 'qa.auto+1792056925485350@gmail.com'** — 15.0 s (+6.91 s)

`email="qa.auto+1792056925485350@gmail.com", password="WrongPass@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+7.07 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-002_a1_2.webm` Open

Playwright trace traces/login-002_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-002_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x00000196398287D0>
config = <config.Config object at 0x0000019639442350>

    @pytest.mark.negative
    @tc("LOGIN-002", "Wrong password is rejected", feature="Merchant login",
        types=["Negative", "Security"], preconditions=[LOGIN_OPEN], expected="User stays off the
dashboard")
    def test_login_wrong_password(login, config):
        email = config.merchant_email or unique_email()
>       login.login(email, "WrongPass@123")

tests\test_login.py:37:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
```

```
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639A24B80>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	98 ms	+7.00 s

CONSOLE ERRORS

WARNING	+8.62 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-002
tests/test_login.py::test_login_wrong_password[chromium]
```

LOGIN-003 ✕ Failed **Unregistered email is rejected** 18.3 s

Login › Merchant login — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	LOGIN-003
Status	✕ Failed
Module	Login
Feature / flow	Merchant login
Type	Negative, Security
Started	15 Oct 2026, 15:05:41
Finished	15 Oct 2026, 15:06:00
Duration	18.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, negative
Location	tests\test_login.py:41
Node ID	tests/test_login.py::test_login_unregistered_email[chromium]

STEPS EXECUTED

✓ 1. Open the login page — 1.07 s (+317 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+522 ms)

✗ 2. **Log in as 'qa.auto+1792056943056874@gmail.com'** — 15.0 s (+1.39 s)

`email="qa.auto+1792056943056874@gmail.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-003_a1_2.webm` Open

Playwright trace traces/login-003_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-003_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963982BED0>

    @pytest.mark.negative
    @tc("LOGIN-003", "Unregistered email is rejected", feature="Merchant login",
        types=["Negative", "Security"], preconditions=[LOGIN_OPEN], expected="User stays off the
dashboard")
    def test_login_unregistered_email(login):
>       login.login(unique_email(), "Whatever@123")

tests\test_login.py:45:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
```

```
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639EC0180>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	81 ms	+1.48 s

CONSOLE ERRORS

WARNING	+2.38 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-003
tests/test_login.py::test_login_unregistered_email[chromium]
```

LOGIN-004[d… ✕ Failed **Malformed email cannot log in [double-at]** 18.5 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user@@domain.com
reason	double-at

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[double-at]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:17:50
Finished	15 Oct 2026, 15:18:08
Duration	18.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-double-at]`

STEPS EXECUTED

✓ 1. Open the login page — 1.89 s (+262 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+1.47 s)

✕ 2. **Log in as 'user@@domain.com'** — 15.0 s (+2.16 s)

`email="user@@domain.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-double-at_a1_2.webm` Open

Playwright trace traces/login-004-double-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-double-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963BDE3350>
email = 'user@@domain.com', reason = 'double-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639D1D580>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	77 ms	+2.24 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[double-at]
tests/test_login.py::test_login_invalid_email_format[chromium-double-at]
```

LOGIN-004[e… | ✕ Failed | **Malformed email cannot log in [empty]** | Login › Input validation — `TimeoutError: Locator.fill: Time…` | 17.7 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

`email`	`""` (empty)
`reason`	`empty`

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[empty]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:25:50
Finished	15 Oct 2026, 15:26:08
Duration	17.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-empty]`

STEPS EXECUTED

✓ 1. Open the login page — 912 ms, +239 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login — +409 ms

✕ 2. **Log in as ''** — 15.0 s, +1.15 s

`email="", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-empty_a1_2.webm` Open

Playwright trace traces/login-004-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963CC3AC10>, email = ''
reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CC4DC60>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	83 ms	+1.24 s

CONSOLE ERRORS

WARNING	+2.04 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[empty]
tests/test_login.py::test_login_invalid_email_format[chromium-empty]
```

LOGIN-004[i… | ✕ Failed | **Malformed email cannot log in [illegal-chars]** | Login › Input validation — `TimeoutError: Locator.fill: Time…` | 19.1 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user!#@domain.com
reason	illegal-chars

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[illegal-chars]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:22:08
Finished	15 Oct 2026, 15:22:27
Duration	19.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-illegal-chars]`

STEPS EXECUTED

✓ 1. Open the login page — 1.75 s (+195 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+347 ms)

✕ 2. **Log in as 'user!#@domain.com'** — 15.0 s (+1.95 s)

`email="user!#@domain.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-illegal-chars_a1_2.webm` Open

Playwright trace traces/login-004-illegal-chars_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-illegal-chars_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963A2FF890>
email = 'user!#@domain.com', reason = 'illegal-chars'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BF69440>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	113 ms	+2.08 s

CONSOLE ERRORS

WARNING	+2.83 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[illegal-chars]
tests/test_login.py::test_login_invalid_email_format[chromium-illegal-chars]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-at]**
Login › Input validation — `TimeoutError: Locator.fill: Time…` 20.0 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	missingatsign.com
reason	missing-at

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-at]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:10:21
Finished	15 Oct 2026, 15:10:41
Duration	20.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-at]`

STEPS EXECUTED

✓ 1. Open the login page — 2.82 s (+314 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+1.50 s)

✕ 2. **Log in as 'missingatsign.com'** — 15.1 s (+3.13 s)

`email="missingatsign.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+3.74 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-at_a1_2.webm` Open

Playwright trace traces/login-004-missing-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-missing-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963B59F1D0>
email = 'missingatsign.com', reason = 'missing-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C44E0C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	167 ms	+3.16 s

CONSOLE ERRORS

WARNING	+4.98 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[missing-at]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-at]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-domain]** 20.3 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user@
reason	missing-domain

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-domain]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:12:46
Finished	15 Oct 2026, 15:13:06
Duration	20.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-domain]`

STEPS EXECUTED

✓ 1. Open the login page — 3.45 s (+230 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+418 ms)

✕ 2. **Log in as 'user@'** — 15.0 s (+3.68 s)

`email="user@", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+3.80 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-domain_a1_2.webm` Open

Playwright trace traces/login-004-missing-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-missing-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963B683CE0>
email = 'user@', reason = 'missing-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BF060C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	69 ms	+3.76 s

CONSOLE ERRORS

WARNING	+4.81 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[missing-domain]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-domain]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-local]** 18.7 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	@nouser.com
reason	missing-local

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-local]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:24:12
Finished	15 Oct 2026, 15:24:31
Duration	18.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-local]`

STEPS EXECUTED

✓ 1. Open the login page — 1.63 s (+324 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+516 ms)

✕ 2. **Log in as '@nouser.com'** — 15.0 s (+1.95 s)

`email="@nouser.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+3.28 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-local_a1_2.webm` Open

Playwright trace traces/login-004-missing-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-missing-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963BED9A90>
email = '@nouser.com', reason = 'missing-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639911D00>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	156 ms	+2.09 s

CONSOLE ERRORS

WARNING	+6.94 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[missing-local]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-local]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-tld]** 22.8 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user@domain
reason	missing-tld

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-tld]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:15:27
Finished	15 Oct 2026, 15:15:50
Duration	22.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-tld]`

STEPS EXECUTED

✓ 1. Open the login page — 4.28 s (+2.21 s)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+2.41 s)

✕ 2. **Log in as 'user@domain'** — 15.0 s (+6.49 s)

`email="user@domain", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+6.63 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-tld_a1_2.webm` Open

Playwright trace traces/login-004-missing-tld_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-missing-tld_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x0000019639A38050>
email = 'user@domain', reason = 'missing-tld'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963D3EE200>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	86 ms	+6.58 s

CONSOLE ERRORS

WARNING	+7.99 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[missing-tld]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-tld]
```

LOGIN-004[n… ✕ Failed **Malformed email cannot log in [no-at-or-domain]**
Login › Input validation — `TimeoutError: Locator.fill: Time…` 21.5 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	plainaddress
reason	no-at-or-domain

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[no-at-or-domain]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:06:00
Finished	15 Oct 2026, 15:06:21
Duration	21.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-no-at-or-domain]`

STEPS EXECUTED

✓ 1. Open the login page — 4.17 s (+233 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+418 ms)

✕ 2. **Log in as 'plainaddress'** — 15.1 s (+4.41 s)

`email="plainaddress", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+4.82 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-no-at-or-domain_a1_2.webm` Open

Playwright trace traces/login-004-no-at-or-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-no-at-or-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x0000019639914FC0>
email = 'plainaddress', reason = 'no-at-or-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BF7B880>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	143 ms	+4.56 s

CONSOLE ERRORS

WARNING	+8.81 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[no-at-or-domain]
tests/test_login.py::test_login_invalid_email_format[chromium-no-at-or-domain]
```

LOGIN-004[s… ✕ Failed **Malformed email cannot log in [space-in-local]** 22.2 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user name@domain.com
reason	space-in-local

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[space-in-local]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 15:20:09
Finished	15 Oct 2026, 15:20:31
Duration	22.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-space-in-local]`

STEPS EXECUTED

✓ 1. Open the login page — 5.16 s (+311 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+486 ms)

✕ 2. **Log in as 'user name@domain.com'** — 15.1 s (+5.48 s)

`email="user name@domain.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+8.91 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-space-in-local_a1_2.webm` Open

Playwright trace traces/login-004-space-in-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-004-space-in-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001963B873250>
email = 'user name@domain.com', reason = 'space-in-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CA6F560>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	235 ms	+5.74 s

CONSOLE ERRORS

WARNING	+13.4 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-004[space-in-local]
tests/test_login.py::test_login_invalid_email_format[chromium-space-in-local]
```

LOGIN-005 ✕ Failed **Empty login form cannot be submitted** 18.6 s

Login › Input validation — `TimeoutError: Locator.click: Tim…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	LOGIN-005
Status	✕ Failed
Module	Login
Feature / flow	Input validation
Type	Negative, Validation
Started	15 Oct 2026, 15:06:21
Finished	15 Oct 2026, 15:06:40
Duration	18.6 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, negative
Location	tests\test_login.py:58
Node ID	tests/test_login.py::test_login_empty[chromium]

STEPS EXECUTED

✓ 1. Open the login page 1.34 s
+224 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login
+447 ms

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-005_a1_2.webm` Open

Playwright trace traces/login-005_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/login-005_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x0000019639876C40>

    @pytest.mark.negative
    @tc("LOGIN-005", "Empty login form cannot be submitted", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_empty(login):
>       login._login_btn().click()

tests\test_login.py:62:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C637880>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"log\s*in|sign\s*in",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 login-btn"> Sign In </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	124 ms	+1.67 s

CONSOLE ERRORS

WARNING	+6.19 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-005
tests/test_login.py::test_login_empty[chromium]
```

LOGIN-001 | Blocked | Activated merchant logs in with valid credentials | 4.67 s

Login › Merchant login — Set SNXT_MERCHANT_EMAIL and SNXT…

PRECONDITIONS

1. Login page is open
2. Seeded merchant is activated

TEST DATA USED

No test data recorded

EXPECTED RESULT

Merchant lands on the dashboard

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS for the positive login test

FAILURE REASON

PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS for the positive login test
```

EXECUTION

Test case ID	LOGIN-001
Status	Blocked
Module	Login
Feature / flow	Merchant login
Type	Functional, Smoke
Started	15 Oct 2026, 15:05:13
Finished	15 Oct 2026, 15:05:18
Duration	4.67 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, positive, smoke
Location	tests\test_login.py:19
Node ID	tests/test_login.py::test_login_valid[chromium]

STEPS EXECUTED

✓ 1. Open the login page 2.84 s
+276 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login
+439 ms

API CALLS

POST	200	/usermanagement/site-settings	243 ms	+3.27 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   LOGIN-001
tests/test_login.py::test_login_valid[chromium]
```

Registration

1 passed · 41 failed · 0 blocked · 0 skipped

REG-001 ✕ Failed **Register a new merchant with valid details** 26.3 s

Registration › Merchant signup — `TimeoutError: Locator.cli…`

PRECONDITIONS

1. Signup page is open
2. UAT OTP is fixed to SNXT_OTP (default 123456)

TEST DATA USED

person	`{"first_name":"Pushti","last_name":"Pant","business_name":"Memon, Sastry and Kala"}`

EXPECTED RESULT

Email and mobile verify via OTP and the 'Registration Successful' page is shown

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-001`
Status	✕ **Failed**
Module	Registration
Feature / flow	Merchant signup
Type	Functional · Smoke
Started	15 Oct 2026, 15:06:40
Finished	15 Oct 2026, 15:07:06
Duration	26.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	positive · registration · smoke
Location	`tests\test_registration.py:23`
Node ID	`tests/test_registration.py::test_register_happy_path[chromium]`

STEPS EXECUTED

✓ 1. Open the signup page — 914 ms, +192 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +386 ms

✕ 2. **Register merchant 'qa.auto+1792057001255939@gmail.com' / '7075397485'** — 22.8 s, +1.11 s

```
first="Pushti", last="Pant", business="Memon, Sastry and Kala",
email="qa.auto+1792057001255939@gmail.com", mobile="7075397485", password="vh9CBKL&XZkD",
confirm=null, verify_email=true, verify_mobile=true
```

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

✓ 3. Enter name 'Pushti Pant' and business 'Memon, Sastry and Kala' — 2.20 s, +1.11 s

```
first="Pushti", last="Pant", business="Memon, Sastry and Kala"
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +2.73 s

✓ 4. Enter email 'qa.auto+1792057001255939@gmail.com' — 78 ms, +3.31 s

```
email="qa.auto+1792057001255939@gmail.com"
```

✓ 5. Verify email with OTP — 2.85 s, +3.38 s

```
code=null
```

✓ 6. Enter mobile '7075397485' — 62 ms, +6.23 s

```
mobile="7075397485"
```

✓ 7. Verify mobile with OTP — 2.46 s
`code=null` — +6.29 s

✓ 8. Enter password and confirm password — 130 ms
`password="vh9CBKL&XZkD", confirm=null` — +8.76 s

✗ 9. **Click Sign Up** — 15.1 s
`TimeoutError: Locator.click: Timeout 15000ms exceeded.` — +8.89 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-001_a1_2.webm` Open

Playwright trace traces/reg-001_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-001_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963982BD90>

    @pytest.mark.positive
    @pytest.mark.smoke
    @tc("REG-001", "Register a new merchant with valid details", feature="Merchant signup",
        types=["Functional", "Smoke"], preconditions=[SIGNUP_OPEN, UAT_OTP],
        expected="Email and mobile verify via OTP and the 'Registration Successful' page is
shown")
    def test_register_happy_path(reg):
        p = valid_person()
        report.data("person", p)
>       reg.register(p["first_name"], p["last_name"], p["business_name"],
                     unique_email(), valid_mobile(), valid_password())

tests\test_registration.py:31:

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:139: in register
    self.submit()
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
```

```
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CB7FF60>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms
```

```
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	223 ms	+1.37 s
POST	200	/usermanagement/auth/signup/email/send-otp	873 ms	+4.72 s
POST	200	/usermanagement/auth/signup/email/verify-otp	134 ms	+6.50 s
POST	200	/usermanagement/auth/signup/mobile/send-otp	585 ms	+7.45 s
POST	200	/usermanagement/auth/signup/mobile/verify-otp	423 ms	+9.18 s

CONSOLE ERRORS

WARNING	+5.28 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-001
tests/test_registration.py::test_register_happy_path[chromium]
```

REG-002 | ✕ Failed | **Empty form cannot be submitted** | 22.0 s

Registration › Form validation — `TimeoutError: Locator.clic…`

PRECONDITIONS

1. Signup page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

Sign Up is blocked and required-field errors are shown

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	REG-002
Status	✕ Failed
Module	Registration
Feature / flow	Form validation
Type	Negative, Validation
Started	15 Oct 2026, 15:07:06
Finished	15 Oct 2026, 15:07:28
Duration	22.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative, registration
Location	tests\test_registration.py:38
Node ID	tests/test_registration.py::test_required_fields_block_submit[chromium]

STEPS EXECUTED

✓ 1. Open the signup page 4.56 s
+188 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up
+377 ms

✗ 2. **Click Sign Up** 15.0 s
+4.75 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up
+7.95 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-002_a1_2.webm` Open

Playwright trace traces/reg-002_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-002_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639AD2850>

    @pytest.mark.negative
    @tc("REG-002", "Empty form cannot be submitted", feature="Form validation",
        types=["Negative", "Validation"], preconditions=[SIGNUP_OPEN],
        expected="Sign Up is blocked and required-field errors are shown")
    def test_required_fields_block_submit(reg):
>       reg.submit()

tests\test_registration.py:43:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
```

```
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BD56C00>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               21 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	435 ms	+5.21 s

CONSOLE ERRORS

WARNING	+9.65 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-002
tests/test_registration.py::test_required_fields_block_submit[chromium]
```

REG-003[dou… ✕ Failed **Invalid email format is rejected [double-at]** Registration › Email validation — `TimeoutError: Locator.clic…` 22.9 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	user@@domain.com
reason	double-at

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[double-at]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:18:08
Finished	15 Oct 2026, 15:18:31
Duration	22.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-double-at]`

STEPS EXECUTED

✓ 1. Open the signup page — 5.39 s (+180 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+374 ms)

✓ 2. Enter name 'Noah Acharya' and business 'Desai, Khurana and Vig' — 477 ms (+5.58 s)

`first="Noah", last="Acharya", business="Desai, Khurana and Vig"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+5.73 s)

✓ 3. Enter email 'user@@domain.com' — 53 ms (+6.05 s)

`email="user@@domain.com"`

✕ 4. **Click Sign Up** — 15.0 s (+6.11 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-double-at_a1_2.webm` Open

Playwright trace traces/reg-003-double-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-double-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963A3E5790>
email = 'user@@domain.com', reason = 'double-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963A29B4C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms
E               - waiting for element to be visible, enabled and stable

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	122 ms	+5.70 s

CONSOLE ERRORS

WARNING	+8.90 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[double-at]
tests/test_registration.py::test_invalid_email_rejected[chromium-double-at]
```

REG-003[emp… ✕ Failed **Invalid email format is rejected [empty]** 23.1 s

Registration › Email validation — `TimeoutError: Locator.clic…`

PRECONDITIONS

1. Signup page is open

TEST DATA USED

`email`	`""` (empty)
`reason`	`empty`

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[empty]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:26:08
Finished	15 Oct 2026, 15:26:31
Duration	23.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-empty]`

STEPS EXECUTED

✓ 1. Open the signup page — 3.78 s (+288 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+504 ms)

✓ 2. Enter name 'Charles Pall' and business 'Chatterjee PLC' — 424 ms (+4.07 s)

`first="Charles", last="Pall", business="Chatterjee PLC"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+4.22 s)

✓ 3. Enter email '' — 48 ms (+4.49 s)

`email=""`

✕ 4. **Click Sign Up** — 15.0 s (+4.54 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-empty_a1_2.webm` Open

Playwright trace traces/reg-003-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963CEA3DD0>
email = '', reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963D3549A0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	73 ms	+4.14 s

CONSOLE ERRORS

WARNING +5.25 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[empty]
tests/test_registration.py::test_invalid_email_rejected[chromium-empty]
```

REG-003[ill… ✕ Failed **Invalid email format is rejected [illegal-chars]** Registration › Email validation — `TimeoutError: Locator.clic…` 20.1 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	user!#@domain.com
reason	illegal-chars

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[illegal-chars]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:22:27
Finished	15 Oct 2026, 15:22:47
Duration	20.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-illegal-chars]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.50 s (+259 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+540 ms)

✓ 2. Enter name 'Christopher Chanda' and business 'Chanda, Natt and Chandra' — 457 ms (+2.76 s)

`first="Christopher", last="Chanda", business="Chanda, Natt and Chandra"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+2.90 s)

✓ 3. Enter email 'user!#@domain.com' — 57 ms (+3.22 s)

`email="user!#@domain.com"`

✕ 4. **Click Sign Up** — 15.0 s (+3.27 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-illegal-chars_a1_2.webm` Open

Playwright trace traces/reg-003-illegal-chars_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-illegal-chars_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963B933950>
email = 'user!#@domain.com', reason = 'illegal-chars'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CB71800>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	76 ms	+2.84 s

CONSOLE ERRORS

WARNING +3.86 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[illegal-chars]
tests/test_registration.py::test_invalid_email_rejected[chromium-illegal-chars]
```

REG-003[mis… ✕ Failed **Invalid email format is rejected [missing-at]** Registration › Email validation — `TimeoutError: Locator.clic…` 21.0 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	missingatsign.com
reason	missing-at

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[missing-at]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:10:41
Finished	15 Oct 2026, 15:11:02
Duration	21.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-missing-at]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.09 s (+259 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+1.49 s)

✓ 2. Enter name 'Theodore Bahl' and business 'Goyal, Koshy and Sarma' — 1.08 s (+2.35 s)
`first="Theodore", last="Bahl", business="Goyal, Koshy and Sarma"`

✓ 3. Enter email 'missingatsign.com' — 498 ms (+3.43 s)
`email="missingatsign.com"`

✕ 4. **Click Sign Up** — 15.1 s (+3.93 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-missing-at_a1_2.webm` Open

Playwright trace traces/reg-003-missing-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-missing-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963C257980>
email = 'missingatsign.com', reason = 'missing-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963D2879C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
```

```
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	86 ms	+2.44 s

CONSOLE ERRORS

WARNING	+3.89 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[missing-at]
tests/test_registration.py::test_invalid_email_rejected[chromium-missing-at]
```

REG-003[mis… ✕ Failed **Invalid email format is rejected [missing-domain]**
Registration › Email validation — `TimeoutError: Locator.clic…` 31.0 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	user@
reason	missing-domain

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[missing-domain]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:13:06
Finished	15 Oct 2026, 15:13:37
Duration	31.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-missing-domain]`

STEPS EXECUTED

✓ 1. Open the signup page — 5.65 s (+201 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+359 ms)

✓ 2. Enter name 'Caleb Srinivas' and business 'Dalal Group' — 2.08 s (+5.86 s)
`first="Caleb", last="Srinivas", business="Dalal Group"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+7.52 s)

✓ 3. Enter email 'user@' — 170 ms (+7.94 s)
`email="user@"`

✕ 4. **Click Sign Up** — 15.2 s (+8.11 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-missing-domain_a1_2.webm` Open

Playwright trace traces/reg-003-missing-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-missing-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963CFEC110>
email = 'user@', reason = 'missing-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C7CF060>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms
E               - waiting for element to be visible, enabled and stable

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	160 ms	+6.02 s

CONSOLE ERRORS

WARNING	+10.1 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[missing-domain]
tests/test_registration.py::test_invalid_email_rejected[chromium-missing-domain]
```

REG-003[mis… ✕ Failed **Invalid email format is rejected [missing-local]** Registration › Email validation — `TimeoutError: Locator.clic…` 18.3 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	@nouser.com
reason	missing-local

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[missing-local]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:24:31
Finished	15 Oct 2026, 15:24:49
Duration	18.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-missing-local]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.01 s (+213 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+460 ms)

✓ 2. Enter name 'Rayaan Roy' and business 'Barad and Sons' — 462 ms (+1.22 s)
`first="Rayaan", last="Roy", business="Barad and Sons"`

✓ 3. Enter email '@nouser.com' — 458 ms (+1.69 s)
`email="@nouser.com"`

✕ 4. **Click Sign Up** — 15.0 s (+2.14 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-missing-local_a1_2.webm` Open

Playwright trace traces/reg-003-missing-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-missing-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963A07A9F0>
email = '@nouser.com', reason = 'missing-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963B6B0860>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
```

```
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	72 ms	+1.32 s

CONSOLE ERRORS

WARNING	+2.33 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[missing-local]
tests/test_registration.py::test_invalid_email_rejected[chromium-missing-local]
```

REG-003[mis… ✕ Failed **Invalid email format is rejected [missing-tld]**
Registration › Email validation — `TimeoutError: Locator.clic…` 18.9 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	user@domain
reason	missing-tld

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[missing-tld]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:15:50
Finished	15 Oct 2026, 15:16:09
Duration	18.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-missing-tld]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.36 s (+299 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+514 ms)

✓ 2. Enter name 'Devansh Kibe' and business 'Deshmukh, Prabhakar and Kapoor' — 487 ms (+1.66 s)
`first="Devansh", last="Kibe", business="Deshmukh, Prabhakar and Kapoor"`

✓ 3. Enter email 'user@domain' — 224 ms (+2.15 s)
`email="user@domain"`

✕ 4. **Click Sign Up** — 15.0 s (+2.37 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-missing-tld_a1_2.webm` Open

Playwright trace traces/reg-003-missing-tld_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-missing-tld_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639C76F00>
email = 'user@domain', reason = 'missing-tld'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BE2BEC0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
```

```
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	76 ms	+1.74 s

CONSOLE ERRORS

WARNING	+2.84 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[missing-tld]
tests/test_registration.py::test_invalid_email_rejected[chromium-missing-tld]
```

REG-003[no-… ✕ Failed **Invalid email format is rejected [no-at-or-domain]** Registration › Email validation — `TimeoutError: Locator.clic…` 20.0 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	plainaddress
reason	no-at-or-domain

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[no-at-or-domain]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:07:28
Finished	15 Oct 2026, 15:07:48
Duration	20.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-no-at-or-domain]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.60 s (+368 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+534 ms)

✓ 2. Enter name 'Manthan Bir' and business 'Keer, Khare and Raju' — 437 ms (+1.97 s)
`first="Manthan", last="Bir", business="Keer, Khare and Raju"`

✓ 3. Enter email 'plainaddress' — 63 ms (+2.41 s)
`email="plainaddress"`

✕ 4. **Click Sign Up** — 15.0 s (+2.47 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-no-at-or-domain_a1_2.webm` Open

Playwright trace traces/reg-003-no-at-or-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-no-at-or-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x00000196398749D0>
email = 'plainaddress', reason = 'no-at-or-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963D00D1C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
```

```
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	107 ms	+2.07 s

CONSOLE ERRORS

WARNING	+3.52 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[no-at-or-domain]
tests/test_registration.py::test_invalid_email_rejected[chromium-no-at-or-domain]
```

REG-003[spa… ✕ Failed **Invalid email format is rejected [space-in-local]** Registration › Email validation — `TimeoutError: Locator.clic…` 18.4 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

email	user name@domain.com
reason	space-in-local

EXPECTED RESULT

Email is not verified and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-003[space-in-local]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Email validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:20:31
Finished	15 Oct 2026, 15:20:49
Duration	18.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:48`
Node ID	`tests/test_registration.py::test_invalid_email_rejected[chromium-space-in-local]`

STEPS EXECUTED

✓ 1. Open the signup page — 945 ms, +243 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +431 ms

✓ 2. Enter name 'Sanaya Sankar' and business 'Panchal-Desai' — 495 ms, +1.19 s
`first="Sanaya", last="Sankar", business="Panchal-Desai"`

✓ 3. Enter email 'user name@domain.com' — 55 ms, +1.69 s
`email="user name@domain.com"`

✕ 4. **Click Sign Up** — 15.0 s, +1.74 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-003-space-in-local_a1_2.webm` Open

Playwright trace traces/reg-003-space-in-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-003-space-in-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963C93DBB0>
email = 'user name@domain.com', reason = 'space-in-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("REG-003", "Invalid email format is rejected", feature="Email validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Email is not verified and registration does not complete")
    def test_invalid_email_rejected(reg, email, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_email(email)
>       reg.submit()

tests\test_registration.py:57:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963A1BCC20>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
```

```
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	101 ms	+1.28 s

CONSOLE ERRORS

WARNING	+2.41 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-003[space-in-local]
tests/test_registration.py::test_invalid_email_rejected[chromium-space-in-local]
```

REG-004[all… ✕ Failed **Invalid mobile number is rejected [all-zeros]** Registration › Mobile validation — `TimeoutError: Locator.cli…` 20.6 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

`mobile`	`0000000000`
`reason`	`all-zeros`

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[all-zeros]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:22:47
Finished	15 Oct 2026, 15:23:08
Duration	20.6 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-all-zeros]`

STEPS EXECUTED

✓ 1. Open the signup page — 3.50 s, +285 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +474 ms

✓ 2. Enter name 'Udarsh Krish' and business 'Bir, Bhatia and Dutta' — 443 ms, +3.79 s

`first="Udarsh", last="Krish", business="Bir, Bhatia and Dutta"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +3.94 s

✓ 3. Enter mobile '0000000000' — 52 ms, +4.23 s

`mobile="0000000000"`

✕ 4. **Click Sign Up** — 15.0 s, +4.29 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-all-zeros_a1_2.webm` Open

Playwright trace traces/reg-004-all-zeros_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-all-zeros_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963CA5B770>
mobile = '0000000000', reason = 'all-zeros'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C9E5A80>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	79 ms	+3.88 s

CONSOLE ERRORS

WARNING	+4.99 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[all-zeros]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-all-zeros]
```

REG-004[con… ✕ Failed **Invalid mobile number is rejected [contains-space]** Registration › Mobile validation — `TimeoutError: Locator.cli…` 18.7 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

mobile	98765 43210
reason	contains-space

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[contains-space]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:18:31
Finished	15 Oct 2026, 15:18:50
Duration	18.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-contains-space]`

STEPS EXECUTED

✓ 1. Open the signup page — 977 ms (+190 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+365 ms)

✓ 2. Enter name 'Anay Guha' and business 'Acharya PLC' — 496 ms (+1.17 s)
`first="Anay", last="Guha", business="Acharya PLC"`

✓ 3. Enter mobile '98765 43210' — 53 ms (+1.67 s)
`mobile="98765 43210"`

✕ 4. **Click Sign Up** — 15.0 s (+1.72 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-contains-space_a1_2.webm` Open

Playwright trace traces/reg-004-contains-space_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-contains-space_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639E8EAB0>
mobile = '98765 43210', reason = 'contains-space'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CB7D080>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
```

```
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms
E               - waiting for element to be visible, enabled and stable

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	116 ms	+1.29 s

CONSOLE ERRORS

WARNING	+7.42 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[contains-space]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-contains-space]
```

REG-004[con… ✕ Failed **Invalid mobile number is rejected [contains-symbols]** Registration › Mobile validation — `TimeoutError: Locator.cli…` 18.0 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

`mobile`	`+91-9876543210`
`reason`	`contains-symbols`

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[contains-symbols]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:20:49
Finished	15 Oct 2026, 15:21:07
Duration	18.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-contains-symbols]`

STEPS EXECUTED

✓ 1. Open the signup page — 862 ms, +215 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +367 ms

✓ 2. Enter name 'Yasti Naidu' and business 'Solanki, Taneja and Baria' — 417 ms, +1.08 s

`first="Yasti", last="Naidu", business="Solanki, Taneja and Baria"`

✓ 3. Enter mobile '+91-9876543210' — 69 ms, +1.50 s

`mobile="+91-9876543210"`

✕ 4. **Click Sign Up** — 15.0 s, +1.56 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-contains-symbols_a1_2.webm` Open

Playwright trace traces/reg-004-contains-symbols_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-contains-symbols_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639B53110>
mobile = '+91-9876543210', reason = 'contains-symbols'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C6354E0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	73 ms	+1.14 s

CONSOLE ERRORS

WARNING	+2.34 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[contains-symbols]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-contains-symbols]
```

REG-004[emp… ✕ Failed **Invalid mobile number is rejected [empty]** 21.1 s

Registration › Mobile validation — `TimeoutError: Locator.cli…`

PRECONDITIONS

1. Signup page is open

TEST DATA USED

mobile	"" (empty)
reason	empty

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[empty]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:24:49
Finished	15 Oct 2026, 15:25:10
Duration	21.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-empty]`

STEPS EXECUTED

✓ 1. Open the signup page — 3.66 s (+198 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+369 ms)

✓ 2. Enter name 'Jai Dayal' and business 'Chander, Karnik and Iyer' — 433 ms (+3.86 s)

`first="Jai", last="Dayal", business="Chander, Karnik and Iyer"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+4.03 s)

✓ 3. Enter mobile '' — 133 ms (+4.29 s)

`mobile=""`

✕ 4. **Click Sign Up** — 15.1 s (+4.43 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-empty_a1_2.webm` Open

Playwright trace traces/reg-004-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963D0B6AB0>
mobile = '', reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CB66DE0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	73 ms	+3.96 s

CONSOLE ERRORS

WARNING	+5.06 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[empty]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-empty]
```

REG-004[inv… ✕ Failed **Invalid mobile number is rejected [invalid-start-digit]** Registration › Mobile validation — `TimeoutError: Locator.cli…` 19.2 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

`mobile`	`0123456789`
`reason`	`invalid-start-digit`

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[invalid-start-digit]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:16:09
Finished	15 Oct 2026, 15:16:28
Duration	19.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-invalid-start-digit]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.68 s (+223 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+470 ms)

✓ 2. Enter name 'Yashasvi Ray' and business 'Dube-Gopal' — 419 ms (+1.90 s)
`first="Yashasvi", last="Ray", business="Dube-Gopal"`

✓ 3. Enter mobile '0123456789' — 153 ms (+2.32 s)
`mobile="0123456789"`

✕ 4. **Click Sign Up** — 15.0 s (+2.48 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-invalid-start-digit_a1_2.webm` Open

Playwright trace traces/reg-004-invalid-start-digit_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-invalid-start-digit_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963A27E2D0>
mobile = '0123456789', reason = 'invalid-start-digit'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963B564900>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	77 ms	+1.99 s

CONSOLE ERRORS

WARNING	+3.24 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[invalid-start-digit]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-invalid-start-digit]
```

REG-004[non… ✕ Failed **Invalid mobile number is rejected [non-numeric]**
Registration › Mobile validation — `TimeoutError: Locator.cli…` 31.0 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

`mobile`	`98765abcde`
`reason`	`non-numeric`

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[non-numeric]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:13:37
Finished	15 Oct 2026, 15:14:08
Duration	31.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-non-numeric]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.39 s (+10.1 s)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+11.4 s)

✓ 2. Enter name 'Xavier Prasad' and business 'Pandey, Narayan and Amble' — 569 ms (+12.5 s)

`first="Xavier", last="Prasad", business="Pandey, Narayan and Amble"`

✓ 3. Enter mobile '98765abcde' — 267 ms (+13.1 s)

`mobile="98765abcde"`

✕ 4. **Click Sign Up** — 15.0 s (+13.3 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-non-numeric_a1_2.webm` Open

Playwright trace traces/reg-004-non-numeric_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-non-numeric_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639AB9A70>
mobile = '98765abcde', reason = 'non-numeric'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C231940>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
```

```
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	143 ms	+12.7 s

CONSOLE ERRORS

WARNING	+16.5 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[non-numeric]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-non-numeric]
```

REG-004[too… ✕ Failed **Invalid mobile number is rejected [too-long]**
Registration › Mobile validation — `TimeoutError: Locator.cli…` 21.1 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

mobile	12345678901234
reason	too-long

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[too-long]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:11:02
Finished	15 Oct 2026, 15:11:23
Duration	21.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-too-long]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.96 s (+612 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+780 ms)

✓ 2. Enter name 'Wyatt Puri' and business 'Rattan, Oza and Khatri' — 532 ms (+3.58 s)

`first="Wyatt", last="Puri", business="Rattan, Oza and Khatri"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+3.72 s)

✓ 3. Enter mobile '12345678901234' — 69 ms (+4.11 s)

`mobile="12345678901234"`

✕ 4. **Click Sign Up** — 15.0 s (+4.18 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-too-long_a1_2.webm` Open

Playwright trace traces/reg-004-too-long_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-too-long_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963B663A10>
mobile = '12345678901234', reason = 'too-long'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963A38CD60>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	76 ms	+3.67 s

CONSOLE ERRORS

WARNING	+4.94 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[too-long]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-too-long]
```

REG-004[too… ✕ Failed **Invalid mobile number is rejected [too-short]** Registration › Mobile validation — `TimeoutError: Locator.cli…` 19.2 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

`mobile`	`12345`
`reason`	`too-short`

EXPECTED RESULT

Registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-004[too-short]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Mobile validation
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:07:48
Finished	15 Oct 2026, 15:08:07
Duration	19.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:62`
Node ID	`tests/test_registration.py::test_invalid_mobile_rejected[chromium-too-short]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.85 s (+427 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+798 ms)

✓ 2. Enter name 'Baljiwan Rajagopal' and business 'Chad-Grover' — 472 ms (+2.28 s)
`first="Baljiwan", last="Rajagopal", business="Chad-Grover"`

✓ 3. Enter mobile '12345' — 80 ms (+2.75 s)
`mobile="12345"`

✕ 4. **Click Sign Up** — 15.0 s (+2.83 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-004-too-short_a1_2.webm` Open

Playwright trace traces/reg-004-too-short_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-004-too-short_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639875CD0>
mobile = '12345', reason = 'too-short'

    @pytest.mark.negative
    @pytest.mark.parametrize("mobile,reason", INVALID_MOBILES, ids=[r for _, r in
INVALID_MOBILES])
    @tc("REG-004", "Invalid mobile number is rejected", feature="Mobile validation",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete")
    def test_invalid_mobile_rejected(reg, mobile, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_mobile(mobile)
>       reg.submit()

tests\test_registration.py:71:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CA28860>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
```

```
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	98 ms	+2.40 s

CONSOLE ERRORS

WARNING	+3.57 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-004[too-short]
tests/test_registration.py::test_invalid_mobile_rejected[chromium-too-short]
```

REG-005[emp… ✕ Failed **Password violating the policy is rejected [empty]** 18.3 s

Registration › Password policy — `TimeoutError: Locator.clic…`

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	"" (empty)
reason	empty

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[empty]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:25:10
Finished	15 Oct 2026, 15:25:29
Duration	18.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-empty]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.10 s (+229 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+446 ms)

✓ 2. Enter name 'Rachit D'Alia' and business 'Shukla, Varghese and Edwin' — 547 ms (+1.33 s)
`first="Rachit", last="D'Alia", business="Shukla, Varghese and Edwin"`

✓ 3. Enter password and confirm password — 237 ms (+1.88 s)
`password="", confirm=""`

✕ 4. **Click Sign Up** — 15.0 s (+2.11 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-empty_a1_2.webm` Open

Playwright trace traces/reg-005-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963D03C170>
pw = '', reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C4109A0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
```

```
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms
E               - waiting for element to be visible, enabled and stable

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	107 ms	+1.44 s

CONSOLE ERRORS

WARNING	+2.63 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[empty]
```

```
tests/test_registration.py::test_invalid_password_rejected[chromium-empty]
```

REG-005[far… ✕ Failed **Password violating the policy is rejected [far-too-short]**
Registration › Password policy — `TimeoutError: Locator.clic…` 20.3 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	Ab@1
reason	far-too-short

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[far-too-short]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:23:08
Finished	15 Oct 2026, 15:23:28
Duration	20.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-far-too-short]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.95 s (+307 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+469 ms)

✓ 2. Enter name 'Darsh Kara' and business 'Raja-Peri' — 470 ms (+3.25 s)
`first="Darsh", last="Kara", business="Raja-Peri"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+3.41 s)

✓ 3. Enter password and confirm password — 99 ms (+3.73 s)
`password="Ab@1", confirm="Ab@1"`

✕ 4. **Click Sign Up** — 15.0 s (+3.83 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-far-too-short_a1_2.webm` Open

Playwright trace traces/reg-005-far-too-short_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-far-too-short_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963A0D6AB0>
pw = 'Ab@1', reason = 'far-too-short'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
```

```
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963B8C9080>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               29 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	102 ms	+3.37 s

CONSOLE ERRORS

WARNING	+4.53 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[far-too-short]
tests/test_registration.py::test_invalid_password_rejected[chromium-far-too-short]
```

REG-005[len… ✕ Failed **Password violating the policy is rejected [length-10-below-min]**
Registration › Password policy — `TimeoutError: Locator.clic…` 24.1 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	Ab@1234567
reason	length-10-below-min

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[length-10-below-min]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:08:07
Finished	15 Oct 2026, 15:08:31
Duration	24.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-length-10-below-min]`

STEPS EXECUTED

✓ 1. Open the signup page — 5.75 s (+190 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+413 ms)

✓ 2. Enter name 'Naveen Lall' and business 'Barad, Karpe and Hayre' — 511 ms (+5.94 s)

`first="Naveen", last="Lall", business="Barad, Karpe and Hayre"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+6.16 s)

✓ 3. Enter password and confirm password — 109 ms (+6.45 s)

`password="Ab@1234567", confirm="Ab@1234567"`

✕ 4. **Click Sign Up** — 15.0 s (+6.56 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-length-10-below-min_a1_2.webm` Open

Playwright trace traces/reg-005-length-10-below-min_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-length-10-below-min_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x00000196399715B0>
pw = 'Ab@1234567', reason = 'length-10-below-min'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
```

```
– – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – –

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963A4187C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	119 ms	+6.07 s

CONSOLE ERRORS

WARNING	+8.25 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[length-10-below-min]
tests/test_registration.py::test_invalid_password_rejected[chromium-length-10-below-min]
```

REG-005[len… ✕ Failed **Password violating the policy is rejected [length-16-above-max]**
Registration › Password policy — `TimeoutError: Locator.clic…` 24.5 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	Ab@1234567890123
reason	length-16-above-max

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[length-16-above-max]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:11:23
Finished	15 Oct 2026, 15:11:48
Duration	24.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-length-16-above-max]`

STEPS EXECUTED

✓ 1. Open the signup page — 5.86 s (+200 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+361 ms)

✓ 2. Enter name 'Yutika Dash' and business 'Mann, Patil and Bhatia' — 1.14 s (+6.06 s)

`first="Yutika", last="Dash", business="Mann, Patil and Bhatia"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+6.92 s)

✓ 3. Enter password and confirm password — 423 ms (+7.20 s)

`password="Ab@1234567890123", confirm="Ab@1234567890123"`

✕ 4. **Click Sign Up** — 15.0 s (+7.62 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-length-16-above-max_a1_2.webm` Open

Playwright trace traces/reg-005-length-16-above-max_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-length-16-above-max_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639C42CF0>
pw = 'Ab@1234567890123', reason = 'length-16-above-max'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
```

```
– – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – –

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BD265C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	177 ms	+6.31 s

CONSOLE ERRORS

WARNING	+8.80 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[length-16-above-max]
tests/test_registration.py::test_invalid_password_rejected[chromium-length-16-above-max]
```

REG-005[no-… ✕ Failed **Password violating the policy is rejected [no-digit]**
Registration › Password policy — `TimeoutError: Locator.clic…` 18.2 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	Abcd@efghijk
reason	no-digit

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[no-digit]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:18:50
Finished	15 Oct 2026, 15:19:08
Duration	18.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-no-digit]`

STEPS EXECUTED

✓ 1. Open the signup page — 924 ms, +234 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +467 ms

✓ 2. Enter name 'Aryan Kapur' and business 'Sodhi PLC' — 406 ms, +1.16 s
`first="Aryan", last="Kapur", business="Sodhi PLC"`

✓ 3. Enter password and confirm password — 85 ms, +1.56 s
`password="Abcd@efghijk", confirm="Abcd@efghijk"`

✕ 4. **Click Sign Up** — 15.0 s, +1.65 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-no-digit_a1_2.webm` Open

Playwright trace traces/reg-005-no-digit_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-no-digit_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639B1F230>
pw = 'Abcd@efghijk', reason = 'no-digit'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C7CCFE0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
```

```
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               - waiting for element to be visible, enabled and stable
E               - element is not stable
E             - retrying click action
E               - waiting for element to be visible, enabled and stable
E               - element is not enabled
E             - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	85 ms	+1.24 s

CONSOLE ERRORS

WARNING	+2.36 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[no-digit]
tests/test_registration.py::test_invalid_password_rejected[chromium-no-digit]
```

REG-005[no-… ✕ Failed **Password violating the policy is rejected [no-lowercase]** Registration › Password policy — TimeoutError: Locator.clic… 19.5 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	AB@123456789
reason	no-lowercase

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[no-lowercase]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:16:28
Finished	15 Oct 2026, 15:16:48
Duration	19.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-no-lowercase]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.24 s (+296 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+476 ms)

✓ 2. Enter name 'Naksh Tailor' and business 'Ahuja-Trivedi' — 421 ms (+2.54 s)

`first="Naksh", last="Tailor", business="Ahuja-Trivedi"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+2.70 s)

✓ 3. Enter password and confirm password — 130 ms (+2.96 s)

`password="AB@123456789", confirm="AB@123456789"`

✕ 4. **Click Sign Up** — 15.0 s (+3.09 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-no-lowercase_a1_2.webm` Open

Playwright trace traces/reg-005-no-lowercase_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-no-lowercase_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963C25E8D0>
pw = 'AB@123456789', reason = 'no-lowercase'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
```

```
– – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – – –

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963B82D940>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	90 ms	+2.63 s

CONSOLE ERRORS

WARNING	+3.86 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[no-lowercase]
tests/test_registration.py::test_invalid_password_rejected[chromium-no-lowercase]
```

REG-005[no-… ✕ Failed **Password violating the policy is rejected [no-special]** Registration › Password policy — `TimeoutError: Locator.clic…` 18.0 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	Abcd12345678
reason	no-special

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[no-special]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:21:07
Finished	15 Oct 2026, 15:21:25
Duration	18.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-no-special]`

STEPS EXECUTED

✓ 1. Open the signup page — 881 ms, +182 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +363 ms

✓ 2. Enter name 'Simon Goel' and business 'Sood-Khurana' — 397 ms, +1.06 s

`first="Simon", last="Goel", business="Sood-Khurana"`

✓ 3. Enter password and confirm password — 126 ms, +1.46 s

`password="Abcd12345678", confirm="Abcd12345678"`

✕ 4. **Click Sign Up** — 15.0 s, +1.59 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-no-special_a1_2.webm` Open

Playwright trace traces/reg-005-no-special_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-no-special_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639CEEE10>
pw = 'Abcd12345678', reason = 'no-special'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BD1C680>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
```

```
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	82 ms	+1.15 s

CONSOLE ERRORS

WARNING	+2.23 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[no-special]
tests/test_registration.py::test_invalid_password_rejected[chromium-no-special]
```

REG-005[no-… ✕ Failed **Password violating the policy is rejected [no-uppercase]** Registration › Password policy — TimeoutError: Locator.clic… 19.4 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

pw	ab@123456789
reason	no-uppercase

EXPECTED RESULT

Registration does not complete (policy: 12-15 chars, upper, lower, digit, special)

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-005[no-uppercase]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Password policy
Type	Negative · Validation · Boundary
Started	15 Oct 2026, 15:14:08
Finished	15 Oct 2026, 15:14:28
Duration	19.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:75`
Node ID	`tests/test_registration.py::test_invalid_password_rejected[chromium-no-uppercase]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.71 s (+186 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+364 ms)

✓ 2. Enter name 'Samaksh Nazareth' and business 'Balay, Badami and Vala' — 550 ms (+1.89 s)
`first="Samaksh", last="Nazareth", business="Balay, Badami and Vala"`

✓ 3. Enter password and confirm password — 328 ms (+2.44 s)
`password="ab@123456789", confirm="ab@123456789"`

✕ 4. **Click Sign Up** — 15.0 s (+2.77 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-005-no-uppercase_a1_2.webm` Open

Playwright trace traces/reg-005-no-uppercase_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-005-no-uppercase_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963BBA73E0>
pw = 'ab@123456789', reason = 'no-uppercase'

    @pytest.mark.negative
    @pytest.mark.parametrize("pw,reason", INVALID_PASSWORDS, ids=[r for _, r in
INVALID_PASSWORDS])
    @tc("REG-005", "Password violating the policy is rejected", feature="Password policy",
        types=["Negative", "Validation", "Boundary"], preconditions=[SIGNUP_OPEN],
        expected="Registration does not complete (policy: 12-15 chars, upper, lower, digit,
special)")
    def test_invalid_password_rejected(reg, pw, reason):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(pw, pw)
>       reg.submit()

tests\test_registration.py:84:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C7CDDA0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
```

```
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	89 ms	+1.99 s

CONSOLE ERRORS

WARNING	+3.60 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-005[no-uppercase]
tests/test_registration.py::test_invalid_password_rejected[chromium-no-uppercase]
```

REG-006 ✕ Failed **Password and confirm password must match**
Registration › Password policy — `TimeoutError: Locator.clic…` 19.1 s

PRECONDITIONS

1. Signup page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

A mismatch error is shown and registration does not complete

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	REG-006
Status	✕ Failed
Module	Registration
Feature / flow	Password policy
Type	Negative, Validation
Started	15 Oct 2026, 15:08:31
Finished	15 Oct 2026, 15:08:50
Duration	19.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative, registration
Location	tests\test_registration.py:88
Node ID	tests/test_registration.py::test_password_mismatch[chromium]

STEPS EXECUTED

✓ 1. Open the signup page — 1.12 s (+258 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+433 ms)

✓ 2. Enter name 'Nathaniel Comar' and business 'Bahl, Chanda and Basu' — 1.21 s (+1.38 s)
`first="Nathaniel", last="Comar", business="Bahl, Chanda and Basu"`

✓ 3. Enter password and confirm password — 265 ms (+2.60 s)
`password="IRnap1ahU7x@", confirm="o7D*ynH71SUTX"`

✗ 4. **Click Sign Up** — 15.0 s (+2.86 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-006_a1_2.webm` Open

Playwright trace traces/reg-006_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-006_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963A3DF460>

    @pytest.mark.negative
    @tc("REG-006", "Password and confirm password must match", feature="Password policy",
        types=["Negative", "Validation"], preconditions=[SIGNUP_OPEN],
        expected="A mismatch error is shown and registration does not complete")
    def test_password_mismatch(reg):
        p = valid_person()
        reg.fill_basic(p["first_name"], p["last_name"], p["business_name"])
        reg.fill_passwords(valid_password(), valid_password() + "X")
>       reg.submit()

tests\test_registration.py:96:

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
```

```
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639DA4900>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
```

```
E                   - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	113 ms	+1.50 s

CONSOLE ERRORS

WARNING +3.28 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-006
tests/test_registration.py::test_password_mismatch[chromium]
```

REG-008 ✕ Failed **Already-registered email cannot register again** 13.5 s

Registration › Duplicate detection — `assert False + where Fa…`

PRECONDITIONS

1. Signup page is open
2. UAT OTP is fixed to SNXT_OTP (default 123456)

TEST DATA USED

email	qa.auto+1792057136938399@gmail.com

EXPECTED RESULT

Second registration with the same email is blocked

ACTUAL RESULT

Not as expected: assert False + where False = is_registration_success() + where is_registration_success = <pages.registration_page.RegistrationPage object at 0x000001963BDBAF50>.is_registration_success

FAILURE REASON ASSERTION FAILURE

```
assert False + where False = is_registration_success() + where is_registration_success =
<pages.registration_page.RegistrationPage object at 0x000001963BDBAF50>.is_registration_success
```

EXECUTION

Test case ID	`REG-008`
Status	✕ **Failed**
Module	Registration
Feature / flow	Duplicate detection
Type	Negative · Functional
Started	15 Oct 2026, 15:08:54
Finished	15 Oct 2026, 15:09:07
Duration	13.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	negative · registration
Location	`tests\test_registration.py:113`
Node ID	`tests/test_registration.py::test_duplicate_email[chromium]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.08 s (+388 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +1.62 s

✓ 2. Register merchant 'qa.auto+1792057136938399@gmail.com' / '9768626410' — 7.09 s (+2.47 s)

```
first="Darika", last="Boase", business="Bhakta PLC", email="qa.auto+1792057136938399@gmail.com",
mobile="9768626410", password="OwNR1jVyyT!C", confirm=null, verify_email=true,
verify_mobile=true
```

✓ 3. Enter name 'Darika Boase' and business 'Bhakta PLC' — 490 ms (+2.47 s)

```
first="Darika", last="Boase", business="Bhakta PLC"
```

✓ 4. Enter email 'qa.auto+1792057136938399@gmail.com' — 50 ms (+2.96 s)

```
email="qa.auto+1792057136938399@gmail.com"
```

✓ 5. Verify email with OTP — 1.97 s (+3.01 s)

```
code=null
```

✓ 6. Enter mobile '9768626410' — 46 ms (+4.98 s)

```
mobile="9768626410"
```

✓ 7. Verify mobile with OTP — 4.31 s (+5.03 s)

```
code=null
```

✓ 8. Enter password and confirm password — 137 ms (+9.34 s)

```
password="OwNR1jVyyT!C", confirm=null
```

✓ 9. Click Sign Up 82 ms
+9.48 s

✓ 10. Check for the 'Registration Successful' page 1.92 s
+9.56 s

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/info-register-successfully
+11.4 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-008_a1_2.webm` Open

Playwright trace traces/reg-008_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-008_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963BDBAF50>
page = <Page url='https://uat.sprintnxt.in/NexGenV4Front/#/auth/info-register-successfully'>
config = <config.Config object at 0x0000019639442350>

    @pytest.mark.negative
    @tc("REG-008", "Already-registered email cannot register again", feature="Duplicate
detection",
        types=["Negative", "Functional"], preconditions=[SIGNUP_OPEN, UAT_OTP],
        expected="Second registration with the same email is blocked")
    def test_duplicate_email(reg, page, config):
        p = valid_person()
        email = unique_email()
        report.data("email", email)
        reg.register(p["first_name"], p["last_name"], p["business_name"],
                     email, valid_mobile(), valid_password())
>       assert reg.is_registration_success()
E       assert False
E        +  where False = is_registration_success()
E        +    where is_registration_success = <pages.registration_page.RegistrationPage object
at 0x000001963BDBAF50>.is_registration_success

tests\test_registration.py:123: AssertionError
```

API CALLS

POST	200	/usermanagement/site-settings	91 ms	+2.58 s
POST	200	/usermanagement/auth/signup/email/send-otp	684 ms	+4.07 s
POST	200	/usermanagement/auth/signup/email/verify-otp	2.50 s	+7.58 s
POST	200	/usermanagement/auth/signup/mobile/send-otp	220 ms	+8.20 s
POST	200	/usermanagement/auth/signup/mobile/verify-otp	108 ms	+9.46 s
POST	200	/usermanagement/auth/register	1.77 s	+11.4 s

CONSOLE ERRORS

WARNING	+4.78 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-008
tests/test_registration.py::test_duplicate_email[chromium]
```

REG-D66B9['… ✕ Failed **Sqli in name fields [' OR '1'='1]**

Registration › Registration security — `TimeoutError: Locator.…` 21.3 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	' OR '1'='1

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9[' OR '1'='1]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:09:07
Finished	15 Oct 2026, 15:09:29
Duration	21.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-' OR '1'='1]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.07 s, +234 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +402 ms

✓ 2. Enter name '' OR '1'='1 ' OR '1'='1' and business '' OR '1'='1' — 513 ms, +1.31 s

`first="' OR '1'='1", last="' OR '1'='1", business="' OR '1'='1"`

✓ 3. Enter email 'qa.auto+1792057149751589@gmail.com' — 65 ms, +1.82 s

`email="qa.auto+1792057149751589@gmail.com"`

✓ 4. Enter mobile '8198236312' — 197 ms, +1.89 s

`mobile="8198236312"`

✓ 5. Enter password and confirm password — 114 ms, +2.08 s

`password="#1IGPzwZEDjo", confirm=null`

✕ 6. **Click Sign Up** — 15.1 s, +2.20 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-or-1-1_a1_2.webm` Open

Playwright trace traces/reg-d66b9-or-1-1_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-or-1-1_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963BDBB550>
payload = "' OR '1'='1"

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C666DE0>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               24 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	82 ms	+1.41 s
POST	200	/usermanagement/auth/signup/mobile/send-otp	299 ms	+2.54 s
POST	200	/usermanagement/auth/signup/email/send-otp	363 ms	+2.56 s

CONSOLE ERRORS

WARNING	+3.46 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9[' OR '1'='1]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-' OR '1'='1]
```

REG-D66B9['… ✕ Failed **Sqli in name fields [' OR 1=1--]** 20.8 s

Registration › Registration security — `TimeoutError: Locator.…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	' OR 1=1--

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9[' OR 1=1--]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:14:28
Finished	15 Oct 2026, 15:14:48
Duration	20.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-' OR 1=1--]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.59 s, +178 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +373 ms

✓ 2. Enter name '' OR 1=1-- ' OR 1=1--' and business '' OR 1=1--' — 410 ms, +2.77 s
`first="' OR 1=1--", last="' OR 1=1--", business="' OR 1=1--"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +2.92 s

✓ 3. Enter email 'qa.auto+1792057471195136@gmail.com' — 62 ms, +3.18 s
`email="qa.auto+1792057471195136@gmail.com"`

✓ 4. Enter mobile '8207639396' — 56 ms, +3.24 s
`mobile="8207639396"`

✓ 5. Enter password and confirm password — 168 ms, +3.30 s
`password="9fr35iL9UFK@", confirm=null`

✕ 6. **Click Sign Up** — 15.1 s, +3.47 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-or-1-1_a1_2.webm` Open

Playwright trace traces/reg-d66b9-or-1-1_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-or-1-1_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963CA2B390>
payload = "' OR 1=1--"

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963B989E40>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	110 ms	+2.88 s
POST	429	/usermanagement/auth/signup/email/send-otp	943 ms	+4.25 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	889 ms	+4.26 s

CONSOLE ERRORS

ERROR	+4.10 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0

ERROR	+4.10 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+4.51 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+4.10 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+4.10 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9[' OR 1=1--]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-' OR 1=1--]
```

REG-D66B9['… ✕ Failed **Sqli in name fields [' UNION SELECT NULL--]**
Registration › Registration security — `TimeoutError: Locator.…` 20.6 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	' UNION SELECT NULL--

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9[' UNION SELECT NULL--]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:19:08
Finished	15 Oct 2026, 15:19:29
Duration	20.6 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-' UNION SELECT NULL--]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.41 s, +329 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +542 ms

✓ 2. Enter name '' UNION SELECT NULL-- ' UNION SELECT NULL--' and business '' UNION SELECT NULL--' — 1.56 s, +1.74 s

`first="' UNION SELECT NULL--", last="' UNION SELECT NULL--", business="' UNION SELECT NULL--"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +2.70 s

✓ 3. Enter email 'qa.auto+1792057751983486@gmail.com' — 48 ms, +3.31 s

`email="qa.auto+1792057751983486@gmail.com"`

✓ 4. Enter mobile '7643826840' — 99 ms, +3.36 s

`mobile="7643826840"`

✓ 5. Enter password and confirm password — 172 ms, +3.46 s

`password="2Vp9tdmKN#H1", confirm=null`

✕ 6. **Click Sign Up** — 15.1 s, +3.63 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-union-select-null_a1_2.webm` Open

Playwright trace traces/reg-d66b9-union-select-null_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-union-select-null_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639C19850>
payload = "' UNION SELECT NULL--"

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963B7493A0>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	341 ms	+2.06 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.51 s	+4.95 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	1.41 s	+4.96 s

CONSOLE ERRORS

ERROR	+4.75 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0

ERROR	+4.76 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+7.36 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+4.75 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+4.76 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9[' UNION SELECT NULL--]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-' UNION SELECT NULL--]
```

REG-D66B9['… ✕ Failed **Sqli in name fields ['; DROP TABLE users;--]**
Registration › Registration security — `TimeoutError: Locator.…` 20.1 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	'; DROP TABLE users;--

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9['; DROP TABLE users;--]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:11:48
Finished	15 Oct 2026, 15:12:08
Duration	20.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-'; DROP TABLE users;--]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.01 s, +186 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +364 ms

✓ 2. Enter name ''; DROP TABLE users;-- '; DROP TABLE users;--' and business ''; DROP TABLE users;--' — 876 ms, +1.20 s

```
first="'; DROP TABLE users;--", last="'; DROP TABLE users;--", business="'; DROP TABLE users;--"
```

✓ 3. Enter email 'qa.auto+1792057310439678@gmail.com' — 171 ms, +2.07 s

```
email="qa.auto+1792057310439678@gmail.com"
```

✓ 4. Enter mobile '7178542061' — 122 ms, +2.25 s

```
mobile="7178542061"
```

✓ 5. Enter password and confirm password — 646 ms, +2.37 s

```
password="J7eKz4QS6P$7", confirm=null
```

✕ 6. **Click Sign Up** — 15.1 s, +3.01 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-drop-table-users_a1_2.webm` Open

Playwright trace traces/reg-d66b9-drop-table-users_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-drop-table-users_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639F542C0>
payload = "'; DROP TABLE users;--"

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BED3380>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	76 ms	+1.28 s
POST	429	/usermanagement/auth/signup/email/send-otp	890 ms	+3.26 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	834 ms	+3.31 s

CONSOLE ERRORS

WARNING	+2.91 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can

		change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705
ERROR	+3.24 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0
ERROR	+3.29 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+3.24 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+3.29 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9['; DROP TABLE users;--]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-'; DROP TABLE users;--]
```

REG-D66B9["… ✕ Failed

Sqli in name fields [" OR ""="]

Registration › Registration security — `TimeoutError: Locator.…`

22.3 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	" OR ""="

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON

RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9[" OR ""="]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:23:28
Finished	15 Oct 2026, 15:23:51
Duration	22.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-" OR ""="]`

STEPS EXECUTED

✓ 1. Open the signup page — 897 ms, +197 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +374 ms

✓ 2. Enter name '" OR ""=" " OR ""="' and business '" OR ""="'
`first="\" OR \"\"=\"", last="\" OR \"\"=\"", business="\" OR \"\"=\""`
3.73 s, +1.09 s

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +4.18 s

✓ 3. Enter email 'qa.auto+1792058013508908@gmail.com'
`email="qa.auto+1792058013508908@gmail.com"`
90 ms, +4.82 s

✓ 4. Enter mobile '7899071035'
`mobile="7899071035"`
215 ms, +4.91 s

✓ 5. Enter password and confirm password
`password="qWS$7KYgIiv0", confirm=null`
206 ms, +5.13 s

✕ 6. **Click Sign Up** — 15.0 s, +5.33 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-or_a1_2.webm` Open

Playwright trace traces/reg-d66b9-or_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-or_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963D490410>
payload = '" OR ""="'

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963A29AF20>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	189 ms	+1.29 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.04 s	+6.09 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	2.78 s	+8.01 s

CONSOLE ERRORS

ERROR	+5.76 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0

ERROR	+8.00 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+8.45 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+5.76 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+8.00 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9[" OR ""="]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-" OR ""="]
```

REG-D66B9[1… ✕ Failed **Sqli in name fields [1' AND SLEEP(5)--]** Registration › Registration security — `TimeoutError: Locator.…` 23.7 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`1' AND SLEEP(5)--`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9[1' AND SLEEP(5)--]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:21:26
Finished	15 Oct 2026, 15:21:49
Duration	23.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-1' AND SLEEP(5)--]`

STEPS EXECUTED

✓ 1. Open the signup page — 5.68 s, +295 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +463 ms

✓ 2. Enter name '1' AND SLEEP(5)-- 1' AND SLEEP(5)--' and business '1' AND SLEEP(5)--' — 806 ms, +5.98 s

`first="1' AND SLEEP(5)--", last="1' AND SLEEP(5)--", business="1' AND SLEEP(5)--"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +6.22 s

✓ 3. Enter email 'qa.auto+1792057892791805@gmail.com' — 112 ms, +6.79 s

`email="qa.auto+1792057892791805@gmail.com"`

✓ 4. Enter mobile '8080629550' — 93 ms, +6.90 s

`mobile="8080629550"`

✓ 5. Enter password and confirm password — 119 ms, +6.99 s

`password="29vfGhqWzh$6", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s, +7.11 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-1-and-sleep-5_a1_2.webm` Open

Playwright trace traces/reg-d66b9-1-and-sleep-5_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-1-and-sleep-5_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639AA80B0>
payload = "1' AND SLEEP(5)--"

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639D39620>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	95 ms	+6.08 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	700 ms	+7.75 s
POST	429	/usermanagement/auth/signup/email/send-otp	744 ms	+7.76 s

CONSOLE ERRORS

ERROR	+7.37 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0

ERROR	+7.37 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0
WARNING	+8.04 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+7.37 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+7.37 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9[1' AND SLEEP(5)--]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-1' AND SLEEP(5)--]
```

REG-D66B9[a… ✕ Failed **Sqli in name fields [admin'--]** Registration › Registration security — `TimeoutError: Locator.…` 22.9 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`admin'--`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-D66B9[admin'--]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:16:48
Finished	15 Oct 2026, 15:17:11
Duration	22.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:15`
Node ID	`tests/test_registration_security.py::test_sqli_in_name_fields[chromium-admin'--]`

STEPS EXECUTED

✓ 1. Open the signup page — 3.91 s, +186 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +362 ms

✓ 2. Enter name 'admin'-- admin'--' and business 'admin'--' — 483 ms, +4.10 s
`first="admin'--", last="admin'--", business="admin'--"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +4.25 s

✓ 3. Enter email 'qa.auto+1792057613043707@gmail.com' — 54 ms, +4.58 s
`email="qa.auto+1792057613043707@gmail.com"`

✓ 4. Enter mobile '6726662873' — 48 ms, +4.63 s
`mobile="6726662873"`

✓ 5. Enter password and confirm password — 93 ms, +4.68 s
`password="LIZk7gch$EPn", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s, +4.77 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-d66b9-admin_a1_2.webm` Open

Playwright trace traces/reg-d66b9-admin_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-d66b9-admin_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963BB1ED60>
payload = "admin'--"

    @pytest.mark.parametrize("payload", SQLI_PAYLOADS)
    def test_sqli_in_name_fields(reg, payload):
        reg.fill_basic(payload, payload, payload)
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:21:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963A355800>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	81 ms	+4.18 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.67 s	+6.36 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	1.63 s	+6.37 s

CONSOLE ERRORS

ERROR	+6.10 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0

ERROR	+6.11 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+7.11 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+6.10 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+6.11 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-D66B9[admin'--]
tests/test_registration_security.py::test_sqli_in_name_fields[chromium-admin'--]
```

REG-F0CE1["… | ✕ Failed | **Xss in name fields ["><script>alert(1)</script>]**
Registration › Registration security — `TimeoutError: Locator.…` | 19.8 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`"><script>alert(1)</script>`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-F0CE1["><script>alert(1)</script>]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:17:11
Finished	15 Oct 2026, 15:17:31
Duration	19.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:27`
Node ID	`tests/test_registration_security.py::test_xss_in_name_fields[chromium-"><script>alert(1)</script>]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.43 s (+324 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+488 ms)

✓ 2. Enter name '"><script>alert(1)</script> QA' and business 'QA Corp' — 1.01 s (+1.76 s)
`first="\"><script>alert(1)</script>", last="QA", business="QA Corp"`

✓ 3. Enter email 'qa.auto+1792057634172274@gmail.com' — 61 ms (+2.78 s)
`email="qa.auto+1792057634172274@gmail.com"`

✓ 4. Enter mobile '9870418710' — 81 ms (+2.84 s)
`mobile="9870418710"`

✓ 5. Enter password and confirm password — 105 ms (+2.92 s)
`password="NT97X*NdIYL7", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s (+3.02 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-f0ce1-script-alert-1-script_a1_2.webm` Open

Playwright trace traces/reg-f0ce1-script-alert-1-script_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-f0ce1-script-alert-1-script_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963CBF7540>
page = <Page url='https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up'>
payload = '"><script>alert(1)</script>'

    @pytest.mark.parametrize("payload", XSS_PAYLOADS)
    def test_xss_in_name_fields(reg, page, payload):
        fired = {"alert": False}
        page.on("dialog", lambda d: (fired.__setitem__("alert", True), d.dismiss()))
        reg.fill_basic(payload, "QA", "QA Corp")
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:35:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963C4B9300>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	65 ms	+1.81 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.36 s	+4.29 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	1.29 s	+4.30 s

CONSOLE ERRORS

ERROR	+3.76 s	Failed to load resource: the server responded with a status of 429 ()

		https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0
ERROR	+3.76 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+5.15 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+3.76 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+3.76 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-F0CE1["><script>alert(1)</script>]
tests/test_registration_security.py::test_xss_in_name_fields[chromium-"><script>alert(1)
</script>]
```

REG-F0CE1[<… ✕ Failed **Xss in name fields [<img src=x onerror=alert('xss')>]**
Registration › Registration security — `TimeoutError: Locator.…` 18.8 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`<img src=x onerror=alert('xss')>`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-F0CE1[<img src=x onerror=alert('xss')>]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:12:08
Finished	15 Oct 2026, 15:12:27
Duration	18.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:27`
Node ID	`tests/test_registration_security.py::test_xss_in_name_fields[chromium-<img src=x onerror=alert('xss')>]`

STEPS EXECUTED

✓ 1. Open the signup page — 953 ms, +217 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +430 ms

✓ 2. Enter name '<img src=x onerror=alert('xss')> QA' and business 'QA Corp' — 445 ms, +1.18 s
`first="<img src=x onerror=alert('xss')>", last="QA", business="QA Corp"`

✓ 3. Enter email 'qa.auto+1792057330141287@gmail.com' — 43 ms, +1.63 s
`email="qa.auto+1792057330141287@gmail.com"`

✓ 4. Enter mobile '8438452884' — 47 ms, +1.67 s
`mobile="8438452884"`

✓ 5. Enter password and confirm password — 99 ms, +1.72 s
`password="05lmaBg%TTgJ", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s, +1.82 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-f0ce1-img-src-x-onerror-alert-xss_a1_2.webm` Open

Playwright trace traces/reg-f0ce1-img-src-x-onerror-alert-xss_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-f0ce1-img-src-x-onerror-alert-xss_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x0000019639C92B10>
page = <Page url='https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up'>
payload = "<img src=x onerror=alert('xss')>"

    @pytest.mark.parametrize("payload", XSS_PAYLOADS)
    def test_xss_in_name_fields(reg, page, payload):
        fired = {"alert": False}
        page.on("dialog", lambda d: (fired.__setitem__("alert", True), d.dismiss()))
        reg.fill_basic(payload, "QA", "QA Corp")
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:35:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CA2B4C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	98 ms	+1.27 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	1.39 s	+3.16 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.43 s	+3.17 s

CONSOLE ERRORS

ERROR	+2.87 s	Failed to load resource: the server responded with a status of 429 ()

		https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
ERROR	+2.90 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0
WARNING	+4.52 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+2.87 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+2.89 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-F0CE1[<img src=x onerror=alert('xss')>]
tests/test_registration_security.py::test_xss_in_name_fields[chromium-<img src=x
onerror=alert('xss')>]
```

REG-F0CE1[<… ✕ Failed **Xss in name fields [<script>alert('xss')</script>]**
Registration › Registration security — `TimeoutError: Locator.…` 25.9 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`<script>alert('xss')</script>`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-F0CE1[<script>alert('xss')</script>]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:09:29
Finished	15 Oct 2026, 15:09:55
Duration	25.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:27`
Node ID	`tests/test_registration_security.py::test_xss_in_name_fields[chromium-<script>alert('xss')</script>]`

STEPS EXECUTED

✓ 1. Open the signup page — 2.25 s, +214 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +441 ms

✓ 2. Enter name '<script>alert('xss')</script> QA' and business 'QA Corp' — 731 ms, +2.48 s

`first="<script>alert('xss')</script>", last="QA", business="QA Corp"`

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +2.63 s

✓ 3. Enter email 'qa.auto+1792057172423887@gmail.com' — 53 ms, +3.21 s

`email="qa.auto+1792057172423887@gmail.com"`

✓ 4. Enter mobile '8259814957' — 135 ms, +3.26 s

`mobile="8259814957"`

✓ 5. Enter password and confirm password — 314 ms, +3.40 s

`password="8Hy#jSxUOxSM", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s, +3.71 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-f0ce1-script-alert-xss-script_a1_2.webm` Open

Playwright trace traces/reg-f0ce1-script-alert-xss-script_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-f0ce1-script-alert-xss-script_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963994B200>
page = <Page url='https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up'>
payload = "<script>alert('xss')</script>"

    @pytest.mark.parametrize("payload", XSS_PAYLOADS)
    def test_xss_in_name_fields(reg, page, payload):
        fired = {"alert": False}
        page.on("dialog", lambda d: (fired.__setitem__("alert", True), d.dismiss()))
        reg.fill_basic(payload, "QA", "QA Corp")
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:35:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963BF79F80>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               22 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms
E               - waiting for element to be visible, enabled and stable

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	86 ms	+2.56 s
POST	200	/usermanagement/auth/signup/email/send-otp	95 ms	+3.46 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	346 ms	+3.84 s

CONSOLE ERRORS

ERROR	+3.83 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+4.04 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+3.83 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-F0CE1[<script>alert('xss')</script>]
tests/test_registration_security.py::test_xss_in_name_fields[chromium-<script>alert('xss')
</script>]
```

REG-F0CE1[<… ✕ Failed **Xss in name fields [<svg/onload=alert('xss')>]**
Registration › Registration security — `TimeoutError: Locator.…` 20.0 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`<svg/onload=alert('xss')>`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-F0CE1[<svg/onload=alert('xss')>]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:14:49
Finished	15 Oct 2026, 15:15:09
Duration	20.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:27`
Node ID	`tests/test_registration_security.py::test_xss_in_name_fields[chromium-<svg/onload=alert('xss')>]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.85 s (+194 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up (+431 ms)

✓ 2. Enter name '<svg/onload=alert('xss')> QA' and business 'QA Corp' — 502 ms (+2.05 s)
`first="<svg/onload=alert('xss')>", last="QA", business="QA Corp"`

✓ 3. Enter email 'qa.auto+1792057491776805@gmail.com' — 52 ms (+2.55 s)
`email="qa.auto+1792057491776805@gmail.com"`

✓ 4. Enter mobile '7681421345' — 53 ms (+2.60 s)
`mobile="7681421345"`

✓ 5. Enter password and confirm password — 94 ms (+2.65 s)
`password="bqJvHC!7BSuW", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s (+2.75 s)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-f0ce1-svg-onload-alert-xss_a1_2.webm` Open

Playwright trace traces/reg-f0ce1-svg-onload-alert-xss_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-f0ce1-svg-onload-alert-xss_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963A392C10>
page = <Page url='https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up'>
payload = "<svg/onload=alert('xss')>"

    @pytest.mark.parametrize("payload", XSS_PAYLOADS)
    def test_xss_in_name_fields(reg, page, payload):
        fired = {"alert": False}
        page.on("dialog", lambda d: (fired.__setitem__("alert", True), d.dismiss()))
        reg.fill_basic(payload, "QA", "QA Corp")
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:35:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x0000019639E94EA0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	96 ms	+2.14 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	994 ms	+3.70 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.24 s	+3.90 s

CONSOLE ERRORS

ERROR	+3.69 s	Failed to load resource: the server responded with a status of 429 ()

		https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
ERROR	+3.72 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0
WARNING	+4.12 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+3.69 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+3.72 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-F0CE1[<svg/onload=alert('xss')>]
tests/test_registration_security.py::test_xss_in_name_fields[chromium-<svg/onload=alert('xss')>]
```

REG-F0CE1[j… ✕ Failed **Xss in name fields [javascript:alert('xss')]** 19.3 s

Registration › Registration security — `TimeoutError: Locator.…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Signup page is open

TEST DATA USED

payload	`javascript:alert('xss')`

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON RATE LIMITED (HTTP 429)

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`REG-F0CE1[javascript:alert('xss')]`
Status	✕ **Failed**
Module	Registration
Feature / flow	Registration security
Type	Security
Started	15 Oct 2026, 15:19:29
Finished	15 Oct 2026, 15:19:48
Duration	19.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	registration, security
Location	`tests\test_registration_security.py:27`
Node ID	`tests/test_registration_security.py::test_xss_in_name_fields[chromium-javascript:alert('xss')]`

STEPS EXECUTED

✓ 1. Open the signup page — 1.35 s, +217 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up — +384 ms

✓ 2. Enter name 'javascript:alert('xss') QA' and business 'QA Corp' — 399 ms, +1.58 s
`first="javascript:alert('xss')", last="QA", business="QA Corp"`

✓ 3. Enter email 'qa.auto+1792057771257548@gmail.com' — 45 ms, +1.98 s
`email="qa.auto+1792057771257548@gmail.com"`

✓ 4. Enter mobile '9358996283' — 52 ms, +2.02 s
`mobile="9358996283"`

✓ 5. Enter password and confirm password — 87 ms, +2.08 s
`password="D0uDk1#opN3t", confirm=null`

✕ 6. **Click Sign Up** — 15.0 s, +2.16 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/reg-f0ce1-javascript-alert-xss_a1_2.webm` Open

Playwright trace traces/reg-f0ce1-javascript-alert-xss_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/reg-f0ce1-javascript-alert-xss_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
reg = <pages.registration_page.RegistrationPage object at 0x000001963C037D10>
page = <Page url='https://uat.sprintnxt.in/NexGenV4Front/#/auth/sign-up'>
payload = "javascript:alert('xss')"

    @pytest.mark.parametrize("payload", XSS_PAYLOADS)
    def test_xss_in_name_fields(reg, page, payload):
        fired = {"alert": False}
        page.on("dialog", lambda d: (fired.__setitem__("alert", True), d.dismiss()))
        reg.fill_basic(payload, "QA", "QA Corp")
        reg.fill_email(unique_email())
        reg.fill_mobile(valid_mobile())
        reg.fill_passwords(valid_password())
>       reg.submit()

tests\test_registration_security.py:35:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\registration_page.py:57: in submit
    self._signup_btn().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
```

```
self = <playwright._impl._connection.Connection object at 0x00000196393DAF90>
cb = <function Channel.send.<locals>.<lambda> at 0x000001963CFE1440>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"sign\s*up", re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" _ngcontent-ng-
c1277034305="" class="btn btn-primary w-100 signup-btn"> Sign Up </button>
E             - attempting click action
E               - waiting for element to be visible, enabled and stable
E               - element is not enabled
E             - retrying click action
E               - waiting for element to be visible, enabled and stable
E               - element is not stable
E             - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	89 ms	+1.67 s
POST	429	/usermanagement/auth/signup/email/send-otp	1.06 s	+3.15 s
POST	429	/usermanagement/auth/signup/mobile/send-otp	1.01 s	+3.16 s

CONSOLE ERRORS

ERROR	+2.88 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp:0
ERROR	+2.88 s	Failed to load resource: the server responded with a status of 429 () https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp:0
WARNING	+3.86 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

NETWORK FAILURES

METHOD	RESULT	URL	TYPE	AT
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/email/send-otp	xhr	+2.88 s
POST	429	https://uat.sprintnxt.in/usermanagement/auth/signup/mobile/send-otp	xhr	+2.88 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   REG-F0CE1[javascript:alert('xss')]
tests/test_registration_security.py::test_xss_in_name_fields[chromium-javascript:alert('xss')]
```

REG-007	✓ Passed	**Wrong email OTP does not verify the email** Registration › Email OTP	3.54 s

Admin 0 passed · 0 failed · 2 blocked · 0 skipped

ADM-3D60C | Blocked | **Admin login** | 3.83 s

Admin › Admin activation — `Admin URL/credentials not prov…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Admin is logged in (SNXT_ADMIN_URL / USER / PASS configured)

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Admin URL/credentials not provided. Set SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS in .env. (Admin login details were not part of the shared screenshots.)

FAILURE REASON

PRECONDITION NOT MET

```
Admin URL/credentials not provided. Set SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS in .env. (Admin login details were not part of the shared screenshots.)
```

EXECUTION

Test case ID	ADM-3D60C
Status	⊘ **Blocked**
Module	Admin
Feature / flow	Admin activation
Type	Smoke
Started	15 Oct 2026, 15:04:04
Finished	15 Oct 2026, 15:04:08
Duration	3.83 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	admin smoke
Location	tests\test_admin_activation.py:21
Node ID	tests/test_admin_activation.py::test_admin_login[chromium]

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/adm-3d60c_a1_2.webm` Open

Playwright trace traces/adm-3d60c_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/adm-3d60c_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   ADM-3D60C
tests/test_admin_activation.py::test_admin_login[chromium]
```

ADM-A92CF | Blocked | Activate merchant | 475 ms

Admin › Admin activation — `Admin URL/credentials not pr…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Admin is logged in (SNXT_ADMIN_URL / USER / PASS configured)

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Admin URL/credentials not provided. Set SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS in .env. (Admin login details were not part of the shared screenshots.)

FAILURE REASON PRECONDITION NOT MET

```
Admin URL/credentials not provided. Set SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS in .env. (Admin login details were not part of the shared screenshots.)
```

EXECUTION

Test case ID	ADM-A92CF
Status	Blocked
Module	Admin
Feature / flow	Admin activation
Type	Functional
Started	15 Oct 2026, 15:04:08
Finished	15 Oct 2026, 15:04:08
Duration	475 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	admin
Location	tests\test_admin_activation.py:26
Node ID	tests/test_admin_activation.py::test_activate_merchant[chromium]

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/adm-a92cf_a1_2.webm` Open

Playwright trace traces/adm-a92cf_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/adm-a92cf_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   ADM-A92CF
tests/test_admin_activation.py::test_activate_merchant[chromium]
```

Change Password

0 passed · 0 failed · 11 blocked · 0 skipped

CPW-5EF02[e… | Blocked | Invalid new password [empty] | Change Password › Change password — Set SNXT_MERCHANT_… | 545 ms

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	"" (empty)
reason	empty

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[empty]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:23:51
Finished	15 Oct 2026, 15:23:51
Duration	545 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-empty]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-empty_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[empty]
tests/test_change_password.py::test_invalid_new_password[chromium-empty]
```

CPW-5EF02[f… **Blocked** **Invalid new password [far-too-short]** 629 ms

Change Password › Change password — `Set SNXT_MERCHANT_…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	Ab@1
reason	far-too-short

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[far-too-short]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:21:49
Finished	15 Oct 2026, 15:21:50
Duration	629 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-far-too-short]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-far-too-short_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-far-too-short_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-far-too-short_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[far-too-short]
tests/test_change_password.py::test_invalid_new_password[chromium-far-too-short]
```

CPW-5EF02[1… | Blocked | Invalid new password [length-10-below-min] | Change Password › Change password — Set SNXT_MERCHANT_… | 545 ms

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	Ab@1234567
reason	length-10-below-min

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[length-10-below-min]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:04:09
Finished	15 Oct 2026, 15:04:10
Duration	545 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-length-10-below-min]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-length-10-below-min_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-length-10-below-min_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-length-10-below-min_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[length-10-below-min]
tests/test_change_password.py::test_invalid_new_password[chromium-length-10-below-min]
```

CPW-5EF02[1… | Blocked | Invalid new password [length-16-above-max] | Change Password › Change password — Set SNXT_MERCHANT_EM… | 5.43 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	Ab@1234567890123
reason	length-16-above-max

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[length-16-above-max]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:09:55
Finished	15 Oct 2026, 15:10:00
Duration	5.43 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-length-16-above-max]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-length-16-above-max_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-length-16-above-max_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-length-16-above-max_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[length-16-above-max]
tests/test_change_password.py::test_invalid_new_password[chromium-length-16-above-max]
```

CPW-5EF02[n… | Blocked | **Invalid new password [no-digit]** | Change Password › Change password — Set SNXT_MERCHANT_… | 502 ms

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	Abcd@efghijk
reason	no-digit

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[no-digit]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:17:31
Finished	15 Oct 2026, 15:17:31
Duration	502 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-no-digit]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-no-digit_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-no-digit_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-no-digit_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[no-digit]
tests/test_change_password.py::test_invalid_new_password[chromium-no-digit]
```

CPW-5EF02[n… **Blocked** **Invalid new password [no-lowercase]**
Change Password › Change password — `Set SNXT_MERCHANT_…` 475 ms

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	AB@123456789
reason	no-lowercase

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[no-lowercase]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:15:09
Finished	15 Oct 2026, 15:15:09
Duration	475 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-no-lowercase]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-no-lowercase_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-no-lowercase_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-no-lowercase_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[no-lowercase]
tests/test_change_password.py::test_invalid_new_password[chromium-no-lowercase]
```

CPW-5EF02[n… **Blocked** **Invalid new password [no-special]** 1.01 s

Change Password › Change password — `Set SNXT_MERCHANT_EM…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	Abcd12345678
reason	no-special

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[no-special]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:19:48
Finished	15 Oct 2026, 15:19:49
Duration	1.01 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-no-special]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-no-special_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-no-special_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-no-special_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[no-special]
tests/test_change_password.py::test_invalid_new_password[chromium-no-special]
```

CPW-5EF02[n… | Blocked | Invalid new password [no-uppercase] | Change Password › Change password — Set SNXT_MERCHANT_… | 526 ms

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

pw	ab@123456789
reason	no-uppercase

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-5EF02[no-uppercase]`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Negative · Validation
Started	15 Oct 2026, 15:12:27
Finished	15 Oct 2026, 15:12:27
Duration	526 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · negative
Location	`tests\test_change_password.py:32`
Node ID	`tests/test_change_password.py::test_invalid_new_password[chromium-no-uppercase]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-5ef02-no-uppercase_a1_2.webm` Open

Playwright trace traces/cpw-5ef02-no-uppercase_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-5ef02-no-uppercase_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-5EF02[no-uppercase]
tests/test_change_password.py::test_invalid_new_password[chromium-no-uppercase]
```

CPW-8E7F5 | Blocked | **Wrong current password** | Change Password › Change password — `Set SNXT_MERCHANT_...` | 476 ms

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	CPW-8E7F5
Status	⊘ Blocked
Module	Change Password
Feature / flow	Change password
Type	Negative, Validation
Started	15 Oct 2026, 15:04:09
Finished	15 Oct 2026, 15:04:09
Duration	476 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password, negative
Location	tests\test_change_password.py:26
Node ID	tests/test_change_password.py::test_wrong_current_password[chromium]

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-8e7f5_a1_2.webm` Open

Playwright trace traces/cpw-8e7f5_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-8e7f5_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-8E7F5
tests/test_change_password.py::test_wrong_current_password[chromium]
```

CPW-33BAC | Blocked | New confirm mismatch | 499 ms

Change Password › Change password — `Set SNXT_MERCHANT_...`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	CPW-33BAC
Status	⊘ Blocked
Module	Change Password
Feature / flow	Change password
Type	Negative, Validation
Started	15 Oct 2026, 15:04:10
Finished	15 Oct 2026, 15:04:10
Duration	499 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password, negative
Location	tests\test_change_password.py:39
Node ID	tests/test_change_password.py::test_new_confirm_mismatch[chromium]

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-33bac_a1_2.webm` Open

Playwright trace traces/cpw-33bac_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-33bac_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-33BAC
tests/test_change_password.py::test_new_confirm_mismatch[chromium]
```

CPW-F1F80 | Blocked | Change to a new password, then change back so seeded creds s...
Change Password › Change password — Set SNXT_MERCHANT_... | 558 ms

DESCRIPTION

Change to a new password, then change back so seeded creds stay valid.

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Seeded merchant is logged in (SNXT_MERCHANT_EMAIL / SNXT_MERCHANT_PASS)
3. Merchant is logged in and the Change Password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

EXECUTION

Test case ID	`CPW-F1F80`
Status	⊘ **Blocked**
Module	Change Password
Feature / flow	Change password
Type	Functional
Started	15 Oct 2026, 15:04:08
Finished	15 Oct 2026, 15:04:09
Duration	558 ms
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	change_password · positive
Location	`tests\test_change_password.py:14`
Node ID	`tests/test_change_password.py::test_change_password_valid_roundtrip[chromium]`

STEPS EXECUTED

No steps recorded. Decorate page-object methods with `@step` or wrap actions in `with step("…")`.

SCREENSHOTS & MEDIA

Video recording `videos/cpw-f1f80_a1_2.webm` Open

Playwright trace traces/cpw-f1f80_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_15-04-03_full-suite/traces/cpw-f1f80_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:209 START   CPW-F1F80
tests/test_change_password.py::test_change_password_valid_roundtrip[chromium]
```

End-to-End

0 passed · 0 failed · 0 blocked · 1 skipped

E2E-06F59	⏭ Skipped	**Register -> (Admin activates) -> Merchant login -> Change pass…** End-to-End › E2e merchant journey	13.4 s

Failure summary

78 test(s) need attention: 64 failed, 14 blocked. Most affected modules: **Registration** (41), **Login** (13), **Change Password** (11), **Forgot Password** (11).

Element Not Found / Not Actionable 51

✕ **Failed** `FPW-7AA29[no-at-or-domain]`

Forgot invalid email format [no-at-or-domain]

Forgot Password › Forgot password · 21.2 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `FPW-46640`

Forgot empty

Forgot Password › Forgot password · 17.8 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `LOGIN-002`

Wrong password is rejected

Login › Merchant login · 23.1 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ **Failed** `LOGIN-003`

Unregistered email is rejected

Login › Merchant login · 18.3 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ **Failed** `LOGIN-004[no-at-or-domain]`

Malformed email cannot log in [no-at-or-domain]

Login › Input validation · 21.5 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed LOGIN-005

Empty login form cannot be submitted

Login › Input validation · 18.6 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-001

Register a new merchant with valid details

Registration › Merchant signup · 26.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-002

Empty form cannot be submitted

Registration › Form validation · 22.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-003[no-at-or-domain]

Invalid email format is rejected [no-at-or-domain]

Registration › Email validation · 20.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-004[too-short]

Invalid mobile number is rejected [too-short]

Registration › Mobile validation · 19.2 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-005[length-10-below-min]

Password violating the policy is rejected [length-10-below-min]

Registration › Password policy · 24.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-006

Password and confirm password must match

Registration › Password policy · 19.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-D66B9[' OR '1'='1]

Sqli in name fields [' OR '1'='1]

Registration › Registration security · 21.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed FPW-7AA29[missing-at]

Forgot invalid email format [missing-at]

Forgot Password › Forgot password · 21.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed LOGIN-004[missing-at]

Malformed email cannot log in [missing-at]

Login › Input validation · 20.0 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed REG-003[missing-at]

Invalid email format is rejected [missing-at]

Registration › Email validation · 21.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-004[too-long]

Invalid mobile number is rejected [too-long]

Registration › Mobile validation · 21.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-005[length-16-above-max]`

Password violating the policy is rejected [length-16-above-max]

Registration › Password policy · 24.5 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `FPW-7AA29[missing-domain]`

Forgot invalid email format [missing-domain]

Forgot Password › Forgot password · 18.2 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `LOGIN-004[missing-domain]`

Malformed email cannot log in [missing-domain]

Login › Input validation · 20.3 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed `REG-003[missing-domain]`

Invalid email format is rejected [missing-domain]

Registration › Email validation · 31.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-004[non-numeric]`

Invalid mobile number is rejected [non-numeric]

Registration › Mobile validation · 31.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-005[no-uppercase]`

Password violating the policy is rejected [no-uppercase]

Registration › Password policy · 19.4 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `FPW-7AA29[missing-tld]`

Forgot invalid email format [missing-tld]

Forgot Password › Forgot password · 18.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `LOGIN-004[missing-tld]`

Malformed email cannot log in [missing-tld]

Login › Input validation · 22.8 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed `REG-003[missing-tld]`

Invalid email format is rejected [missing-tld]

Registration › Email validation · 18.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-004[invalid-start-digit]`

Invalid mobile number is rejected [invalid-start-digit]

Registration › Mobile validation · 19.2 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-005[no-lowercase]`

Password violating the policy is rejected [no-lowercase]

Registration › Password policy · 19.5 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `FPW-7AA29[double-at]`

Forgot invalid email format [double-at]

Forgot Password › Forgot password · 18.5 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `LOGIN-004[double-at]`

Malformed email cannot log in [double-at]

Login › Input validation · 18.5 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-003[double-at]`

Invalid email format is rejected [double-at]

Registration › Email validation · 22.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-004[contains-space]`

Invalid mobile number is rejected [contains-space]

Registration › Mobile validation · 18.7 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-005[no-digit]`

Password violating the policy is rejected [no-digit]

Registration › Password policy · 18.2 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `FPW-7AA29[space-in-local]`

Forgot invalid email format [space-in-local]

Forgot Password › Forgot password · 19.8 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `LOGIN-004[space-in-local]`

Malformed email cannot log in [space-in-local]

Login › Input validation · 22.2 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed `REG-003[space-in-local]`

Invalid email format is rejected [space-in-local]

Registration › Email validation · 18.4 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-004[contains-symbols]`

Invalid mobile number is rejected [contains-symbols]

Registration › Mobile validation · 18.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-005[no-special]`

Password violating the policy is rejected [no-special]

Registration › Password policy · 18.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `FPW-7AA29[illegal-chars]`

Forgot invalid email format [illegal-chars]

Forgot Password › Forgot password · 17.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `LOGIN-004[illegal-chars]`

Malformed email cannot log in [illegal-chars]

Login › Input validation · 19.1 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed `REG-003[illegal-chars]`

Invalid email format is rejected [illegal-chars]

Registration › Email validation · 20.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-004[all-zeros]`

Invalid mobile number is rejected [all-zeros]

Registration › Mobile validation · 20.6 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-005[far-too-short]`

Password violating the policy is rejected [far-too-short]

Registration › Password policy · 20.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `FPW-7AA29[missing-local]`

Forgot invalid email format [missing-local]

Forgot Password › Forgot password · 20.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `LOGIN-004[missing-local]`

Malformed email cannot log in [missing-local]

Login › Input validation · 18.7 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed `REG-003[missing-local]`

Invalid email format is rejected [missing-local]

Registration › Email validation · 18.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed `REG-004[empty]`

Invalid mobile number is rejected [empty]

Registration › Mobile validation · 21.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-005[empty]

Password violating the policy is rejected [empty]

Registration › Password policy · 18.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed FPW-7AA29[empty]

Forgot invalid email format [empty]

Forgot Password › Forgot password · 21.5 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed LOGIN-004[empty]

Malformed email cannot log in [empty]

Login › Input validation · 17.7 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



✕ Failed REG-003[empty]

Invalid email format is rejected [empty]

Registration › Email validation · 23.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



Precondition Not Met 14

⊘ Blocked ADM-3D60C

Admin login

Admin › Admin activation · 3.83 s

```
Admin URL/credentials not provided. Set SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS in .env.
(Admin login details were not part of the shared screenshots.)
```

⊘ Blocked ADM-A92CF

Activate merchant

Admin › Admin activation · 475 ms

```
Admin URL/credentials not provided. Set SNXT_ADMIN_URL / SNXT_ADMIN_USER / SNXT_ADMIN_PASS in .env.
(Admin login details were not part of the shared screenshots.)
```

Blocked CPW-F1F80

Change to a new password, then change back so seeded creds stay valid

Change Password › Change password · 558 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-8E7F5

Wrong current password

Change Password › Change password · 476 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[length-10-below-min]

Invalid new password [length-10-below-min]

Change Password › Change password · 545 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-33BAC

New confirm mismatch

Change Password › Change password · 499 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked LOGIN-001

Activated merchant logs in with valid credentials

Login › Merchant login · 4.67 s

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS for the positive login test
```

Blocked CPW-5EF02[length-16-above-max]

Invalid new password [length-16-above-max]

Change Password › Change password · 5.43 s

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[no-uppercase]

Invalid new password [no-uppercase]

Change Password › Change password · 526 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[no-lowercase]

Invalid new password [no-lowercase]

Change Password › Change password · 475 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[no-digit]

Invalid new password [no-digit]

Change Password › Change password · 502 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[no-special]

Invalid new password [no-special]

Change Password › Change password · 1.01 s

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[far-too-short]

Invalid new password [far-too-short]

Change Password › Change password · 629 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Blocked CPW-5EF02[empty]

Invalid new password [empty]

Change Password › Change password · 545 ms

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS in .env for authenticated tests
```

Rate Limited (HTTP 429) 11

✕ **Failed** `REG-F0CE1[<script>alert('xss')</script>]`

Xss in name fields [<script>alert('xss')</script>]

Registration › Registration security · 25.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-D66B9['; DROP TABLE users;--]`

Sqli in name fields ['; DROP TABLE users;--]

Registration › Registration security · 20.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-F0CE1[<img src=x onerror=alert('xss')>]`

Xss in name fields [<img src=x onerror=alert('xss')>]

Registration › Registration security · 18.8 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-D66B9[' OR 1=1--]`

Sqli in name fields [' OR 1=1--]

Registration › Registration security · 20.8 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-F0CE1[<svg/onload=alert('xss')>]`

Xss in name fields [<svg/onload=alert('xss')>]

Registration › Registration security · 20.0 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ **Failed** `REG-D66B9[admin'--]`

Sqli in name fields [admin'--]

Registration › Registration security · 22.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-F0CE1[“><script>alert(1)</script>]

Xss in name fields [“><script>alert(1)</script>]

Registration › Registration security · 19.8 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-D66B9[' UNION SELECT NULL--]

Sqli in name fields [' UNION SELECT NULL--]

Registration › Registration security · 20.6 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-F0CE1[javascript:alert('xss')]

Xss in name fields [javascript:alert('xss')]

Registration › Registration security · 19.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-D66B9[1' AND SLEEP(5)--]

Sqli in name fields [1' AND SLEEP(5)--]

Registration › Registration security · 23.7 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



✕ Failed REG-D66B9[" OR ""="]

Sqli in name fields [" OR ""="]

Registration › Registration security · 22.3 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```



Assertion Failure 2

✕ Failed FPW-FD211

Forgot valid email

Forgot Password › Forgot password · 7.99 s

```
assert 'error' not in 'error\nthe ...s not valid!' 'error' is contained here:
error the provided information is not valid!
```



✕ Failed REG-008

Already-registered email cannot register again

Registration › Duplicate detection · 13.5 s

```
assert False + where False = is_registration_success() + where
is_registration_success = <pages.registration_page.RegistrationPage object at
0x000001963BDBAF50>.is_registration_success
```



Run details

Execution

Run ID	`2026-10-15_15-04-03_full-suite`
Run name	Full suite
Started	15 Oct 2026, 15:04:03
Finished	15 Oct 2026, 15:26:31
Duration	22m 28s
Workers	1
pytest exit status	1
Command	`pytest --report-name Full suite`
Run folder	`reports/runs/2026-10-15_15-04-03_full-suite`

Environment

Environment	UAT
Application URL	https://uat.sprintnxt.in/NexGenV4Front
Browser	chromium 145.0.7632.6
Build / release	local
Executed by	Office
CI	Local
Host	DESKTOP-0EGM1TC
Platform	Windows 10 (AMD64)
Python	3.13.3
pytest	9.0.2
Playwright	1.58.0